Inothical colors Recording Requested by: 6061 First American Title Insurance Agency, LLC 1755 Prospector Avenue, Suite A-100 Park Çitý, QT 84060 (435) 655-6800

AFTER RECORDING RETURN TO: Brian Malkemes amd Carl York
1889 Honey Wood Core SLC, ut. 841210

Bk01721 Pa00544-00554

Umoffile long ALAN SPRIGGS, SUMMIT CD RECORDER 2005 AUG 02 15:08 PM FEE \$40.0 \$40.00 BY GGB REQUEST: FIRST AMERICAN TITLE CO UTAH

SPACE ABOVE THIS LINE (3 1/2" X 5") FOR RECORDER'S USE , etc. 11 Colory

## WARRANTY DEED

Escrow No. 041-4510072 (LS) A.P.N.: CD-414-B-6

Robert R. Davis and Maureen S. Davis, Trustees ( and to their successors in trust) of the Robert and Maureen Davis Family Trust U/A/D October 1, 2001, Grantor, of Kamas, Summit County, State of Utah, hereby CONVEY AND WARRANT to

Brian Malkemes and Carl York, as tenants in common, Grantee, of Kamas, Summit County, State of UT, for the sum of Ten Dollars and other good and valuable considerations the following described tract(s) of land in Summit County, State of Utah:

See Exhibit "A" attached hereto and by reference made a part hereof.

Subject to easements, restrictions and rights of way appearing of record or enforceable in law and equity and general property taxes for the year 2005 and thereafter.

Witness, the hand(s) of said Grantor(s), this July 20, 2005.

Jinothellall colon Robert R. Davis and Maureen S. Davis, Trustees ( and to their successors in trust) of the Robert and Maureen Davis Family Trust U/A/D October 1, 2001

Robert R. Davis, Trustee

Maureen S. Davis, Trustee

BK1721 PG054

JUL-29<del>.</del>66 FRY 12:52 PM

40

					20194		
	ARN: CD-414-B	·6	Warranty Deed -	continued	File No.: <b>041</b>	-4510072 (LS)	
	STATE OF UT	Harbon )	<b>SS.</b> <				!
	Maureen S. Davis satisfactory evidence acknowledged to me his/her/their signatu	before me, the unit to be the person(s) to be the person(s) to the the the execute that he/she/they execute(s) on the instrument	indersigned Notar Pt   personality kl whose mame(s) is,	y Public, personally nown to me (or prov are subscribed to the	appeared Robert yed to me on the b he within instrume	R. Davis and pasis of ent and	
NW HE	WITNESS my hand a		$\searrow 4$	1200	/		
	My Commission Expi			ary Public		O)n.	
		MALEA 365 Sou Cedar City My Controles	Public HANSEN th Main Ush 84720 sion Expires		))) Golg <sub>L</sub>		
	Gason.	State o	2006 f Utah	A CONTROLL		OFFILE II	
			×	Mar			
	606, n		POB 1	, ć		0 (	
AL)	ELLO COLOR DE LA COLOR DE			A THE WALL	er T		
Dir		Mar	< 	Oliva.		Olive.	<u> </u>
	6061		POS I	· · · · · · · · · · · · · · · · · · ·	I COS I		TOD I
AL)	GIO.		<b>&gt;</b> *		), <sup>}</sup> `		
Digital	~1	Muse	\ \L	Mais	$\sim 1$	Mille	Ĺ
	(6)		Page 2 of 2	<	1 CO 18 1		
(FI)			<i>)</i>	A THE THE	))))) B	K1721 PG0545	5,333
	P, 15/2	(1)(U)(O), O	> У ХАЯ	7/100,	S:63 PM	1 187 28, 28 - JUL	

EXHIBIT "A "

THE COLOM

Mottellettoll Goldan

Escrow No. 041-4510072 (LS)
A.P.N.: CD-414-B-6

PARCEL OF LANT
VERIDIAN A PARCEL OF LAND LYING WITHIN SECTION 14, TOWNSHIP 2 SOUTH, RANGE 5 EAST, SALT LAKE BASE AND MERIDIAN, SUMMIT COUNTY, UTAH, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE À À REBAR MARKING THE SOUTHEAST CORNER OF SAID SECTION 14 (BASÍS OF BEARINGS IS NORTH 89 DEGREES 11 MINUTES 29 SECONDS EAST BETWEEN SAID REBAR AND A TNCH IRON PIPE MARKING THE SOUTHEAST CORNER OF SECTION 13); THENCE SOUTH 89 DEGREES 38 MINUTES 30 SECONDS WEST, A DISTANCE OF 1751.95 FEET; THENCE NORTH, A DISTANCE OF 1475394 FEET, TO THE POINT OF BEGINNING, SAID POINT ALSO BEING THE CENTER OF A 60 FOOT RIGHT OF WAY; THENCE ALONG SAID CENTERLINE THE FOLLOWING 13 COURSES: SOUTH 62 DEGREES 24 MINUTES 47 SECONDS WEST, A DISTANCE OF 53.72 FEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADINS OF 400.00 FEET AND A CENTRAL ANGLE OF 16 DEGREES 48 MINUTES 19 SECONDS, SOUTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 117.32 (FE) , SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 54 DEGREES 00 MINUTES 38 SECONDS WEST, A DISTANCE OF 116.90 FEET TO THE CURVE'S END, SOUTH 45√DEGREES 36 MINUTES 28 SECONDS-WEST, A DISTANCE OF 40.10 FEET; ₮б\THE BEGINNING OF A CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 100.00 FEET AND A CENTRAL ANGLE OF 85 DEGREES OF MINUTES 23 SECONDS, THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE RIGHT A DISTANCE OF 148.63 FEET, SAID ABO SUBTENDED BY A CHORD WHICH BEARS SOUTH 88 DEGREES 11 MINUTES 09 SECONDS WEST, A DISTANCE OF 135.32 FEET TO THE CURVE'S END, NORTH 49 DEGREES 14 MINUTES 09 SECONDS WEST, A DISTANCE OF 85.96 FEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS XX 400.00 FEET AND A CENTRAL ANGLE OF 47 DEGREES 16 MINUTES 53. SECONDS, NORTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 330.09 FEETS SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 72 DEGREES 52 MINUTES 36 SECONDS WEST) A DISTANCE OF 320.80 FEET TO THE CURVE'S END, SOUTH 83 DEGREES 28 MINUTES 58 SECONDS WEST, A DISTANCE OF 145.22 FEET; TO THE BEGINNING OF A CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 400.00 FEET AND A CENTRAL ANGLE OF 06 DEGREES, 31 MINUTES 02 SECONDS, WESTERLY, ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 45.50 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 86' DEGREES 44 MINUTES 29 SECONDS WEST, A DISTANCE OF 45.48 FEET TO THE CURVE'S END, WEST, A DISTANCE OF 245.23 FEET; TO THE BEGINNING OF A CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 50.00 FEET AND A CENTRAL ANGLE OF 56 DEGREES 13 MINUTES 07 SECONDS, WESTERLY ALONG THE ARC OF SAID CLIRVE TO THE RIGHT, A DISTANCE OF A900 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 61 DEGREES 53 MINUTES 27 SECONDS WEST, A DISTANCE OF 47.12 FEET TO THE CURVE'S END WORTH 33 DEGREES 46 MINUTES \$3 SECONDS WEST, A DISTANCE OF 177.34 FEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 200-00 FEET AND A CENTRAL ANGLE OF 43 DEGREES 02 MINUTES 20 SECONDS, NORTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 150.23 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 55 DEGREES 18 MINUTES 03 SECONDS WEST, A DISTANCE OF 146.73 FEET TO THE CURVE'S END AND NORTH 76 DEGREES 49 MINUTES 13 SECONDS WEST, A DISTANCE OF 215.54 FEET; THENCE NORTH 13 DEGREES 33 MINUTES 15 SECONDS EAST, A DISTANCE OF 1210.46 FEET TO THE TERMINUS OF A 60 FOOT RIGHT OF WAY; THENCE SOUTH 64 DEGREES 19 MINUTES 33 SECONDS EAST, A DISTANCE OF 969.42 FEET; THENCE SOUTH 44 DEGREES 43 MINUTES (19 SECONDS EAST, A DISTANCE OF 980 28 FEET; THENCE SOUTH 35 DEGREES 37 MINUTES 45 SECONDS WEST, A DISTANCE OF 452.87 FEET, TO THE POINT OF BEGINNING.

PROPERTY IS SUBJECT TO AND AFFECTED BY 30 FEET OF A 60 FOOT RIGHT OF WAY WHERE DESCRIBED ABOVE. ALSO, TOGETHER WITH AND SUBJECT TO A 60 FOOT RIGHT OF WAY(S) DESIGNATED AS RIGHT OF WAY(S) "A", "B", "E", "F", AN⊅ "G".

TOGETHER WITH THE FOLLOWING DESCRIBED EASEMENTS FOR ACCESS AND OTHER USES:

A STRIP OF LAND AT THE WEST END OF A PARCEL OF LAND KNOWN AS GARFF RANCHES, NUMBER 58, LYING 30 FEET TQ∕THE\EAST SIDE OF THE FOLLOWING ALIGNMENT, AND LYING WITHIN SECTION 14, TOWNSHIP 2 SOUTH, RANGÉ 5 EAST, SUMMIT COUNTY, LITATH, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

Page 1 of 9

1011 COLOM

07/29/2005

🕏 scrow No.: 041-4510072 (LS)

First American Title Insurance Agency (Que COMMENCING AT A REBAR MARKING THE SOUTHEAST CORNER OF SECTION 14 (BASIS OF BEARING IS NORTH 89 DEGREES 1 MINUTE 29 SECONDS EAST BETWEEN SAID REBAR AND A 2 INCH IRON PIPE MARKING THE SOUTHEAST CORNER OF SECTION 13); THENCE SOUTH 89 DEGREES 38 MINUTES 30 SECONDS WEST, A DISTANCE OF 1353.01 FEET; THENCE NORTH A DISTANCE OF 4139.90 FEET; THENCE SOUTH 46 DEGREES 14 MINUTES 38 SECONDS WEST 1012.33 FEET TO THE POINT OF BEGINNING, SAID POINT ALSO BEING THE POINT OF TERMINUS OF RIGHT OF WAY "HYSTHENCE SOUTH 51 DEGREES 03 MINUTES 21 SECONDS WEST 1243.77 FEET TO THE CENTER OF A CUL-DE-SAC, AND THE TERMINUS POINT OF RIGHT OF WAY "H-1".

A STRIP OF LAND AT THE EAST END OF A PARCEL OF LAND KNOWN AS GARFF RANCHES, NUMBER 59 (EYTH) 30 FEET TO THE WEST, SIDE OF THE FOLLOWING ALIGNMENT, AND LYING WITHIN SECTION 14, TOWNSHIP 2 SOUTH, RANGE 5 EAST) SUMMIT COUNTY, UTAH, MORE PARTICULARLY DESCRIBED AS FOLLOWS.

COMMENCING AT A REBAR MARKING THE SOUTHEAST CORNER OF SECTION 14 (BASIS OF BEARING IS NORTH 89 DEGREES (1) MINUTE 29 SECONDS EAST BETWEEN SAID REBAR AND A 2 INCH IRON (PIPE) MARKING THE SOUTHEÁSŤ ČORNER OF SECTION 13); THENCE ŠOÚJTH 89 DEGREES 38 MINUTES 36 SÈCONDS WEST, A DISTANCE OF 1353.01 FEET; THENCE NORTH A DISTANCE OF 4139.90 FEET; THENCE SOUTH 46 DEGREES 14 MINUTES 58 SECONDS WEST 1012.33 FEET TO THE POINT OF BEGINNING, SAID POINT ALSO BEING THE ROINT OF TERMINUS OF RIGHT OF WAY "H"; THENCE SOUTH 51 DEGREES OF MINUTES 21 SECONDS WEST 1-11. Y 243.77 FEET TO THE CENTER OF A CUL-DE-SAC, AND THE TERMINUS POINT OF RIGHT OF WAY

ALSO:

GARFF RANCHES RIGHT OF WAY "H"

A PARCEL OF EAND LYING 30 FEET EACH SIDE OF THE FOLLOWING ALIGNMENT, AND LYING WITHIN SECTION 14, TOWNSHIP 2 SOUTH, RANGE 5 EAST, SALT LARE BASE AND MERIDIAN, SUMMIT, COUNTY, UTAH, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT A REBAR MARKING THE SOUTHEAST CORNER OF SECTION 14 BASIS OF BEARING IS NORTH وَمُ £90 Pill 1 Pill EAST BETWEEN SAID REBAR AND A 2 INCH IRON PIPE MARKING THE SOUTHEAST CORNER OF SECTION 13); THENCE SOUTH 89938 30" WEST, A DISTANCE OF 13530 FEET; THENCE NORTH A DISTANCE OF 4139.90 FEET, TO THE POINT OF BEGINNING, SAID POINT ALSO BEING THE CENTER OF RIGHT OF WAY "F"; THENCE SOUTH 46% 14 38" WEST, A DISTANCE OF 1012.33 FEET, TO THE POINT OF TERMINUS, SAID POINT OF TERMINUS ALSO BEING THE RADIUS OF A 80 FOOT DIAMETER TURNAROUND.

161011 COPY THIS EASEMENT/IS FOR A PRIVATE AND NON-COMMERCIAL USE ROAD, AND MAINTENANCE THIS EASEMENT IS FOR UTILITIES, EXCLUDING POWER. THIS EASEMENT WILL INCLUDE POWER IF ROBERT STRIEPER IS PAID \$5,000.00 AND THE LINES ARE PLACED UNDER GROUND.

RIGHT OF WAY "A":

(DESCRIBING THE CENTER OF A 60 POOT RIGHT OF WAY, 30 FEET EACH SIDE OF THE FOLLOWING:)

BEGINNING AT A POINT OF ACCESS OPPOSITE HIGHWAY STATION 490+58.00 AS DESCRIBED BY WARRANTY DEED IN BOOK 462, PAGE 734 OF OFFICIAL RECORDS, SAID POINT ALSO BEING SOUTH 89 DEGREES IN MINUTES 29 SECONDS WEST 2450.17 FEET ALONG THE SOUTH LINE OF SECTION 13 FROM A ZYNOH PIPE MARKING THE SOUTHEAST CORNER OF SAID SECTION 13, TOWNSHIP 2 SOUTH, RANGE 5 EAST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE NORTH 18 DEGREES 59 MINUTES 54 SECONDS WEST 189.21 FEET TO A POINT ON A 600.00 FOOT RADIUS CURVE TO THE RIGHT (RADIUS BEARS NORTH) 71 DEGREES 00 MINUTES BESECONDS EAST); THENCE ALONG THE ARC OF SAID CURVE 140.93 FEETO THENCE NORTH 5 DEGREES) 32 MINUTES 27 SECONDS WEST 227 25 FEET TO A POINT ON A 410,99 FOOT RADIUS CURVE TO THE

Page 2 of 9

BK17245P60547

07/29/2005 £scrow No.: **041-4510072 (LS)** 

LEFT (PARTIE) LEFT (RADIUS BEARS SOUTH 84 DEGREES 27 MINUTES 33 SECONDS WEST); THENCE ALONG THE ARCOF SAID CURVE 308.56 FEET TO A POINT ON A 512.95 FOOT RADIUS CURVE TO THE RIGHT (RADIUS BEARS NORTH 41 DEGREES 26 MINUTES 35 SECONDS EAST); THENCE ALONG THE ARC OF SAID CURVE 313.76 FEET; THENCE NORTH 13 DEGREES 30 MINUTES 37 SECONDS WEST 342.92 FEET TO A POINT ON A 500.00 FOOT RADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH 5 DEGREES 32 MINUTES 27 SECONDS EAST THENCE ALONG THE ARC OF SAID CURVE 296.71 FEET TO A POINT ON A 200.00 FOOT RADIUS CURVE TO THE RIGHT (RADIUS BEARS NORTH 39 DEGREES 32 MINUTES 27 (SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 349.07 FEET TO A POINT ON A 500.00 FOOT RADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH 60 DEGREES 、2岁MINUTES 33 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURXE(231.26 FEET; THENCE NORTH 56 o DÉGREES 02 MINUTES 27 SECONDS WEST 200.00 FEET TO A POINT ON A 250.00 FOOT RADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH 33 DEGREES 57 MINUTES 33 SECONDS WEST); THENCE ALONG THE ARC OR SAID CURVE 157.08 FEET; THENCE SOUTH 87 DEGREES 57 MINUTES 33 SECONDS WEST 200.00 FEET TO A POINT ON A 300.00 FOOT RADIUS EURVE TO THE LEFT (RADIUS BEARS SOUTH 2 DEGREES 02 MINUTES 27 SECONDS EAST); THENCE ALONG 計算 ARC OF SAID CURVE 263.99 程序计算 A POINT ON A 150.00 FOOT RADIUS CURVE TO THE RIGHT (RADIUS BEARS NORTH 52 DEGREES 27 MINUTES 32 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 147.77 FEET; THENCE NORTH 86\DEGREES 01 MINUTES 00 SECONDS: WEST 329.04 FEET TO A POINT ON A 200.00 FOOT RADIUS CURVE TO THE RIGHT (RADIUS BEARS NORTH & DEGREES 59 MINUTES OF SECONDS EAST); THENCE ALONG THE ARC OF SAID CURVE 55.82 FEET THENCE NORTH 70 DEGRÉES 01 MINUTES 33 SECONDS WEST 387,65 FEET TO A POINT ON A 200,00 FOOT RADIUS CURVE TO THE CURVE 82.96 FEET; THENCE SOUTH 86 DEGREES 12 MINUTES 30 SECONDS WEST 313.16 FEET TO A POINT ON A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO A POINT ON A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS CURVE TO THE I FET (RADIUS BEADS SOUTH & A 200.00 FOOT RADIUS BEADS SOUTH & A 200.00 FOOT RA LERT (RADIUS BEARS SOUTH 19 DEGREES 58 MINUTES 27 SECONDS WEST); 对HENCE ALONG THE ARC OF SAID À 200.00 FOOT RADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH & DÉGREES 47 MINUTES 30 SECONDS) EAST); THENCE ALONG THE ARC OF SAID CURVE 121.80 FEET; THENCE SOUTH 51 DEGREES 18 MINUTES SE SECONDS WEST 113.18 FEED TO A POINT ON A 607.95 FOOT RADIUS CURVE TO THE RIGHT (RADIUS (BEARS NORTH 38 DEGREES 41 MINUTES 04 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 165.13 FEET TO A POINT ON A 348.42 FOOT RADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH 23 DEGREES) DY MINUTES Renation Colors 20 SECONDS EAST); THENCE ALONG THE ARC OF SAID CURVE 163.10 FEET; THENCE SOUTH 40 DEGREES 03 MINUTES 23 SECONDS WEST 148.78 FEET TO A POINT ON A 100.00 FOOT RADIUS CURVETO THE RIGHT (RADIUS BEARS WORTH 49 DEGREES 56 MINUTES 37 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 149,98 FEET; THENCE NORTH 54 DEGREES 00 MINUTES 36 SECONDS WEST 456.86 FEET TO THE TERMINUS OF RIGHT OF WAY.

THIS EASEMENT IS FOR ROAD, UTILITY CONSTRUCTION AND MAINTENANCE

RIGHT OF WAY "B":

(A 60 FOOT RIGHT OF WAY, 30 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE,)

BEGINNING AT A POINT OF ACCESS OPPOSITE HIGHWAY STATION 490+58.00 AS DESCRIBED BY WARRANTY DEED IN BOOK 462, PAGE 734 OF OFFICIAL RECORDS, SAID POINT ALSO BEING SOUTH-89 DEGREES 11 MINUTES 29 SECONDS WEST 2450.17 FEET ALONG THE SOUTH LINE OF SECTION 13 FROM A 2 INCH PIPE MARKÍNG THE SOUTHEAST CORNER OF SAÍD SECTION 13, TOWNSHIP 2 SOUTH RÁNGE SEAST, SALT LAKE BÂŞE AND MERIDIAN AND RUNNING THÊNCE NORTH 18 DEGREES 59 MINUTÊS 54 SECONDS WEST 189.21 FÉED TO A POINT ON A 600.00 FOOT RADIUS CURVE TO THE RIGHT (RADIUS BEARS NORTH 71 DEGREES 00 o MINUTES 06 SECONDS EAST); THENCE ALONG THE ARC OF SAID CURVE 140.93 FEET; THENCE NORTH 5 DEGREES 32 MINUTES 27 SECONDS WEST 227.25 FEET TO A POINT ON A 410.99 FOOT RADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH & DEGREES 27 MINUTES 33 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 308.56 FEET TO A POINT ON A 512.95 FOOT RADIUS CHRYP TO THE RIGHT (RADIUS BEARS NORTH 41 DEGREES 26 MINUTES 法SECONDS EAST); THENCE ALONG THE ARC OF SAID CURVE 313.76 FEET 计HENCE NORTH 13 DEGREES 30 MINUTES 37 SECONDS WEST 342.92 FEET TO A POINT ON A 500.00 FOOT RADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH 5 DEGREES 32 MINUTES 27 SECONDS EAST); (THENCE ALONG THE 31011 GOP ARC OF SAID CURVE 296.71 FEET TO A POINT ON A 200.00 FOOT RADIUS CURVE TO THE RIGHT (RADIUS BEARS NORTH 39 DEGREES 32 MINUTES 27 SECONOS WEST); THENCE ALONG THE ARC OF SAID CURVE 349.07 FEET TO A POINT ON A 500.00 FOOT BADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH 60 DEGREES 27 MINUTES 38 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 231.26 FEET; THENCE NORTH 56

Page 3 of 9

First American Title Insurance Agency (PC

07/29/2005

Escrow No.: 041-4510072 (LS)

DEGREES 02 MINUTES 27 SECONDS WEST 200.00 FEET TO A POINT ON A 250.00 FOOT RADIUS CURVESTO THE LEFT (RADIUS BEARS SOUTH 33 DEGREES 57 MINUTES 33 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 157.08 FEET; THENCE SOUTH 87 DEGREES 57 MINDTES 33 SECONDS WEST 200.00 FEET; THENCE NORTH 2 DEGREES 02 MINUTES 27 SECONDS WEST 240.96 FEET TO A POINT ON A 200.00 FOOT RADIUS CURVE TO THE LEFT (RADIUS BEARS SOUTH 87 DEGREES 57 MINUTES 33 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 241.03 FEET; THENCE NORTH 71 DEGREES 05 MINUTES 26 SECONDS WEST 178.48 FEET TO A POINT ON A 102.47 FOOT RADIUS SURVE TO THE RIGHT (RADIUS BEARS NORTH 18 DEGREES 54 MINUTES 34 SECONDS EAST); THENCE ALONG THE ARC OF SAID CURVE 78.18 FEET TO A POINT ON A 141.02 ு ஈôòt radius curve to the left (radiùs bears south 62 degrees 36 (மிiùùtes 37 seconds west); THENCE ALONG THE ARC OF SAID CURVE 79.97 FEET; THENCE NORTH 59 DEGREES 52 MINUTES 49 SECONDS 🔾 WEST 420.29 FEET TO A POIN表的NA 624.87 FOOT RADIUS CURVE 政 計画 LEFT (RADIUS BEARS SOUTH) 動 DEGREES 07 MINUTES 11 SECONDS WEST); THENCE ALONG THE ARC OF SAID CURVE 278.89 FEET TO A POINT ON A 261.45 FOOT RADIUS CURVE TO THE RIGHT (RADIUS BEARS NORTH 4 DEGREES 32 MINUTES 51 SECONDS EAST); THENCE ALONG THE ARC OF SAID CURVE 259:87 FEET; THENCE NORTH 28 DEGREES 30 MINUTES 13 SECONDS WEST 217.82 FEET TO THE TERMINUS OF SAID RIGHT OF WAY.

APARCEL OF LAND LYING 30 FEET EACH SIDE OF THE FOLLOWING ALIGNMENT, AND LYING WITHIN SECTION 14, TOWNSHIP 2 SOUTH, RANGE S ÉAST, SUMMIT COUNTY, UTAH, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT A REBAR MARKING THE SOUTHEAST CORNER OF SECTION 14 (BASIS OF BEARINGS IS NORTH 89 DEGREES 11 MINÚTES 29 SECONDS EAST BETWEEN SÁID RÉBAR AND A 2 INCH IRON PIPE MARKING THE SOUTHEAST CORNER OF SECTION 13); THENCE SOUTH 89 DEGREES 38 MINUTES 30 SECONDS WEST, A DISTANCE OF 887.41 FEET; THENCE NORTH, A DISTANCE OF 1400.59 FEET, TO THE POINT OF BEGINNING, SAID POINT ALSO BEING THE NORTHEAST CORNÉR OF PARCEL 5 AND THE CENTER OF RIGHT OF WAY "A": THENCE SOUTH 40 DEGREES 03 MINUTES 23 SECONDS WEST, A DISTANCE OF 180.00 FEET; TO THE BEGINNING OF A CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 75.00 FEET AND A CENTRAL ANGLE OF 79 DEGREES 16 MINUTES 42 SECONDS THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 103.78 FEET, SAÍD ARC SUBTENDED BY A CHORD WHÍCH BEARS SOUTH 79 DEGREES أَ MINUTES 44 SECONDS WEST; A DISTANCE OF 95.69 FEET TO THE CURVE'S END; THENCE NORTH 60 DEGREES 39 MINUTES 55 SECONDS WEST, A DISTANCE OF 200.92 FEET; TO THE BEGINNING OF A CURVEX CONCAVE SOUTHERLY, HAVING A RADIUS OF 150.00 FEET AND A CENTRAL ANGLE OF 56 DEGREES 55 MINUTES 18 SECONDS, THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 149.02 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 89 DEGREES 07 MINUTES 34 SECONDS WEST A DISTANCE OF 142.97 FEET TO THE CURVE'S END; THENCE SOUTH 62 DEGREES 24 MINUTES 47 SECONDS WEST, A DISTANCE OF 433-30 HEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 400,00 FEET AND A CENTRAL ANGLE OF 16 DEGREES 48 MINUTES 19 SECONDS THÈNCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT A DISTANCE OF 117.32 FERT, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 54 DEGREES 00 MINUTES 38 SECONDS WEST, ⊙ΑΦΪSTANCE OF 116.90 FEET TO THE ŒŰŘVE'S END; THENCE SOUTH 45 DEGŔÈÈS 36 MINUTES 28 SECONDS WEST, A DISTANCE OF 40.10 FEET; 📆 THE BEGINNING OF A CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 100.00 FEET AND A CENTRAL ANGLE OF 85 DEGREES 09:MINUTES 23 SECONDS, THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE RIGHT ADDISTANCE OF 148.63 FEET, SAID ARC SUBTENDED BY A CHORD: WHICH BEARS SOUTH 88 DEGREES 1/1 MINUTES 09 SECONDS WEST, A DISTANCE OF 135.32 FEET TO THE CURVE'S END; THENCE NORTH 49 DEGREES 14 MINUTES 09 SECONDS WEST, A DISTANCE OF 85.96 FEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 311011 0019 400.00 FEET AND A CENTRAL ANGLE OF 47 DEGREES 16 MINUTES 53 SECONDS, THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 330.09 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 72 DEGREES 52 MINITES 36 SECONDS WEST, A DISTANCE OF 320.80 FEET TO THE CURVE'S END; THENCE SOUTH 83 DEGREES 28 MINUTES 58 SECONDS WEST, A DISTANCE OF 145.22 FEET; TO THE BEGINNING OF A CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 400.00 FEET AND A

BK1721(PG0549

07/29/2005 Escrow No.: 041-4510072 (LS)

CENTRAL ANCI CENTRAL ANGLE OF 06 DECREES 31 MINUTES 02 SECONDS, THENCE WESTERLY ALONG THE ARC OF SEED CURVE TO THE RIGHT, A DISTANCE OF 45.50 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 86 DEGREES 44 MINUTES 29 SECONDS WEST, A DISTANCE OF 45.48 FEET TO THE CURVE'S END THENCE WEST, A DISTANCE OF 245.23 FEET; TO THE BEGINNING OF A CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 56,00 FEET AND A CENTRAL ANGLE OF 56 DEGREES 13 MINUTES 07 SECONDS, THENCE WESTERLY ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 49.06 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 61 DEGREES 53 MINUTES 27 SECONDS WEST, A DISTANCE OF 47.12 FEET TO THE CURVE'S END; THENCE NORTH 33 DEGREES 46 MINUTES 53 SECONDS WEST, A DISTANCE OF 177.34 ्र FÉÈP; TO THE BEGINNING OF A CURYES CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 200.00 FEET AND 🤉 A CENTRAL ANGLE OF 43 DEGREES OF MINUTES 20 SECONDS, THENCE NORTHWESTERLY ALONG THE ARC OF C SAID CURVE TO THE LEFT, A DISTANCE 150.23 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 55 DEGREES 18 MINUTES 03 SECONDS WEST, A DISTANCE OF 146.73 FEET TO THE CURVE'S ENDS THENCE NORTH 76 DEGREES 49 MINUTES 13 SECONDS WEST, A DISTANCE OF 215.54 FEET; TO THE BEGINNING OF A CURVE CONCAVE SOUTHERLY, HAVING A RAPOLUS OF 500.00 FEET AND A CENTRAL ANGLE OF 06 DEGREES 49 MINUTES 54 SECONDS, THENCE WESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT. A DISTANCE QE \$9.62 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 80 DEGREES 14 MINUTES 10/SECONDS WEST, A DISTANCE OF 59:58 PEET TO THE CURVE'S END; THENCE NORTH 83 DEGREES 39 MINUTES OF SECONDS WEST, A DISTANCE OF 483.66 FEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 300,00 FEET A CENTRAL ANGLE OF 16 DEGREES 58 MINUTES 24 SECONDS, THENCE WESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 88.87 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 87 DEGREES 51 MINUTES (PSECONDS WEST, A DISTANCE OF (C)88.55 FEET TO THE CURVE'S ENCYTHÈNCE SOUTH 79 DEGREES 22 MENUTES 28 SECONDS WEST, A DISTANCE (C) OF 155.48 FEET, TO THE POINT OF TERMINUS. SAID POINT OF TERMINUS ALSO BEING THE RADIUS OF AN 80 FOOT DIAMETER TURNAROUND.

THIS EASEMENT IS FOR ROAD, UTILITY CONSTRUCTION AND MAINTENANCE.

GARFF RANCHES RIGHT OF WAY "F":

Umorfitellellelle

Uno Hillella Color MENT REPARTICE OF THE COLOR OF A PARCEL OF LAND LYING 30 FEET EACH SIDE OF THE FOLLOWING ALIGNMENT AND LYING WITHIN SECTION A PARCEL OF YAND LYING 30 FEET EACH SIDE OF THE FOLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE PROPERTY OF THE FOLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE PROPERTY OF THE FOLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE PROPERTY OF THE FOLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE PROPERTY OF THE FOLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE PROPERTY OF THE POLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE PROPERTY OF THE POLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE POLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE PROPERTY OF THE POLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE POLLOWING AND LYING WITHIN SECTION IN THE POLLOWING ALIGNMENT AND LYING WITHIN SECTION IN THE POLLOWING AND LYING WITHIN THE POLLOWING WITHIN THE POLLOWING AND LYING WITHIN THE POLLOWING WITHIN THE POLLO

Umothicil dopy Page 5 of 9

Umothichell copy BK1721 PC0550





07/29/2005

Escrow No.: 041-4510072 (LS)

First American Title Insurance Agency, (Le COMMENCE AT A REBAR MARKING THE SOUTHEAST CORNER OF SECTION 14 (BASIS OF BEARINGS IS NORTH 89 DEGREES 11 MINUTES 29 SECONDS EAST BETWEEN SAID REBAR AND A 2 INCH IRON PIPE MARKING THE SOUTHEAST CORNER OF SECTION 13); THENCE SOUTH 89 DEGREES 38 MINUTES 30 SECONDS WEST, A DISTANCE OF 283.85 FEET; THENCE NORTH, A DISTANCE OF 2917.51 FEET, TO THE POINT OF BEGINNING AND TERMINUS OF RIGHT OF WAY "B"; THENCE NORTH 28 DEGREES 30 MINUTES 1/5 SECONDS WEST, A DISTANCE OF 391.30 FEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF \$\ddot00.00 FEET AND A CENTRAL ANGLE OF 19 DEGREES 29 MINUTES 29 SECONDS, THENCE NORTHWESTERLY SALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 136.08 FEETS SĂID ARC SUBTENDED BY A ÌCHORD WHICH BEARS NORTH 38√DÈGREES 14 MINUTES 58 SECONDS?WÉST, A DISTANCE OF 135.42 FEET(®QĆ>` FEET; TO THE BEGINNING OF A CURVE, CONCAVE NORTHEASTER , HAVING A RADIUS OF 800.00 FEET AND A CENTRAL ANGLE OF 08 DEGREES 29 MINUTES 22 SECONDS, THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE RÌGHT, A DISTANCE OF 118.54 FEET, SAÌD ARC SUBTENDED BY A CHORD WHÌCH BEARS NORTH 43 DEGREES 45 MINUTES 02 SECONDS WEST, A DISTANCE OF 118.43 FEET TO THE CURVE'S END; THENCE NORTH 39 DEGREES 30 MINUTES 21 SECONDS WEST, A DISTANCE OF 298.88 FEET; TO THE BEGINNING OF A CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 290.87 FEET AND A CENTRAL ANGLE POPSIO DEGREES 34 MINUTES 34 SECONDS THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 155.22 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 24 CURVATURE WITH A CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 220.14 FEET AND A CENTRAL ANGLE OF 39 DEGREES 42 MINISTES 57 SECONDS, THENCE NORTHER WAY AND THE ADDITION OF THE LEFT, A DISTANCE OF 152359 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 28 DEGREES 47 MINUTES 15-SECONDS WEST, A DISTANCE OF 149-56-PEET TO THE CURVE'S END; THENGE NORTH 48 DEGREES 38 MINUTES 44 SECONDS WEST, A DISTANCE OF 408,60 FEET; TO THE BEGINNING OF A CURVE, CONCAVE NORTHEASTERLY HAVING A RADIUS OF \$20.47 FEET AND A CENTRAL ANGLE OF 19 DEGREES 01 MINUTES 07 SECONDS, THENCE NORTHWESTERLY ALONG THE ARC OF SAID GURVE TO THE RIGHT, A DISTANCE OF 139.57 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 39 DEGREES 08 MINUTES TO SECONDS WEST, A DISTANCE OF 138.93 FEET; TO A POINT OF REVERSE CURVATURE WITH A CURVÉ, CONCAVE SOUTHWESTERLY, HAVING ALRADIUS OF 418.39 FEET AND A CENTRAL ANGLE OF 19 DEGREES 06 MINUTES 42 SECONDS, THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE (紀子) A DISTANCE OF 139.56 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS NORTH 39 DEGREES 10。 MINUTES 58 SECONDS WEST, A DISTANCE OF 138.91 FEET TO THE CHRYE'S END; THENCE NORTH 48 DEGREES 44 MINUTES 18 SECONDS WEST, A DISTANCE OF 258.03 FEET TO THE BEGINNING OF A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 200.00 FEET AND A CENTRAL ANGLE OF 29 DEGREES AS MINUTES 52 SECONDS, THENCE NORTHWESTERLY ALONG THE ARE OF SAID CURVE TO THE LEFT, A DISTANCE OF 103.90 FEET, SAID ARE SUBTENDED BY A CHORD WHICH BEARS NORTH 63 DEGREES 37 MINUTES 14 SECONDS WEST, A DISTANCE OF 102.73 FEET TO THE CURVE'S END; THENCE NORTH 78 DEGREES 30 MINUTES 10 SECONDS WEST, A DISTANCE OF 183.50 FEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 200.00 FEET AND A CENTRAL ANGLE OF 28 DEGREES 29 MINUTES 08 SECONDS THE NESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 99.43 FEET, SAID (ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 87 DEGREES 15 MINUTES 16 SECONDS WEST, A DISTANCE OF 98.41 FEET TO THE CURVE'S END; THENCE SOUTH 73 DEGREES 00 MINUTES 42 SECONDS WEST, A DISTANCE OF 174.84 FEETS TO THE BEGINNING OF A CURVE, CONCAVÉ SOUTHEASTERLY HAVING A 🤉 RADIUS OF 278.53 FEET AND A CENTRAL ANGLE OF 26 DEGREES 25 MINÚTES 37 SECONDS, THENCE WESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 128.47 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 59 DEGREES 47 MINUTES 53 SECONDS WEST, A DISTANCE OF 127.33 FEET; TO A POINT ON A REVERSE CURVATURE WITH A CORVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 173.34 FEET AND A CENTRAL ANGLE OF 41 DESBEES 20 MINUTES 32 SECONDS, THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 125.07 FEET, SAID ARC ;joll 60621 SUBTENDED BY A CHORD WHICH BEARS SOUTH 67 DEGREES 15 MINUTES 21 SECONDS WEST, A DISTANCE OF 122.38 FEET TO THE CURVE'S END; THENCE SOUTH BY DEGREES 55 MINUTES 37 SECONDS WEST, A DISTANCE OF 110.3(CPEST; TO THE BEGINNING OF A CURVE CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 700.00 FEET MYD A CENTRAL ANGLE OF 76 DEGREES AS MINUTES 22 SECONDS, THENCE WESTERLY ALONG THE ARC

07/29/2005 Escrow No.: 041-4510072 (LS)

31011 60/97

OF SAID OF SAID CURVE TO THE LEFT, A DISTANCE OF 938.36 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 49 DEGREES 31 MINUTES 26 SECONDS WEST, A DISTANCE OF 869.66 FEET; TO A POINT OF REVERSE CURVATURE WITH A CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 300.00 FEET AND A CENTRAL ANGLE OF 36 DEGREES 30 MINUTES 00 SECONDS, THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 191.11 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 29 DEGREES 22 MINUTES 16 SECONDS WEST, A DISTANCE OF 187.90 FEET; TO A POINT OF REVERSE CURVATURE WITH A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 603:41 FEET AND A CENTRAL ANSLE OF 44 DEGREES 42 MINUTES 50 SECONDS, THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE (で) THE LEFT, A DISTANCE OF 470.90 (配) SAID ARC SUBTENDED BY A CHOOD WHICH BEARS SOUTH 25 DÉGREES 15 MINUTES 51 SECONDS WEST, A DISTANCE OF 459.05 FEET (TO) THE CURVE'S END; THENCE SOUTH 02 DEGREES 54 MINUTES 26 SECONDS WEST, A DISTANCE OF 461.65 FEET; TO THE BEGINNING OF A CURVE, CONCAVE WESTERLY HAVING A RADIUS OF 600.00 FEET AND A CENTRAL ANGLE OF 14 DEGREES 37 MINUTES 14 SECONDS, TRENCE SOUTHERLY ALONG THE ARC OR SAID CURVE TO THE RIGHT, A DISTANCE OF 153.11 FEET, SAID ARG SUBTENDED BY A CHORD WHICH BEARS SOUTH 10 DEGREES 13 MINUTES DE SECONDS WEST, A DISTANCE OF 152.69 FEET TO THE CURVE'S END; THENCE SOUTH 17 DEGREES 31 MINUTES 39 SECONDS WEST, A DISTANCE OF 439.83 FEET; TO THE BEGINNING OF A CURVE; CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 100.00 FEET AND A CENTRAL ANGLE OF 74 DEGREES 48 MINUTES 17 SECONDS THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 130.56 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 54 DEGREES 55 MINUTES 48 SECONDS WEST, A DISTANCE OF 121.48 FEET TO THE CURVE'S END; THENCE NORTH 87 DEGREES 40 MINUTES 03 SECONDS WEST, A DISTANCE OF 215.06 FEET TO THE BEGINNING OF A CURVE, CONCAVE SOUTHERLY, HAVING A ્રેRADIUS OF 250.00 FEET AND & ઉદ્ભાગમિત્રL ANGLE OF 34 DEGREES 06 (બીબોઇ) ટેક 35 SECONDS, THENCE WESTERLY ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 148.83 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOUTH 75 DEGREES 16 MINUTES 39 SECONDS WEST, A DISTANCE OF 146.64 FEET TO THE CURVE'S END; THENCE SOUTH 58 DEGREES 13 MINUTES 21 SECONDS WEST, A DISTANCE OF 211.86 FEET; TO THE BEGINNING OF A CURVE, CONCAVE NORTHERLY, HAVING A RADIUS ÓF 250.00 FEET AND CENTRAL ANGLE OF 59 DEGREES 49 MINUTES 41 SECONDS, THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURYETO THE RIGHT, A DISTANCE OF 2612.05 FEET, SAID ARC SUBTENDED BY A CHORD WHICH BEARS SOLUTION DEGREES 08 MINUTES 12 SECONDS WEST, A DISTANCE 249.35 FEET TO THE CURVE'S END; THENCE WORTH 61 DEGREES 56 MINUTES 57 SECONDS WEST, A DISTANCE OF 8500 PEET; TO THE BEGINNING OF A CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 200.60 FEET AND A CENTRAL ANGLE OF 29 DEGREES 23 MINUTES 14 SECONDS THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE TO THẾ LEFT, A DISTANCE OF 102.58 FẾẾT, SAID ARC SUBTENDED BY A CHỐ RÒ WHICH BEARS NORTH 76 DEGREES 38 MINUTES 34 SECONDS WEST, A DISTANCE OF 101.46 FEET TO THE CURVE'S END, AND THE POINT OF TERMINUS.

THIS EASEMENT IS FOR ROAD, UTILITY CONSTRUCTION AND MAINENANCE.

GARFF RANCHES RIGHT OF WAY "G":

A PARCEL OF LAND LYING 30 FEET EACH SIDE OF THE FOLLOWING ALIGNMENT, AND LYING WITHIN SECTION 14, TÓWNSHÌP 2 SOUTH, RANGE 5 EAST, SUMMET COUNTY, UTAH, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT A REBAR MARKING THE SOUTHEAST CORNER OF SECTION 14 (BASIS OF BEARINGS IS NORTH ( 89 DEGREES 11 MINUTES 29 SECONDS EAST BETWEEN SAID REBARAND A 2 INCH IRON PIPE MARKING THE SOUTHEAST CORNER OF SECTION 13); THENCE SOUTH 89 DEGREES 38 MINUTES 30 SECONDS WEST, A DISTANCE OF 4095.40 FEET THENCE NORTH, A DISTANCE OF 3413.90 FEET, TO THE POINT OF BEGINNING. SAID POINT ALSO BEING ON THE CENTER OF RIGHT OF WAY THENCE SOUTH 54 DEGREES 42 MINUTES 41 SECONDS EAST, A DISTANCE OF 1278.68 FEET, TO THE POINT OF TERMINUS. SAID POINT OF TERMINUS ALSO BK1721 PC0554 BEING THE RADIUS OF A 80 FOOT DIAMETER TURNAROUND.

THIS EASEMENT IS FOR ROAD, UTILITY CONSTRUCTION AND MAINTENANCE.