# NOTICE OF PRELIMINARY PLAN APPROVAL, ESTABLISHMENT OF ZONING AND LAND USE DENSITIES AND REQUIRED COMPLIANCE WITH ANNEXATION AND DEVELOPMENT AGREEMENT FOR THE TRAVERSE MOUNTAIN PLANNED UNIT DEVELOPMENT

NOTICE is hereby given to all interested persons of the approval of a preliminary plan for the Traverse Mountain Planned Unit Development, the establishing of zoning and residential equivalent unit densities for the planned unit development, and the annexation of 4,750 acres in Utah County into the City of Draper on December 3, 1987. The property involved in the planned unit development is contained within the boundaries of the property described in Exhibit "A", attached hereto and incorporated herein by reference, which description is the perimeter boundaries of the planned unit development.

NOTICE is further given that the property contained within the boundaries described in Exhibit "A" is subject to the terms and conditions of an annexation and development agreement for the Traverse Mountain Planned Unit Development, which agreement was approved by resolution on December 3, 1987, and executed by the City of Draper and Estes Homes, the A true and correct copy of the owner of the property. agreement can be seen at the office of the City Planner for The residential equivalent unit density the City of Draper. ranges may be more or less restrictive as to the individual development block parcels within the planned unit development than the underlying zoning regulations might imply. prospective purchasers are advised to review the terms and conditions of the above referenced annexation agreement and the exhibits attached thereto.

NOTICE is further given that all development within the planned unit development must comply with the terms and conditions of the annexation and development agreement for

ENT 7377 BK 2496 FG 70
NINA B REID UTAH COUNTY RECORDER DEP MB
1988 MAR 17 9:09 AM FEE .00
RECORDED FOR DRAPER CITY

the Traverse Mountain Planned Unit Development; the officially adopted construction standards of the City of Draper; any additional development guidelines or standards that may be agreed to by Estes and the City of Draper, as attached to the above referenced annexation agreement as Exhibit "D"; all applicable land use regulations of the City of Draper and any covenants, conditions and restrictions for the Master Owners' Association, which have been or will be recorded against the title to all of the property within the boundaries of the planned unit development.

Any inquiries should be directed either to Estes Homes, c/o Mr. Ed Grampp, 349 South 200 East, Suite 420, Salt Lake City, Utah, 84111, (801) 521-2121, or the City Planner for the City of Draper, 12441 South 900 East, Draper, Utah 84020, (801) 571-4121.

DATED this ///k day of February, 1988.

SS.

CLYDE, PRATT & SNOW

D. Brent Rose

Attorneys for Estes Homes

STATE OF UTAH )

COUNTY OF SALT LAKE )

On the Har day of January, 1988, personally appeared before me, D. Brent Rose, who being by me duly sworn, did say that he is attorney for Estes Homes, and that said instrument was signed in behalf of said corporation by authority of a resolution of its board of directors, and said D. Brent Rose acknowledged to me that said corporation executed the same.

NOTARY PUBLIC

Residing at: Law city. W.

My Commission Expires:

Ebruary 10, 1990

### TRAVERSE RIDGE BOUNDARY DESCRIPTION Revised January 5, 1988

A parcel of land lying within Township 4 South, Range 1 East and Range 1 West of the Salt Lake Base & Meridian, more particularly described as follows:

BEGINNING at the Northeast Corner of Section 23, Township 4 South. Range 1 East. Salt Lake Base and Meridian (Basis of Bearing being South 00° 21' 07" West from the Northeast Corner of Section 23 to the East Quarter Corner of Section 23); and running thence: South 00° 21' 07" West 1303.47 feet along the east line of the Northeast Quarter of Section 23, thence South 89° 46' 49" West 2654.38 feet along the south line of the North Half of the Northeast Quarter of Section 23; thence North 00° 13' 59" East 1323.00 feet along the west line of the North Half of the Northeast Quarter of Section 23: thence North 89° 48' 33" West 1399.72 feet along the north line of the Northwest Quarter of said Section 23; thence South 12° 46' 00" East 1651.46 feet; thence South 69° 40' 00" West 472.50 feet to a point on a 25.00 foot radius curve to the right (center bears North 20° 19' 17" West 25.00 feet of which the central angle is 66° 55' 17"); thence westerly along the arc of said curve 29.20 feet; thence North 43° 24' 00" West 146.70 feet; thence North 65° 13' 00" West 40.10 feet to a point on a 75.00 foot radius curve to the left (center bears South 24° 49' 02" West 75.00 feet of which the central angle is 84° 57' 02"); thence southwesterly along the arc of said curve 111.20 feet; thence South 29° 52' 00" West 234.60 feet; thence West 217.60 feet; thence South 00° 20' 33" West 804.67 feet; thence North 89° 39' 18" West 590.00 feet to the West Quarter Corner of said Section 23; thence South 00° 20' 42" West 970.89 feet along the west line of said Section 23; thence South 66° 30' 00" West 1949.21 feet; thence South 62° 15' 00" West 989.34 feet; thence South 62° 30' 00" West 304.92 feet; thence South 53° 15' 00" West 1310.10 feet; thence South 38° 15' 00" West 630.96 feet; thence South 77° 15' 00" West 951.02 feet to the west line of Section 27. Township 4 South, Range 1 East, Salt Lake Base and Meridian; North 00° 01' 47" West 1121.26 feet along said west line; thence North 89° 21' 00" West 1446.96 fast along the north line of said Section 28; thence South 00° 01' 47" East 1697.24 feet; thence South 76° 00' 00" West 1248.44 feet; thence

## EXHIBIT A

Traverse Ridge Boundary Description January 5, 1988 Page 2

```
South 00° 00' 57" East 649.56 feet to the center of Section 28;
 North 89° 50' 00" West 2658.17 feet along the south line of the
 Northwest Quarter of Section 28, to the West Quarter Corner of
 Section 28. said point also being the East Quarter Corner of
 Section 29; thence
 North 00° 04' 20" West 1333.34 feet along the east line of the
 Southeast Quarter of the Northeast Quarter of Section 29; thence
 South 89° 51' 57" West 2653.19 feet along the south line of the
 North Half of the Northeast Quarter of Section 29; thence
 South 00° 19' 35" East 592.11 feet along the east line of the
 Southeast Quarter of the Northwest Quarter of Section 29; thence
 North 72° 05' 00" West 316.80 feet; thence
 North 64° 12' 00" West 1094.28 feet; thence
 South 00° 20' 00" East 647.46 feet; thence
 South 66° 41' 00" East 1069.20 feet; thence South 72° 05' 00" East 313.50 feet; thence
 South 00° 01' 58" East 151.14 feet to the center of Section 29;
North 89° 47' 44" East 1327.03 feet along the north line of the
Northwest Quarter of the Southeast Quarter of Section 29;
thence South 00° 02' 59" East 1328.59 feet along the east line
of the Northwest Quarter of the Southeast Quarter of Section
29; thence
South 89° 52' 35" West 1327.41 feet along the south line of the
Northwest Quarter of the Southeast Quarter of Section 29; thence
South 89° 50' 03" West 1324.42 feet along the south line of the
Northeast Quarter of the Southwest Quarter of Section 29; thence
North 00° 10' 03" West 1325.81 feet along the west line of the
Northeast Quarter of the Southwest Quarter of Section 29; thence
North 00° 00' 07" West 1338.25 feet along the west line of the
Southeast Quarter of the Northwest Quarter of Section 29; thence
North 25° 00' 00" West 452.10 feet; thence
North 33° 45' 00" West 520.08 feet; thence
North 32° 15' 00" West 374.88 feet; theace
North Ol° 39' 16" East 252.91 feet to a point that is 653.40
feet East and 75.24 feet North from the Southwest Corner of
Section 20; thence
East 4649.54 feet to the west line of Section 21; thence
North Ol° 19' 02" West 5273.88 feet along the west line of
Section 21; thence
South 89° 39' 58" West 943.09 feet;
thence. South 89° 57' 00" West 4297.91 feet along the south line
of Section 17; thence
North 07° 54' 50" West 2685.37 feet; thence
South 89° 38' 56" West 555.02 feet; thence
South 89° 38' 56" West 5216.34 feet along the south line of the
North Half of Section 18 to the West Quarter Corner of Section
18; thence
```

Traverse Ridge Boundary Description January 5, 1888 Page 3

 $\cdot, \cdot \cdot$ 

North 00° 04' 48" West 2633.25 feet to the Northwest Corner of Section 18; thence South 88° 49' 25" East 2750.66 feet to the North Quarter Corner of Section 18; thence North 00° 47' 58" West 1350.67 feet along the west line of the Southwest Quarter of the Southeast Quarter of Section 7; thence North 89° 23' 32" East 1338.26 feet along the north line of the Southwest Quarter of the Southeast Quarter of Section 7; thence North OO° 29' O3" West 1329.93 feet along the west line of the Northeast Quarter of the Southeast Quarter of Section 7; thence South 89° 43' 30" East 1345.91 feet along the north line of the Northeast Quarter of the Southeast Quarter of Section 7, to the East Quarter corner of Section 7, said point also being the West Quarter Corner of Section 8; thence South 89° 01' 49" East 1308.05 feet along the North line of the Northwest Quarter of the Southwest Quarter of Section B; thence South 00° 39' 24" East 1306.84 feet along the east line of the Northwest Quarter of the Southwest Quarter of Section 8; thence North 89° 08' 43" West 1319.36 feet along the south line of the Northwest Quarter of the Southwest Quarter of Section B to the west line of the Southwest Quarter of Section 8; thence South 00° 09' 32" East 1309.23 feet along the west line of the Southwest Quarter of Section 8 to the Southwest Corner of Section 8, said point also being the Northwest Corner of Section 17; thence South 89° 15' 29" East 5322.70 feet along the north line of Section 17 to the Northeast Corner of Section 17, said point also being the Southwest Corner of Section 9; thence North 02° 37' 21" West 1300.93 feet along the west line of the Southwest Quarter of the Southwest Quarter of Section 9; thence South 89° 40' 58" East 1336.76 feet along the north line of the Southwest Quarter of the Southwest Quarter of Section 9; thence North O2° 20' 38" West 1304.48 feet along the west line of the Northeast Quarter of the Southwest Quarter of Section 9; thence South 89° 50' 50" East 3982.13 feet along the north line of the South Half of Section 9, to the East Quarter Corner of Section 9, said point also being the West Quarter Corner of Section 10; thence North 89° 06' 01" East 3589.54 feet along the north line of the Southwest Quarter of Section 10 to a point on the approximate location of the Utah/Salt Lake County line, note: (exact location to be determined by County Surveyors at a later date); North 48° 16' 36" East along said county line 1552.66 feet; thence North 60° 00' 00" East along said county line 250.00 feet; thence South 71° 56' 28" East along said county line 1315.85 feet to a point on the East section line of said Section 10; thence .

Traverse Ridge Boundary Description January 5, 1988 Page 4

A. 1

North Ol° 00' 55" West along said East section line 524.65 feet, more or less, to the Utah/Salt Lake county line as determined from Utah County Tax Map; thence North 50° 08' 55" East along said county line 2230.36 feet to the North line of Section 11. Township 4 South, Range 1 East, Salt Lake Base and Meridian; thence North 87° 49' 48" East 3631.04 feet along the north line of Section 11 to the Northeast Corner of Section 11; thence South 1378.90 feet along the east line of the North Half of the Northeast Quarter of Section 11; thence South 88° 40' 58" West 2673.66 feet along the south line of the north half of the Northeast Quarter of Section 11: thence South 00° 24' 21" East 2643.60 feet along the east line of the West Half of Section 11: thence North 89° 40' 37" East 1321.70 feet along the north line of the Southwest Quarter of the Southeast Quarter of Section 11: thence South 00° 03' 55" East 1307.99 feet along the east line of the Southwest Quarter of the Southeast Quarter of Section 11 to the south line of Section 11, said line also being the north line of Section 14; thence South 00° 02' 05" East 2641.82 feet along the east line of the West Half of the Northeast Quarter of Section 14: thence South 89° 32' 26" East 1333.32 feet along the north line of the East Half of the Southeast Quarter of Section 14 to the East Quarter Corner of Section 14; thence South 00° 35' 44" West 2638.09 feet along the east line of the Southeast Quarter of Section 14 to the Southeast Corner of Section 14, said point also being the POINT OF BEGINNING.

### Excepting therefrom the following parcels:

- 1) A 50 foot wide strip of land owned by the United States of America for the Salt Lake City Aqueduct Tunnel beginning at a point which is South 2013.69 feet and East 577.98 feet from the Northeast Corner of Section 22, Township 4 South, Range 1 East, Salt Lake Base and Meridian and running thence North 30° 20' 00" West 11341.77 feet to the north line of the South Half of Section 10; thence North 89° 06' 01" East 57.41 feet along said north line; thence South 30° 20' 00" East 11229.27 feet; thence South 00° 20' 33" West 98.00 feet to the point of beginning. Contains 12.95 acres, more or less.
- 2) Beginning at a point which is West 3764.83 feet and North 35.16 feet from the Southeast Corner of Section 21, Township 4 South, Range 1 East, Salt Lake Base and Meridian and running thence
  North 00° 15' 30" East 1170.00 feet; thence

Traverse Ridge Boundary Description January 5. 1988 Page 5

South 89° 44' 30" East 375.00 feet; thence South 00° 15' 30" West 1170.00 feet; thence North 89° 44' 30" West 375.00 feet to the point of beginning. Contains 10.07 acres, more or less.

3) Beginning at a point which is West 3009.57 feet and North 1201.77 feet from the Southeast Corner of Section 21, Township 4 South. Range 1 East. Salt Lake Base and Meridian and running thence

North OO° 15' 30" East 585.00 feet; thence South 89° 44' 30" East 375.00 feet; thence South OO° 15' 30" West 585.00 feet; thence North 89° 44' 30" West 375.00 feet to the point of beginning. Contains 5.04 acres, more or less.

4) Beginning at a point North 89° 31' 00" West 1500.00 feet from the Southeast Corner of Section 9, Township 4 South, Range 1 East. Salt Lake Base and Meridian; and running thence North 89° 31' 00" West 385.00 feet; thence North 00° 29' 00" East 575.00 feet; thence South 89° 31' 00" East 385.00 feet; thence South 00° 29' 00" West 575.00 feet to the point of beginning. Contains 5.08 acres, more or less.

#### Also:

Beginning at a point which is North 89° 39' 44" West along a section line 1331.45 feet from the Southeast corner of Section 12. Township 4 South, Range I West, Salt Lake Base and Meridian, and running thence North 89° 39' 44" West along a section line 1331.45 feet to the South Quarter Corner of said Section 12; thence North 89° 39' 55" West along a section line 315.90 feet to the easterly right-of-way line of Interstate I-15 Highway, said point also being on a 2794.79 foot radius curve to the right (center South 58° 37' 51" East 2794.79 feet of which the central angle is 16° 05' 07"); thence Northeasterly along the arc of said curve and easterly right-of-way line 784.62 feet; thence North 53° 26' 22" East along said easterly right-of-way line 288.19 feet; thence North 47° 20' 22" East along said easterly right-of-way line 729.82 feet to a point on a 1245.92 foot radius curve to the left (center bears North 42° 36' 21" West 1245.92 feet of which the central angle is 34° 28' 27"); thence Northeasterly along the arc of said curve and easterly right-of-way line 749.65 feet; thence North 06" 30' 13" East 182.70 feet along said easterly

Traverse Ridge Boundary Description January 5, 1988 Page 6

و مومود:

.

₫.

right-of-way line to a point on the east line of the West Half of the Southeast Quarter of said Section 12; thence South 00° 14' 45" West along said east line 2100.15 feet to the point of beginning.

Contains 33.87 acres

Excepting therefrom the following parcel:

 A 200.00 foot railroad right-of-way beginning at a point which is North 89° 39' 44" West along a section line 2630.37 feet from the Southeast Corner of Section 12, Township 4 South, Range 1 West, Salt Lake Base and Meridian; said point being on the westerly right-of-way line of a 200.00 foot wide railroad; North 42° 18' 45" East along said westerly right-of-way line 114.14 feet to a point on a 5829.34 foot radius curve to the right (center bears South 47° 41' 15" East 5829.34 feet of which the central angle is 08° 02' 00"); thence Northeasterly along the arc of said curve and said westerly right-of-way line 817.32 feet; thence North 50° 20' 45" East along said westerly right-of-way line to a point on the east line of the West Half of the Southeast Quarter of said Section 12, 826.64 feet; thence South 00° 14' 45" West along said east line 260.70 feet to the easterly right-of-way line of said railroad; thence South 50° 20' 45" West along said easterly right-of-way line 659.42 feet to a point on a 5629.34 foot radius curve to the left (center bears South 39° 39' 15" East 5629.34 feet of which the central angle is 07° 21' 37"); thence Southwesterly along the arc of said curve and easterly right-of-way line 723.15 feet to the south line of said Section 12; thence North 89° 39' 44" West along said south line 269.54 feet to the point of beginning. Contains 7.21 acres.

Contains a net total of 6004.12 acres, more or less.

JGW/clt Project (0168D)	No.	49016
Prepared	_	
Checked Reviewed		