

WHEN RECORDED, MAIL TAX NOTICE TO:

The Thackeray Company
1165 E. Wilmington Ave., Suite 275
Salt Lake City, UT 84106

Tax Parcel No. Part of Parcel ID No. 00-0007-8431

SPECIAL WARRANTY DEED

CARDINAL FUNDING, L.C., a Utah limited liability company, ("Grantor"), hereby conveys and warrants against all claiming by, through or under Grantor only, to **JOHANSEN FAMILY HOLDINGS II, LLC**, a Utah limited liability company, whose address is 1165 E. Wilmington Ave., Suite 275, Salt Lake City, UT 84106 ("Grantee"), for the sum of Ten Dollars and other good and valuable consideration, an undivided fifty percent (50.0%) interest as a tenant in common, in an to the following described tract of land in Wasatch County, State of Utah:

See legal description on Exhibit "A" attached hereto and incorporated by reference herein.

TOGETHER WITH all improvements located thereon and all appurtenances related thereto including, without limitation, all rights and interests in any assignable licenses, permits, mineral rights, water rights, easements, rights-of-way and other items appurtenant or pertaining thereto

SUBJECT TO the lien for general taxes and assessments not yet due and payable and those matters (other than financial encumbrances) appearing of record or discoverable by a survey of the property.

[signature and acknowledgment to follow]

**SIGNATURE PAGE
TO
SPECIAL WARRANTY DEED**

IN WITNESS WHEREOF, Grantor has executed this Special Warranty Deed this 30 day of December 2021.

CARDINAL FUNDING, L.C.,
a Utah limited liability company

By: [Signature]
Name: John R. Thackeray
Title: Manager

By: [Signature]
Name: Armand D. Johansen
Title: Manager


STATE OF UTAH)
)
COUNTY OF SALT LAKE)

On this 30 day of ~~January~~ ^{December} 2021 before me, KYLIE NICOL, a notary public, personally appeared John R. Thackeray and Armand D. Johansen, the managers of Cardinal Funding, L.C., a Utah limited liability company, proved on the basis of satisfactory name of document signer evidence to be the person whose name is subscribed to this instrument, and acknowledged he executed the same.

Witness my hand and official seal.

[Signature]
(Notary Signature)

(Seal)



**EXHIBIT A
TO
SPECIAL WARRANTY DEED**

Real property located in Wasatch County, State of Utah specifically described as follows:

North Parcel:

A PARCEL OF LAND LOCATED IN THE NORTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 19 AND THE WEST HALF OF SECTION 20 ALL IN TOWNSHIP 3 SOUTH, RANGE 5 EAST, SALT LAKE BASE AND MERIDIAN, WASATCH COUNTY, UTAH DESCRIBED AS FOLLOWS:

BEGINNING AT THE INTERSECTION OF THE NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD AND THE EASTERLY RIGHT-OF-WAY LINE OF STATE HIGHWAY 40 PROJECT NO. F-019-1(1), SAID INTERSECTION BEING EAST 214.59 FEET AND SOUTH 1260.57 FEET FROM THE 2005 WASATCH COUNTY SURVEY ALUMINUM PIPE CAP MONUMENT MARKING THE WEST QUARTER CORNER OF SECTION 20, TOWNSHIP 3 SOUTH, RANGE 5 EAST, SALT LAKE BASE AND MERIDIAN (BASIS OF BEARINGS FOR THIS DESCRIPTION IS SOUTH 04°04'03" EAST 2857.85 FEET ALONG A LINE DEFINED BY WASATCH COUNTY WATER SERVICE AREA NO. 1 SURVEY CONTROL MONUMENTS NO. 706 AND NO. 708 (BOTH ALUMINUM PIPE CAP MONUMENTS) SEE THE SURVEY CONTROL SHEET FOR THE CENTRAL UTAH WATER CONSERVANCY DISTRICT, WASATCH COUNTY WATER EFFICIENCY PROJECT, DRAWING NO. G-8 AS RECORDED IN BOOK 630 AT PAGES 766-767 AND AS ENTRY NO. 259146 OF THE WASATCH COUNTY RECORDS); THENCE ALONG SAID EASTERLY RIGHT-OF-WAY LINE NORTH 32°00'02" WEST 1,057.48 FEET TO THE SOUTHEASTERLY LINE OF PARCEL 2 AS DESCRIBED IN THAT WARRANTY DEED TO UTAH VALLEY STATE COLLEGE RECORDED AS ENTRY NO. 333087 OF SAID RECORDS AND ALSO DESCRIBED ON RECORD OF SURVEY NO. OWC-035-019-0-1157 AS FILED IN THE WASATCH COUNTY SURVEYORS OFFICE; THENCE ALONG SAID SOUTHEASTERLY LINE THE FOLLOWING TWO COURSES (1) NORTH 58°00'22" EAST 1,112.69 FEET (NORTH 57°59'34" EAST 1,111.85 FEET BY RECORD); AND (2) NORTH 48°11'59" EAST 1,098.03 FEET (NORTH 48°11'11" EAST 1,097.66 FEET BY RECORD) TO THE CENTERLINE OF THE TIMPANOGOS CANAL AS DESCRIBED IN THAT CONTRACT AND GRANT OF EASEMENT RECORDED AS ENTRY NO. 212641 OF SAID RECORDS; THENCE ALONG SAID CENTERLINE THE FOLLOWING NINE COURSES: (1) NORTH 17°22'52" WEST 54.83 FEET (NORTH 17°22'52" WEST 54.71 FEET PER SAID PARCEL 2); (2) NORTHWESTERLY 62.66 FEET ALONG A 57.21 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 62°45'14" AND A LONG CHORD OF NORTH 48°45'29" WEST 59.57 FEET; (3) NORTH 80°08'06" WEST 50.43 FEET; (4) NORTHWESTERLY 80.09 FEET ALONG A 77.16 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 59°28'06" AND A LONG CHORD OF NORTH 50°24'03" WEST 76.54 FEET; (5) NORTH 20°40'00" WEST 67.54 FEET TO STA 212+38 OF SAID TIMPANOGOS CANAL WHICH STA 212+38 IS SOUTH 1318.48 FEET AND EAST 1244.36 FEET FROM THE 1976 WASATCH COUNTY BRASS CAP MONUMENT FOR THE NORTHWEST CORNER OF SECTION 20 PER PARCEL NO. WCWEP-T-0584(P) OF SAID ENTRY NO. 212641; (6) CONTINUING NORTH 20°40'00" WEST 39.32 FEET; (7) NORTHWESTERLY 26.35 FEET ALONG A 73.32 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 20°35'35" AND A LONG CHORD OF NORTH 30°57'47" WEST 26.21 FEET; (8) NORTH 41°15'35" WEST 114.29 FEET; AND (9) NORTHWESTERLY 11.22 FEET ALONG A 3,029.45 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 00°12'44" AND A LONG CHORD OF NORTH 41°09'13" WEST 11.22 FEET TO AN EXISTING FENCE; THENCE ALONG SAID EXISTING FENCE SOUTH 89°54'54" EAST 1,524.20 FEET TO THE NORTH-SOUTH CENTER SECTION LINE OF SAID SECTION 20; THENCE ALONG SAID NORTH-SOUTH CENTER SECTION LINE SOUTH 00°00'09" WEST 1,774.05 FEET TO THE

CENTERLINE OF THE SAID TIMPANOGOS CANAL; THENCE ALONG SAID CENTERLINE THE FOLLOWING EIGHT COURSES: (1) NORTH $10^{\circ}34'34''$ WEST 26.14 FEET; (2) NORTHERLY 18.86 FEET ALONG A 63.10 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF $16^{\circ}56'26''$ AND A LONG CHORD OF NORTH $19^{\circ}02'47''$ WEST 18.59 FEET TO STA 236+55 OF SAID TIMPANOGOS CANAL WHICH STA 236+55 IS NORTH 2238.88 FEET AND WEST 10.76 FEET FROM THE 2005 WASATCH COUNTY ALUMINUM PIPE CAP MONUMENT FOR THE SOUTH QUARTER CORNER OF SECTION 20 PER SAID PARCEL NO. WCWEP-T-0584(P) OF SAID ENTRY NO. 212641; (3) CONTINUING NORTHWESTERLY 31.79 FEET ALONG SAID 63.10 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF $28^{\circ}51'57''$ AND A LONG CHORD OF NORTH $41^{\circ}56'59''$ WEST 31.45 FEET; (4) NORTH $56^{\circ}22'57''$ WEST 51.03 FEET; (5) NORTHWESTERLY 56.42 FEET ALONG A 130.89 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF $24^{\circ}41'49''$ AND A LONG CHORD OF NORTH $44^{\circ}02'03''$ WEST 55.98 FEET; (6) NORTH $31^{\circ}41'08''$ WEST 60.09 FEET; (7) NORTHWESTERLY 126.00 FEET ALONG A 664.07 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF $10^{\circ}52'18''$ AND A LONG CHORD OF NORTH $37^{\circ}07'17''$ WEST 125.82 FEET; AND (8) NORTH $42^{\circ}33'26''$ WEST 8.76 FEET TO THE NORTH LINE OF PARCEL 1 DESCRIBED IN A WARRANTY DEED RECORDED AS ENTRY NO. 462588 OF SAID RECORDS (WHICH SAID PARCEL 1 IS THE SAME AS PARCEL 4 AS DEPICTED ON A RECORD OF SURVEY MAP PREPARED BY EVERGREEN ENGINEERING FILED AS NO. OWC-035-020-0-881 IN THE WASATCH COUNTY SURVEYORS OFFICE, WHICH BEARINGS ARE ROTATED $0^{\circ}00'48''$ CLOCKWISE TO AGREE WITH THE ABOVE DESCRIBED BASIS OF BEARINGS); THENCE ALONG SAID NORTH LINE NORTH $89^{\circ}59'12''$ WEST 303.12 FEET (WEST BY DEED) TO THE NORTHWEST CORNER OF SAID PARCEL 1; THENCE ALONG THE WEST LINE OF SAID PARCEL 1 SOUTH $00^{\circ}00'48''$ WEST 425.00 FEET (SOUTH BY DEED) TO AN EXISTING EVERGREEN ENGINEERING REBAR & CAP AND THE NORTHWEST CORNER OF PARCEL 2 OF SAID WARRANTY DEED (WHICH SAID PARCEL 2 IS THE SAME AS QUIT CLAIM #2 AS DEPICTED ON A RECORD OF SURVEY MAP PREPARED BY BUHLER ASSOCIATES FILED AS NO. 0001830 IN THE WASATCH COUNTY SURVEYORS OFFICE); THENCE ALONG THE WEST LINE OF SAID QUIT CLAIM #2 SOUTH $00^{\circ}32'12''$ EAST 134.12 FEET (SOUTH BY DEED) TO AN EXISTING BUHLER ASSOCIATES REBAR & CAP; THENCE ALONG THE SOUTH LINE OF SAID QUIT CLAIM #2 NORTH $89^{\circ}49'38''$ EAST 528.67 FEET (EAST BY DEED) EXTENDING THROUGH AN EXISTING BUHLER ASSOCIATES REBAR & CAP TO SAID NORTH-SOUTH CENTER SECTION LINE; THENCE ALONG SAID NORTH-SOUTH CENTER SECTION LINE SOUTH $00^{\circ}00'09''$ WEST 1,263.25 FEET TO A BING CHRISTENSEN REBAR & CAP AS DEPICTED ON A RECORD OF SURVEY MAP PREPARED BY MCM ENGINEERING AND FILED AS NO. 1033 IN SAID WASATCH COUNTY SURVEYOR'S OFFICE; THENCE ALONG AN EXISTING FENCE NORTH $89^{\circ}59'12''$ WEST 676.35 FEET TO STATION 154+09 ON THE CENTERLINE OF THE WASATCH CANAL AS DESCRIBED IN SAID CONTRACT AND GRANT OF EASEMENT RECORDED AS ENTRY NO. 212841 OF SAID RECORDS, SAID POINT BEING 676.32 FEET WEST AND 668.13 FEET NORTH OF THE SOUTH QUARTER CORNER OF SAID SECTION 20; THENCE CONTINUING NORTH $89^{\circ}59'12''$ WEST 52.77 FEET TO THE WESTERLY LINE OF SAID WASATCH CANAL; THENCE ALONG SAID WESTERLY LINE THE FOLLOWING FOURTEEN COURSES: (1) NORTHWESTERLY 36.10 FEET ALONG A 180.84 FEET RADIUS NON-TANGENT CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF $11^{\circ}26'10''$ AND A LONG CHORD OF NORTH $48^{\circ}19'44''$ WEST 36.04 FEET; (2) NORTH $42^{\circ}36'39''$ WEST 243.31 FEET; (3) NORTHWESTERLY 59.37 FEET ALONG A 244.36 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF $13^{\circ}55'16''$

AND A LONG CHORD OF NORTH 49°34'17" WEST 59.23 FEET; (4) NORTH 56°31'55" WEST 141.96 FEET; (5) NORTHWESTERLY 52.18 FEET ALONG A 139.48 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 21°26'10" AND A LONG CHORD OF NORTH 45°48'50" WEST 51.88 FEET; (6) NORTH 35°05'45" WEST 32.66 FEET; (7) NORTHWESTERLY 24.90 FEET ALONG A 52.16 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 27°21'17" AND A LONG CHORD OF NORTH 48°46'23" WEST 24.67 FEET; (8) NORTH 62°27'02" WEST 31.01 FEET; (9) NORTHWESTERLY 59.68 FEET ALONG A 100.00 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 34°11'34" AND A LONG CHORD OF NORTH 45°21'15" WEST 58.80 FEET; (10) NORTH 28°15'28" WEST 46.48 FEET; (11) NORTHWESTERLY 27.92 FEET ALONG A 75.00 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 21°19'55" AND A LONG CHORD OF NORTH 38°55'26" WEST 27.76 FEET; (12) NORTH 49°35'23" WEST 30.70 FEET; (13) NORTHWESTERLY 89.92 FEET ALONG A 200.95 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 25°38'22" AND A LONG CHORD OF NORTH 36°46'12" WEST 89.18 FEET; AND (14) NORTH 23°57'01" WEST 0.10 FEET TO THE SOUTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD PER WASATCH COMMONS SUBDIVISION PHASE 1 RECORDED AS ENTRY NO. 362478 OF SAID RECORDS, WHICH SAID PHASE 1 BEARINGS ARE ROTATED 0°01'39" COUNTERCLOCKWISE TO AGREE WITH THE ABOVE DESCRIBED BASIS OF BEARINGS; THENCE ALONG SAID SOUTHERLY RIGHT-OF-WAY LINE THE FOLLOWING TWO COURSES: (1) WESTERLY 252.73 FEET ALONG A 483.50 FEET RADIUS NON-TANGENT CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 29°56'58" AND A LONG CHORD OF NORTH 75°05'36" WEST 249.86 FEET; AND (2) NORTH 60°07'07" WEST 29.46 FEET; THENCE NORTH 29°52'53" EAST 67.00 FEET TO THE NORTHERLY RIGHT-OF-WAY LINE OF SAID COMMONS BOULEVARD; THENCE ALONG SAID NORTHERLY RIGHT-OF-WAY LINE THE FOLLOWING EIGHTEEN COURSES (1) NORTH 60°07'07" WEST 50.00 FEET; (2) NORTHWESTERLY 13.57 FEET ALONG A 17.50 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 44°24'55" AND A LONG CHORD OF NORTH 37°54'40" WEST 13.23 FEET; (3) NORTH 60°07'07" WEST 103.22 FEET; (4) WESTERLY 391.17 FEET ALONG A 488.50 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 45°52'49" AND A LONG CHORD OF NORTH 83°03'31" WEST 380.80 FEET; (5) WESTERLY 30.50 FEET ALONG A 35.50 FEET RADIUS REVERSE CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 49°13'32" AND A LONG CHORD OF NORTH 81°23'10" WEST 29.57 FEET; (6) WESTERLY 50.41 FEET ALONG A 94.50 FEET RADIUS REVERSE CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 30°33'53" AND A LONG CHORD OF NORTH 72°03'20" WEST 49.82 FEET; (7) NORTHWESTERLY 34.27 FEET ALONG A 35.50 FEET RADIUS REVERSE CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 55°18'12" AND A LONG CHORD OF NORTH 59°41'11" WEST 32.95 FEET; (8) NORTH 32°02'05" WEST 11.88 FEET; (9) SOUTH 50°08'15" WEST 77.72 FEET; (10) SOUTH 32°02'05" EAST 1.29 FEET; (11) SOUTHERLY 34.27 FEET ALONG A 35.50 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 55°18'12" AND A LONG CHORD OF SOUTH 04°22'59" EAST 32.95 FEET; (12) SOUTHERLY 26.91 FEET ALONG A 94.50 FEET RADIUS REVERSE CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 18°18'53" AND A LONG CHORD OF SOUTH 15°06'41" WEST 26.82 FEET; (13) SOUTHWESTERLY 31.61 FEET ALONG A 35.50 FEET RADIUS REVERSE CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 51°00'41" AND A LONG CHORD OF SOUTH 32°27'35" WEST 30.57 FEET; (14) SOUTH 57°57'55" WEST 24.11 FEET; (15) SOUTHWESTERLY 21.44 FEET ALONG A 135.00 FEET RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 09°05'55" AND A LONG CHORD OF SOUTH 62°30'53" WEST 21.42 FEET; (16) SOUTH 67°03'50" WEST

52.01 FEET; (17) SOUTHWESTERLY 26.20 FEET ALONG A 165.00 FEET RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 09°05'55" AND A LONG CHORD OF SOUTH 62°30'53" WEST 26.17 FEET; AND (18) SOUTH 57°57'55" WEST 27.54 FEET TO THE POINT OF BEGINNING.

CONTAINING 6,038,681 SQUARE FEET OR 138.629 ACRES.

LESS AND EXCEPTING the following described real property in Wasatch County:

BEGINNING AT THE INTERSECTION OF THE NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD AND THE EASTERLY RIGHT-OF-WAY LINE OF STATE HIGHWAY 40, SAID POINT ALSO BEING NORTH 00°06'58" WEST 1,407.18 FEET ALONG THE SECTION LINE AND EAST 212.70 FEET FROM THE SOUTHWEST CORNER OF SECTION 20, TOWNSHIP 3 SOUTH, RANGE 5 EAST, SALT LAKE BASE AND MERIDIAN; AND RUNNING THENCE NORTH 32°00'26" WEST 1,057.02 FEET ALONG THE EASTERLY RIGHT-OF-WAY LINE OF SAID STATE HIGHWAY 40; THENCE NORTH 57°59'34" EAST 909.98 FEET TO THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 13.50 FEET ALONG THE ARC OF A 12.00 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 43°16'46" WEST AND THE CHORD BEARS SOUTH 14°28'51" EAST 12.80 FEET WITH A CENTRAL ANGLE OF 64°28'45") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 17°45'17" WEST 63.72 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 41.60 FEET ALONG THE ARC OF A 59.20 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 72°14'43" EAST AND THE CHORD BEARS SOUTH 02°22'27" EAST 40.75 FEET WITH A CENTRAL ANGLE OF 40°15'28") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 22°29'35" EAST 44.62 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHWESTERLY 4.17 FEET ALONG THE ARC OF A 4.35 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 67°30'25" WEST AND THE CHORD BEARS SOUTH 04°57'50" WEST 4.01 FEET WITH A CENTRAL ANGLE OF 54°54'51") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 32°25'20" WEST 61.85 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 79.97 FEET ALONG THE ARC OF A 65.40 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 57°34'40" EAST AND THE CHORD BEARS SOUTH 02°36'27" EAST 75.08 FEET WITH A CENTRAL ANGLE OF 70°03'35") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 37°38'04" EAST 20.28 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 61.74 FEET ALONG THE ARC OF A 273.10 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 52°21'56" WEST AND THE CHORD BEARS SOUTH 31°09'29" EAST 61.61 FEET WITH A CENTRAL ANGLE OF 12°57'09") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 24°40'52" EAST 30.12 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 99.61 FEET ALONG THE ARC OF A 133.72 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS NORTH 65°19'08" EAST AND THE CHORD BEARS SOUTH 46°01'20" EAST 97.33 FEET WITH A CENTRAL ANGLE OF 42°40'55") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 67°21'45" EAST 30.51 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 43.52 FEET ALONG THE ARC OF A 64.31 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 22°38'15" WEST AND THE CHORD BEARS SOUTH 47°58'31" EAST 42.70 FEET WITH A CENTRAL ANGLE OF 38°46'28") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 28°35'28" EAST 39.08 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 61.02 FEET ALONG THE ARC OF A 138.66 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS NORTH 61°24'32" EAST AND THE CHORD BEARS SOUTH 41°11'55" EAST 60.53 FEET WITH A CENTRAL ANGLE OF 25°12'54") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 53°48'18" EAST 38.81 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 51.43 FEET ALONG THE ARC OF A 124.93 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS NORTH 36°11'42" EAST AND THE CHORD BEARS SOUTH 65°35'56" EAST 51.07 FEET WITH A CENTRAL ANGLE OF 23°35'17") ALONG

THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 77°23'47" EAST 41.08 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 50.29 FEET ALONG THE ARC OF A 340.23 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 12°36'13" WEST AND THE CHORD BEARS SOUTH 73°09'41" EAST 50.25 FEET WITH A CENTRAL ANGLE OF 08°28'11") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 68°55'35" EAST 27.75 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 4.32 FEET ALONG THE ARC OF A 3.28 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 21°04'25" WEST AND THE CHORD BEARS SOUTH 31°12'43" EAST 4.01 FEET WITH A CENTRAL ANGLE OF 75°25'43") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 06°29'59" WEST 49.88 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 91.09 FEET ALONG THE ARC OF A 98.34 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 83°30'01" EAST AND THE CHORD BEARS SOUTH 20°02'06" EAST 87.86 FEET WITH A CENTRAL ANGLE OF 53°04'09") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 46°34'04" EAST 16.21 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 45.58 FEET ALONG THE ARC OF A 162.73 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS NORTH 43°25'56" EAST AND THE CHORD BEARS SOUTH 54°35'33" EAST 45.43 FEET WITH A CENTRAL ANGLE OF 16°02'58") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 32.56 FEET ALONG THE ARC OF A 99.98 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 27°22'58" WEST AND THE CHORD BEARS SOUTH 53°17'16" EAST 32.42 FEET WITH A CENTRAL ANGLE OF 18°39'31") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 43°57'28" EAST 25.44 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 126.92 FEET ALONG THE ARC OF A 109.54 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS NORTH 46°02'32" EAST AND THE CHORD BEARS SOUTH 77°09'00" EAST 119.93 FEET WITH A CENTRAL ANGLE OF 66°23'03") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE NORTH 69°39'10" EAST 41.25 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 22.33 FEET ALONG THE ARC OF A 12.44 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 20°20'50" EAST AND THE CHORD BEARS SOUTH 58°54'45" EAST 19.45 FEET WITH A CENTRAL ANGLE OF 102°52'09") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 07°28'49" EAST 115.57 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 25.17 FEET ALONG THE ARC OF A 99.68 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 82°31'11" WEST AND THE CHORD BEARS SOUTH 00°14'49" EAST 25.10 FEET WITH A CENTRAL ANGLE OF 14°27'59") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 06°59'06" WEST 78.23 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 88.74 FEET ALONG THE ARC OF A 107.33 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 83°00'54" EAST AND THE CHORD BEARS SOUTH 16°42'03" EAST 86.23 FEET WITH A CENTRAL ANGLE OF 47°22'19") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 40°22'56" EAST 94.27 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 13.67 FEET ALONG THE ARC OF A 19.04 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 49°37'04" WEST AND THE CHORD BEARS SOUTH 19°48'25" EAST 13.38 FEET WITH A CENTRAL ANGLE OF 41°09'02") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 00°45'57" WEST 27.79 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTHEASTERLY 56.01 FEET ALONG THE ARC OF A 129.03 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 89°14'03" EAST AND THE CHORD SOUTH 11°40'13" EAST 55.57 FEET WITH A CENTRAL ANGLE OF 24°52'21") ALONG THE WESTERLY LINE OF THE WASATCH CANAL; THENCE SOUTH 24°06'32" EAST 157.61 FEET ALONG THE WESTERLY LINE OF THE WASATCH CANAL TO THE SOUTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTHWESTERLY 259.90 FEET ALONG THE ARC OF A 483.50 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS NORTH 00°53'23" WEST AND THE CHORD BEARS NORTH 75°29'26" WEST 256.78 FEET WITH A CENTRAL ANGLE OF 30°47'55") ALONG THE SOUTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTH 60°05'28" WEST 29.46 FEET ALONG THE SOUTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTH 29°54'32" EAST 67.00 FEET TO THE NORTHERLY

RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTH 60°05'28" WEST 50.00 FEET ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTHWESTERLY 13.57 FEET ALONG THE ARC OF A 17.50 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS NORTH 29°54'32" EAST AND THE CHORD BEARS NORTH 37°53'00" WEST 13.23 FEET WITH A CENTRAL ANGLE OF 44°24'55") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTH 60°05'28" WEST 103.22 FEET ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTHWESTERLY 391.17 FEET ALONG THE ARC OF A 488.50 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 29°54'32" WEST AND THE CHORD BEARS NORTH 83°01'52" WEST 380.80 FEET WITH A CENTRAL ANGLE OF 45°52'49") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTHWESTERLY 30.50 FEET ALONG THE ARC OF A 35.50 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS NORTH 15°58'17" WEST AND THE CHORD BEARS NORTH 81°21'31" WEST 29.57 FEET WITH A CENTRAL ANGLE OF 49°13'32") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTHWESTERLY 50.41 FEET ALONG THE ARC OF A 94.50 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 33°15'16" WEST AND THE CHORD BEARS NORTH 72°01'41" WEST 49.82 FEET WITH A CENTRAL ANGLE OF 30°33'53") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTHWESTERLY 34.27 FEET ALONG THE ARC OF A 35.50 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS NORTH 02°41'22" EAST AND THE CHORD BEARS NORTH 59°39'32" WEST 32.95 FEET WITH A CENTRAL ANGLE OF 55°18'12") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE NORTH 32°00'26" WEST 11.87 FEET ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTH 50°09'54" WEST 77.72 FEET ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTH 32°00'26" EAST 1.29 FEET ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTHEASTERLY 34.27 FEET ALONG THE ARC OF A 35.50 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 57°59'34" WEST AND THE CHORD BEARS SOUTH 04°21'20" EAST 32.95 FEET WITH A CENTRAL ANGLE OF 55°18'12") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTHWESTERLY 26.91 FEET ALONG THE ARC OF A 94.50 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 66°42'14" EAST AND THE CHORD BEARS SOUTH 15°08'20" WEST 26.82 FEET WITH A CENTRAL ANGLE OF 16°18'53") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTHWESTERLY 31.61 FEET ALONG THE ARC OF A 35.50 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS NORTH 83°01'07" WEST AND THE CHORD BEARS SOUTH 32°29'14" WEST 30.57 FEET WITH A CENTRAL ANGLE OF 51°00'41") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTH 57°59'34" WEST 24.11 FEET; THENCE SOUTHWESTERLY 21.44 FEET ALONG THE ARC OF A 135.00 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS NORTH 32°00'26" WEST AND THE CHORD BEARS SOUTH 62°32'31" WEST 21.42 FEET WITH A CENTRAL ANGLE OF 09°05'55") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTH 67°05'29" WEST 52.01 FEET ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTHWESTERLY 26.20 FEET ALONG THE ARC OF A 165.00 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 22°54'31" EAST AND THE CHORD BEARS SOUTH 62°32'32" WEST 26.17 FEET WITH A CENTRAL ANGLE OF 09°05'55") ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD; THENCE SOUTH 57°59'34" WEST 26.05 FEET ALONG SAID NORTHERLY RIGHT-OF-WAY LINE OF COMMONS BOULEVARD TO THE POINT OF BEGINNING.