

UCC FINANCING STATEMENT AMENDMENT

FOLLOW INSTRUCTIONS

A. NAME & PHONE OF CONTACT AT FILER (optional) Name: Wolters Kluwer Lien Solutions Phone: 800-331-3282 Fax: 818-662-4141	
B. E-MAIL CONTACT AT FILER (optional) uccfilingreturn@wolterskluwer.com	
C. SEND ACKNOWLEDGMENT TO: (Name and Address) 23814 - WELLS FARGO	
Lien Solutions P.O. Box 29071 Glendale, CA 91209-9071	93026034 UTUT FIXTURE
File with: Salt Lake, UT	

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1a. INITIAL FINANCING STATEMENT FILE NUMBER
11680954 BK 10157 P 9076 7/10/2013 CC UT Salt Lake

1b. This FINANCING STATEMENT AMENDMENT is to be filed [for record] (or recorded) in the REAL ESTATE RECORDS
Filer: attach Amendment Addendum (Form UCC3Ad) and provide Debtor's name in item 13

2. TERMINATION: Effectiveness of the Financing Statement identified above is terminated with respect to the security interest(s) of Secured Party authorizing this Termination Statement
3. ASSIGNMENT (full or partial): Provide name of Assignee in item 7a or 7b, and address of Assignee in item 7c and name of Assignor in item 9
For partial assignment, complete items 7 and 9 and also indicate affected collateral in item 8
4. CONTINUATION: Effectiveness of the Financing Statement identified above with respect to the security interest(s) of Secured Party authorizing this Continuation Statement is continued for the additional period provided by applicable law
5. PARTY INFORMATION CHANGE:
Check one of these two boxes: Debtor or Secured Party of record **AND** Check one of these three boxes to:
 CHANGE name and/or address: Complete item 6a or 6b; and item 7a or 7b and item 7c ADD name: Complete item 7a or 7b, and item 7c DELETE name: Give record name to be deleted in item 6a or 6b

6. CURRENT RECORD INFORMATION: Complete for Party Information Change - provide only one name (6a or 6b)

6a. ORGANIZATION'S NAME CITY CREEK CENTER ASSOCIATES LLC				
OR	6b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

7. CHANGED OR ADDED INFORMATION: Complete for Assignment or Party Information Change - provide only one name (7a or 7b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name)

OR	7a. ORGANIZATION'S NAME	
OR	7b. INDIVIDUAL'S SURNAME	
	INDIVIDUAL'S FIRST PERSONAL NAME	
	INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

7c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY
---------------------	------	-------	-------------	---------

8. COLLATERAL CHANGE: Also check one of these four boxes: ADD collateral DELETE collateral RESTATE covered collateral ASSIGN collateral
- Indicate collateral:
LOAN # 001340557
SEE EXHIBIT A LEGAL DESCRIPTION ATTACHED HERETO AND INCORPORATED HEREIN BY THIS REFERENCE.

9. NAME OF SECURED PARTY OF RECORD AUTHORIZING THIS AMENDMENT: Provide only one name (9a or 9b) (name of Assignor, if this is an Assignment)
If this is an Amendment authorized by a DEBTOR, check here and provide name of authorizing Debtor

9a. ORGANIZATION'S NAME U S BANK NATIONAL ASSOCIATION, AS TRUSTEE FOR MORGAN STANLEY BANK OF AMERICA MERRILL LYNCH TRUST 2013-C12, COMMERCIAL MORTGAGE PASS-THROUGH CERTIFICATES, SERIES 2013-C12				
OR	9b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

10. OPTIONAL FILER REFERENCE DATA: Debtor Name: CITY CREEK CENTER ASSOCIATES LLC
93026034 001340557



UCC FINANCING STATEMENT AMENDMENT ADDENDUM

FOLLOW INSTRUCTIONS

11. INITIAL FINANCING STATEMENT FILE NUMBER: Same as item 1a on Amendment form
 11680954 BK 10157 P 9076 7/10/2013 CC UT Salt Lake

12. NAME OF PARTY AUTHORIZING THIS AMENDMENT: Same as item 9 on Amendment form

OR	12a. ORGANIZATION'S NAME U S BANK NATIONAL ASSOCIATION, AS TRUSTEE FOR MORGAN STANLEY BANK OF AMERICA MERRILL LYNCH TRUST 2013-C12, COMMERCIAL MORTGAGE PASS-THROUGH CERTIFICATES, SERIES 2013-C12	
	12b. INDIVIDUAL'S SURNAME	
	FIRST PERSONAL NAME	
	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

13. Name of DEBTOR on related financing statement (Name of a current Debtor of record required for indexing purposes only in some filing offices - see Instruction item 13): Provide only one Debtor name (13a or 13b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); see Instructions if name does not fit

OR	13a. ORGANIZATION'S NAME CITY CREEK CENTER ASSOCIATES LLC			
	13b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

14. ADDITIONAL SPACE FOR ITEM 8 (Collateral):

Debtor Name and Address:

CITY CREEK CENTER ASSOCIATES LLC - C/O THE TAUBMAN GROUP LLC 200 EAST LONG LAKE ROAD, SUITE 300, BLOOMFIELD HILLS, MI 48304

Secured Party Name and Address:

U S BANK NATIONAL ASSOCIATION, AS TRUSTEE FOR MORGAN STANLEY BANK OF AMERICA MERRILL LYNCH TRUST 2013-C12, COMMERCIAL MORTGAGE PASS-THROUGH CERTIFICATES, SERIES 2013-C12 - 209 SOUTH LASALLE STREET, SUITE 300 , CHICAGO, IL 60604

The complete information for Authorizer number 1

U S BANK NATIONAL ASSOCIATION, AS TRUSTEE FOR MORGAN STANLEY BANK OF AMERICA MERRILL LYNCH TRUST 2013-C12, COMMERCIAL MORTGAGE PASS-THROUGH CERTIFICATES, SERIES 2013-C12

15. This FINANCING STATEMENT AMENDMENT:
 covers timber to be cut covers as-extracted collateral is filed as a fixture filing

16. Name and address of a RECORD OWNER of real estate described in item 17 (if Debtor does not have a record interest):

17. Description of real estate:
SEE ATTACHED

SEE ATTACHED

SEE ATTACHED.

[See Exhibit for Real Estate]

18. MISCELLANEOUS: 93026034-UT-35 23814 - WELLS FARGO CMS EAST U S BANK NATIONAL ASSOCIATION, File with: Salt Lake, UT 001340557



Debtor: CITY CREEK CENTER ASSOCIATES LLC

Exhibit for Real Estate

17. Description of real estate: Continued

Parcel ID:
15-01-227-062-2010



Exhibit A

Legal Description

PARCEL 1:

BLOCK 75 LEVEL 1 (100'-0 3/4") – REVISED 5-4-2012

BEGINNING AT A POINT THAT IS N89°59'16"E 315.87 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4320.06 TO ELEVATION 4338.06 AND RUNNING THENCE N89°59'16"E ALONG SAID SOUTH RIGHT OF WAY LINE 70.02 FEET; THENCE SOUTH 167.62 FEET; THENCE EAST 36.58 FEET; THENCE NORTH 2.53 FEET; THENCE N89°58'54"E 43.62 FEET; THENCE S00°09'54"W 3.50 FEET; THENCE N89°58'54"E 29.20 FEET; THENCE N00°09'54"E 3.50 FEET; THENCE WEST 6.56 FEET; THENCE NORTH 11.19 FEET; THENCE EAST 6.59 FEET; THENCE N00°09'54"E 15.44 FEET; THENCE N89°55'01"E 164.59 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF STATE STREET; THENCE S00°09'53"W ALONG SAID WEST RIGHT OF WAY LINE 246.26 FEET; THENCE WEST 109.62 FEET; THENCE SOUTH 24.72 FEET; THENCE N89°57'59"E 109.55 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE; THENCE S00°09'53"W ALONG SAID WEST RIGHT OF WAY LINE 30.25 FEET; THENCE WEST 121.75 FEET; THENCE N33°42'48"W 0.71 FEET; THENCE S55°55'42"W 34.38 FEET; THENCE WEST 34.53 FEET; THENCE N00°09'54"E 3.85 FEET; THENCE WEST 22.67 FEET; THENCE NORTH 1.14 FEET, THENCE WEST 5.34 FEET, THENCE SOUTH 1.14 FEET; THENCE WEST 10.00 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 1.55 FEET; THENCE S68°31'24"W 24.65 FEET; THENCE S62°56'26"W 0.43 FEET; THENCE S24°52'53"E 2.59 FEET; THENCE EAST 11.57 FEET; THENCE SOUTH 16.53 FEET; THENCE S89°58'21"W 10.05 FEET; THENCE S00°09'54"W 178.05 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 212.50 FEET; THENCE NORTH 44.04 FEET; THENCE EAST 11.11 FEET; THENCE NORTH 29.89 FEET; THENCE WEST 9.30 FEET; THENCE NORTH 45.45 FEET; THENCE WEST 4.38 FEET; THENCE NORTH 4.03 FEET; THENCE EAST 43.21 FEET; THENCE SOUTH 19.72 FEET; THENCE EAST 19.67 FEET; THENCE NORTH 4.39 FEET; THENCE EAST 14.06 FEET; THENCE NORTH 16.19 FEET; THENCE WEST 5.69 FEET; THENCE NORTH 3.50 FEET; THENCE WEST 76.71 FEET; THENCE SOUTH 8.39 FEET; THENCE WEST 21.17 FEET; THENCE SOUTH 78.66 FEET TO A 50.00 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N89°59'23"E; THENCE ALONG SAID ARC 16.39 FEET (CHORD BEARS S09°24'02"E 16.32 FEET) TO A 208.50 FOOT NON-TANGENT CURVE TO THE LEFT, RADIUS POINT BEARS N71°12'33"E; THENCE ALONG SAID ARC 14.99 FEET (CHORD BEARING S20°51'03"E 14.99 FEET); THENCE S23°18'56"E 2.95 FEET; THENCE SOUTH 7.91 FEET TO A POINT ON SAID NORTH RIGHT OF WAY LINE; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 94.61 FEET; THENCE NORTH 38.84 FEET; THENCE N89°38'34"W 1.80 FEET; THENCE NORTH 32.00 FEET; THENCE S89°59'02"W 81.54 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF MAIN STREET; THENCE N00°09'35"E ALONG SAID EAST RIGHT OF WAY LINE 43.71 FEET; THENCE S89°58'17"W 1.00 FEET; THENCE N00°09'35"E 62.54 FEET; THENCE S89°58'21"W 1.00 FEET; THENCE N00°09'35"E 218.16 FEET; THENCE S89°58'44"W 1.10 FEET; THENCE N00°09'35"E 180.78 FEET; THENCE N89°59'16"E 200.43 FEET; THENCE S00°09'35"W 1.58 FEET; THENCE

EAST 90.38 FEET; THENCE SOUTH 76.94 FEET; THENCE EAST 0.10 FEET; THENCE SOUTH 103.85 FEET; THENCE EAST 24.21 FEET; THENCE S04°57'59"E 6.21 FEET; THENCE N85°00'00"E 32.08 FEET; THENCE N26°00'00"E 8.55 FEET; THENCE N09°30'00"E 15.71 FEET; THENCE N19°35'03"W 28.10 FEET; THENCE N70°30'00"E 12.78 FEET; THENCE S24°33'21"E 6.74 FEET; THENCE N51°27'08"E 4.49 FEET; THENCE N03°41'40"W 13.82 FEET; THENCE WEST 14.72 FEET; THENCE NORTH 52.86 FEET; THENCE WEST 2.99 FEET; THENCE NORTH 25.50 FEET; THENCE EAST 12.13 FEET; THENCE NORTH 19.59 FEET; THENCE EAST 18.62 FEET; THENCE NORTH 7.74 FEET; THENCE EAST 6.82 FEET; THENCE NORTH 42.54 FEET; THENCE WEST 69.67 FEET; THENCE SOUTH 2.31 FEET; THENCE WEST 32.02 FEET; THENCE NORTH 2.01 FEET; THENCE WEST 19.32 FEET; THENCE SOUTH 15.17 FEET; THENCE EAST 2.44 FEET; THENCE SOUTH 2.44 FEET; THENCE WEST 2.44 FEET; THENCE SOUTH 2.74 FEET; THENCE EAST 2.44 FEET; THENCE SOUTH 5.21 FEET; THENCE WEST 44.52 FEET; THENCE NORTH 25.61 FEET; THENCE EAST 28.84 FEET; THENCE NORTH 6.75 FEET; THENCE EAST 42.36 FEET; THENCE NORTH 16.43 FEET; THENCE EAST 9.57 FEET; THENCE SOUTH 16.43 FEET; THENCE EAST 20.66 FEET; THENCE NORTH 51.10 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING AREA 1:

BEGINNING AT A POINT THAT IS N89°59'16"E 472.64 FEET AND SOUTH 285.51 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4320.06 TO ELEVATION 4338.06 AND RUNNING THENCE EAST 98.42 FEET; THENCE SOUTH 2.22 FEET; THENCE EAST 7.73 FEET; THENCE NORTH 2.53 FEET; THENCE EAST 3.38 FEET; THENCE SOUTH 2.08 FEET; THENCE EAST 3.76 FEET TO A 90.59 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS S83°38'24"E; THENCE ALONG SAID ARC 6.48 FEET (CHORD BEARS S04°18'41"W 6.48 FEET); THENCE WEST 3.50 FEET; THENCE SOUTH 14.52 FEET; THENCE WEST 109.30 FEET; THENCE NORTH 22.75 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING AREA 2:

BEGINNING AT A POINT THAT IS S00°09'53"W 274.11 FEET AND WEST 20.61 FEET FROM THE NORTHEAST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4320.06 TO ELEVATION 4338.06 AND RUNNING THENCE SOUTH 44.83 FEET; THENCE WEST 13.79 FEET; THENCE SOUTH 3.67 FEET; THENCE WEST 14.70 FEET; THENCE NORTH 1.74 FEET; THENCE WEST 10.66 FEET; THENCE NORTH 11.56 FEET; THENCE EAST 9.29 FEET; THENCE NORTH 35.20 FEET; THENCE EAST 29.87 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING PARCEL 2 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED MARCH 21, 2012 AS ENTRY NO. 11354505, IN BOOK 10001, AT PAGE 1822.

LESS AND EXCEPTING PARCEL 4 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED JUNE 17, 2013 AS ENTRY NO. 11665463, IN BOOK 10150, AT PAGE 3530.

BLOCK 75 LEVEL 2 (118'-0 3/4") – REVISED 5-4-2012

BEGINNING AT A POINT THAT IS N89°59'16"E 196.33 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4356.00 AND RUNNING THENCE N89°59'16"E ALONG SAID SOUTH RIGHT OF WAY LINE 210.75 FEET; THENCE S00°01'17"W 165.10 FEET; THENCE N89°58'54"E 70.54 FEET; THENCE NORTH 23.56 FEET; THENCE EAST 11.19 FEET; THENCE SOUTH 43.84 FEET; THENCE EAST 141.65 FEET; THENCE SOUTH 1.28 FEET; THENCE EAST 9.10 FEET; THENCE SOUTH 0.72 FEET; THENCE EAST 20.33 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF STATE STREET; THENCE S00°09'53"W ALONG SAID WEST RIGHT OF WAY LINE 62.26 FEET; THENCE WEST 50.47 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 30.20 FEET; THENCE SOUTH 2.64 FEET; THENCE WEST 6.24 FEET; THENCE SOUTH 32.42 FEET; THENCE WEST 99.80 FEET; THENCE SOUTH 12.59 FEET; THENCE WEST 15.46 FEET; THENCE SOUTH 9.89 FEET; THENCE EAST 32.63 FEET; THENCE SOUTH 8.79 FEET; THENCE S82°52'30"E 32.00 FEET; THENCE SOUTH 23.85 FEET; THENCE EAST 90.62 FEET; THENCE SOUTH 11.29 FEET; THENCE EAST 14.92 FEET; THENCE SOUTH 28.29 FEET; THENCE WEST 77.75 FEET; THENCE SOUTH 24.72 FEET; THENCE S89°57'59"W 75.56 FEET; THENCE S00°09'54"W 44.96 FEET; THENCE WEST 22.67 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 10.00 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 1.55 FEET; THENCE S68°31'24"W 24.65 FEET; THENCE S62°56'26"W 2.67 FEET; THENCE S58°45'18"W 17.14 FEET; THENCE S54'34'11"W 3.33 FEET; THENCE N36°24'57"W 6.34 FEET; THENCE S52°46'31"W 5.01 FEET; THENCE S57°26'20"W 13.63 FEET; THENCE S42°43'49"W 15.73 FEET; THENCE S37°21'30"W 15.64 FEET; THENCE S23°04'47"W 14.96 FEET; THENCE S27°19'41"W 3.67 FEET; THENCE S63°28'51"E 9.18 FEET; THENCE S25°58'32"W 1.85 FEET; THENCE S19°36'48"W 27.60 FEET; THENCE S13°04'32"W 2.67 FEET; THENCE S06°32'16"W 27.60 FEET; THENCE SOUTH 77.08 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 59.59 FEET; THENCE NORTH 108.03 FEET; THENCE WEST 4.17 FEET; THENCE NORTH 17.78 FEET; THENCE WEST 14.11 FEET; THENCE NORTH 2.27 FEET; THENCE WEST 20.08 FEET; THENCE SOUTH 24.77 FEET; THENCE WEST 12.65 FEET; THENCE NORTH 6.08 FEET; THENCE WEST 9.36 FEET; THENCE NORTH 9.83 FEET; THENCE EAST 13.34 FEET; THENCE NORTH 9.00 FEET; THENCE WEST 26.39 FEET; THENCE SOUTH 8.95 FEET; THENCE WEST 34.02 FEET; THENCE SOUTH 96.63 FEET; THENCE EAST 3.74 FEET TO A 207.50 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N70°33'17"E; THENCE ALONG SAID ARC 15.55 FEET (CHORD BEARS S21°35'33"E 15.55 FEET); THENCE WEST 1.53 FEET; THENCE SOUTH 8.25 FEET TO A POINT ON SAID NORTH RIGHT OF WAY LINE; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 94.03 FEET; THENCE NORTH 38.84 FEET; THENCE N89°38'34"W 1.80 FEET; THENCE NORTH 32.00 FEET; THENCE S89°59'02"W 81.54 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF MAIN STREET; THENCE N00°09'35"E ALONG SAID EAST RIGHT OF WAY LINE 43.71 FEET; THENCE S89°58'17"W 1.00 FEET; THENCE N00°09'35"E 62.54 FEET; THENCE S89°58'21"W 1.00 FEET; THENCE N00°09'35"E 218.16 FEET; THENCE S89°58'44"W 1.10 FEET; THENCE N00°09'35"E 180.78 FEET; THENCE N89°59'16"E 200.43 FEET; THENCE N00°09'35"E 84.41 FEET TO A POINT ON SAID SOUTH RIGHT OF WAY LINE AND THE POINT OF BEGINNING.

LESS AND EXCEPTING:

BEGINNING AT A POINT THAT IS N89°59'16"E 239.33 FEET AND SOUTH 30.63 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4356.00 AND RUNNING THENCE EAST 102.90 FEET; THENCE SOUTH 51.56 FEET; THENCE WEST 32.56 FEET; THENCE SOUTH 10.09 FEET; THENCE WEST 15.55 FEET; THENCE SOUTH 34.50 FEET; THENCE EAST 4.12 FEET; THENCE SOUTH 6.16 FEET; THENCE WEST 11.77 FEET; THENCE NORTH 46.94 FEET; THENCE WEST 47.15 FEET; THENCE NORTH 55.37 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING PARCEL 2 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED MARCH 21, 2012 AS ENTRY NO. 11354505, IN BOOK 10001, AT PAGE 1822.

BLOCK 75 LEVEL 3 (136'-0") – REVISED 5-4-2012

BEGINNING AT A POINT THAT IS N89°59'16"E 196.33 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4356.00 TO ELEVATION 4374.00 AND RUNNING THENCE N89°59'16"E ALONG SAID SOUTH RIGHT OF WAY LINE 210.75 FEET; THENCE S00°01'17"W 165.10 FEET; THENCE N89°58'54"E 88.29 FEET; THENCE N00°09'54"E 26.63 FEET; THENCE N89°55'01"E 164.59 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF STATE STREET; THENCE S00°09'53"W ALONG SAID WEST RIGHT OF WAY LINE 106.92 FEET; THENCE WEST 206.17 FEET; THENCE SOUTH 34.51 FEET; THENCE WEST 12.19 FEET; THENCE SOUTH 82.17 FEET; THENCE EAST 186.09 FEET; THENCE SOUTH 22.66 FEET; THENCE WEST 77.75 FEET; THENCE SOUTH 24.72 FEET; THENCE S89°57'59"W 75.56 FEET; THENCE S00°09'54"W 44.96 FEET; THENCE WEST 22.67 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 10.00 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 1.55 FEET; THENCE S68°31'24"W 24.65 FEET; THENCE S62°56'26"W 2.67 FEET; THENCE S58°45'18"W 17.14 FEET; THENCE S54°34'11"W 3.33 FEET; THENCE N36°24'57"W 6.34 FEET; THENCE S52°46'31"W 5.01 FEET; THENCE S57°26'20"W 13.63 FEET; THENCE S42°43'49"W 15.73 FEET; THENCE S37°21'30"W 15.64 FEET; THENCE S23°04'47"W 14.96 FEET; THENCE S27°19'41"W 3.67 FEET; THENCE S63°28'51"E 9.18 FEET; THENCE S25°58'32"W 1.85 FEET; THENCE S19°36'48"W 27.60 FEET; THENCE S13°04'32"W 2.67 FEET; THENCE S06°32'16"W 27.60 FEET; THENCE SOUTH 77.08 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 59.59 FEET; THENCE NORTH 108.03 FEET; THENCE WEST 4.17 FEET; THENCE NORTH 24.75 FEET; THENCE EAST 21.67 FEET TO A 185.00 FOOT NON-TANGENT RADIUS CURVE TO THE RIGHT, RADIUS POINT BEARS S69°42'56"E; THENCE ALONG SAID ARC 67.64 FEET (CHORD BEARS N30°45'34"E 67.27 FEET); THENCE N30°00'00"W 40.00 FEET; THENCE N81°00'00"W 43.83 FEET; THENCE N09°00'00"E 1.83 FEET; THENCE N81°00'00"W 16.79 FEET; THENCE S09°00'00"W 2.08 FEET TO A 1557.17 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS S08°25'30"W; THENCE ALONG SAID ARC 222.90 FEET

(CHORD BEARS N85°40'32"W 222.71 FEET); THENCE SOUTH 0.48 FEET; THENCE WEST 8.79 FEET; THENCE NORTH 2.49 FEET; THENCE WEST 10.33 FEET; THENCE SOUTH 3.79 FEET; THENCE WEST 7.75 FEET; THENCE SOUTH 55.90 FEET; THENCE EAST 2.83 FEET; THENCE SOUTH 29.98 FEET; THENCE WEST 1.15 FEET; THENCE SOUTH 27.06 FEET; THENCE EAST 2.69 FEET; THENCE NORTH 3.58 FEET; THENCE EAST 43.23 FEET; THENCE SOUTH 3.21 FEET; THENCE EAST 9.05 FEET; THENCE SOUTH 5.86 FEET; THENCE S45°00'00"E 5.10 FEET; THENCE EAST 31.11 FEET; THENCE SOUTH 54.07 FEET; THENCE WEST 0.56 FEET; THENCE SOUTH 73.47 FEET TO A POINT ON SAID NORTH RIGHT OF WAY LINE; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 7.38 FEET; THENCE NORTH 38.84 FEET; THENCE N89°38'34"W 1.80 FEET; THENCE NORTH 32.00 FEET; THENCE S89°59'02"W 81.54 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF MAIN STREET; THENCE N00°09'35"E ALONG SAID EAST RIGHT OF WAY LINE 43.71 FEET; THENCE S89°58'17"W 1.00 FEET; THENCE N00°09'35"E 62.54 FEET; THENCE S89°58'21"W 1.00 FEET; THENCE N00°09'35"E 218.16 FEET; THENCE S89°58'44"W 1.10 FEET; THENCE N00°09'35"E 180.78 FEET; THENCE N89°59'16"E 200.43 FEET; THENCE N00°09'35"E 84.41 FEET TO A POINT ON SAID SOUTH RIGHT OF WAY LINE AND THE POINT OF BEGINNING.

LESS AND EXCEPTING:

BEGINNING AT A POINT THAT IS N89°59'16"E 240.76 FEET AND SOUTH 30.01 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4356.00 TO ELEVATION 4374.00 AND RUNNING THENCE EAST 22.67 FEET; THENCE NORTH 2.67 FEET; THENCE EAST 54.62 FEET; THENCE SOUTH 2.67 FEET; THENCE EAST 22.67 FEET; THENCE SOUTH 103.29 FEET; THENCE WEST 54.25 FEET; THENCE NORTH 47.29 FEET; THENCE WEST 45.71 FEET; THENCE NORTH 56.00 FEET TO THE POINT OF BEGINNING.

BLOCK 75 LEVEL 4 (154'-0") – REVISED 5-4-2012

BEGINNING AT A POINT THAT IS N89°59'16"E 196.33 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4374.00 TO ELEVATION 4386.00 AND RUNNING THENCE N89°59'16"E ALONG SAID SOUTH RIGHT OF WAY LINE 210.75 FEET; THENCE S00°01'17"W 165.10 FEET; THENCE N89°58'54"E 88.29 FEET; THENCE N00°09'54"E 26.63 FEET; THENCE N89°55'01"E 164.59 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF STATE STREET; THENCE S00°09'53"W ALONG SAID WEST RIGHT OF WAY LINE 106.92 FEET; THENCE WEST 206.17 FEET; THENCE SOUTH 34.51 FEET; THENCE WEST 12.19 FEET; THENCE SOUTH 82.17 FEET; THENCE EAST 186.09 FEET; THENCE SOUTH 22.66 FEET; THENCE WEST 77.75 FEET; THENCE SOUTH 24.72 FEET; THENCE S89°57'59"W 75.56 FEET; THENCE S00°09'54"W 44.96 FEET; THENCE WEST 22.67 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 10.00 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 1.55 FEET; THENCE S68°31'24"W 24.65 FEET; THENCE S62°56'26"W 2.67 FEET; THENCE S58°45'18"W 17.14 FEET; THENCE S54°34'11"W 3.33 FEET; THENCE N36°24'57"W 6.34 FEET; THENCE S52°46'31"W 5.01 FEET; THENCE S57°26'20"W 13.63 FEET; THENCE S42°43'49"W

15.73 FEET; THENCE S37°21'30"W 15.64 FEET; THENCE S23°04'47"W 14.96 FEET; THENCE S27°19'41"W 3.67 FEET; THENCE S63°28'51"E 9.18 FEET; THENCE S25°58'32"W 1.85 FEET; THENCE S19°36'48"W 27.60 FEET; THENCE S13°04'32"W 2.67 FEET; THENCE S06°32'16"W 27.60 FEET; THENCE SOUTH 77.08 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 59.59 FEET; THENCE NORTH 132.78 FEET; THENCE WEST 0.33 FEET; THENCE NORTH 1.92 FEET; THENCE WEST 15.56 FEET; THENCE NORTH 27.44 FEET; THENCE WEST 32.01 FEET; THENCE SOUTH 2.83 FEET; THENCE WEST 36.32 FEET; THENCE SOUTH 15.25 FEET; THENCE WEST 20.46 FEET; THENCE NORTH 20.35 FEET; THENCE WEST 80.91 FEET; THENCE SOUTH 91.05 FEET; THENCE WEST 0.56 FEET; THENCE SOUTH 73.47 FEET TO A POINT ON SAID NORTH RIGHT OF WAY LINE; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 7.38 FEET; THENCE NORTH 38.84 FEET; THENCE N89°38'34"W 1.80 FEET; THENCE NORTH 32.00 FEET; THENCE S89°59'02"W 81.54 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF MAIN STREET; THENCE N00°09'35"E ALONG SAID EAST RIGHT OF WAY LINE 43.71 FEET; THENCE S89°58'17"W 1.00 FEET; THENCE N00°09'35"E 62.54 FEET; THENCE S89°58'21"W 1.00 FEET; THENCE N00°09'35"E 218.16 FEET; THENCE S89°58'44"W 1.10 FEET; THENCE N00°09'35"E 180.78 FEET; THENCE N89°59'16"E 200.43 FEET; THENCE N00°09'35"E 84.41 FEET TO A POINT ON SAID SOUTH RIGHT OF WAY LINE AND THE POINT OF BEGINNING.

LESS AND EXCEPTING:

BEGINNING AT A POINT THAT IS N89°59'16"E 240.76 FEET AND SOUTH 30.01 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4374.00 TO ELEVATION 4386.00 AND RUNNING THENCE EAST 22.67 FEET; THENCE NORTH 2.67 FEET; THENCE EAST 54.62 FEET; THENCE SOUTH 2.67 FEET; THENCE EAST 22.67 FEET; THENCE SOUTH 103.29 FEET; THENCE WEST 54.25 FEET; THENCE NORTH 47.29 FEET; THENCE WEST 45.71 FEET; THENCE NORTH 56.00 FEET TO THE POINT OF BEGINNING.

BLOCK 75 LEVEL 5 & ABOVE (166'-0" and ABOVE) – REVISED 5-4-2012

BEGINNING AT A POINT THAT IS N89°59'16"E 196.33 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4386.00 AND ABOVE AND RUNNING THENCE N89°59'16"E ALONG SAID SOUTH RIGHT OF WAY LINE 210.75 FEET; THENCE S00°01'17"W 165.10 FEET; THENCE N89°58'54"E 88.29 FEET; THENCE N00°09'54"E 26.63 FEET; THENCE N89°55'01"E 164.59 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF STATE STREET; THENCE S00°09'53"W ALONG SAID WEST RIGHT OF WAY LINE 106.92 FEET; THENCE WEST 206.17 FEET; THENCE SOUTH 34.51 FEET; THENCE WEST 12.19 FEET; THENCE SOUTH 82.17 FEET; THENCE EAST 186.09 FEET; THENCE SOUTH 22.66 FEET; THENCE WEST 77.75 FEET; THENCE SOUTH 24.72 FEET; THENCE S89°57'59"W 75.56 FEET; THENCE S00°09'54"W 44.96 FEET; THENCE WEST 22.67 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST 10.00 FEET; THENCE NORTH 1.14 FEET; THENCE WEST 5.34 FEET; THENCE SOUTH 1.14 FEET; THENCE WEST

1.55 FEET; THENCE S68°31'24"W 24.65 FEET; THENCE S62°56'26"W 2.67 FEET; THENCE S58°45'18"W 17.14 FEET; THENCE S54°34'11"W 3.33 FEET; THENCE N36°24'57"W 6.34 FEET; THENCE S52°46'31"W 5.01 FEET; THENCE S57°26'20"W 13.63 FEET; THENCE S42°43'49"W 15.73 FEET; THENCE S37°21'30"W 15.64 FEET; THENCE S23°04'47"W 14.96 FEET; THENCE S27°19'41"W 3.67 FEET; THENCE S63°28'51"E 9.18 FEET; THENCE S25°58'32"W 1.85 FEET; THENCE S19°36'48"W 27.60 FEET; THENCE S13°04'32"W 2.67 FEET; THENCE S06°32'16"W 27.60 FEET; THENCE SOUTH 77.08 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 59.59 FEET; THENCE NORTH 132.45 FEET; THENCE WEST 34.17 FEET; THENCE NORTH 31.96 FEET; THENCE WEST 151.42 FEET; THENCE SOUTH 91.05 FEET; THENCE WEST 0.56 FEET; THENCE SOUTH 73.47 FEET TO A POINT ON SAID NORTH RIGHT OF WAY LINE; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 7.38 FEET; THENCE NORTH 38.84 FEET; THENCE N89°38'34"W 1.80 FEET; THENCE NORTH 32.00 FEET; THENCE S89°59'02"W 81.54 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF MAIN STREET; THENCE N00°09'35"E ALONG SAID EAST RIGHT OF WAY LINE 43.71 FEET; THENCE S89°58'17"W 1.00 FEET; THENCE N00°09'35"E 62.54 FEET; THENCE S89°58'21"W 1.00 FEET; THENCE N00°09'35"E 218.16 FEET; THENCE S89°58'44"W 1.10 FEET; THENCE N00°09'35"E 180.78 FEET; THENCE N89°59'16"E 200.43 FEET; THENCE N00°09'35"E 84.41 FEET TO A POINT ON SAID SOUTH RIGHT OF WAY LINE AND THE POINT OF BEGINNING.

LESS AND EXCEPTING AREA 1:

BEGINNING AT A POINT THAT IS N89°59'16"E 236.37 FEET AND SOUTH 27.49 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4386.00 AND ABOVE AND RUNNING THENCE EAST 108.84 FEET; THENCE SOUTH 110.55 FEET; THENCE WEST 61.74 FEET; THENCE NORTH 49.04 FEET; THENCE WEST 47.10 FEET; THENCE NORTH 61.51 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING AREA 2:

BEGINNING AT A POINT THAT IS N89°59'16"E 258.67 FEET AND SOUTH 497.89 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4386.00 AND ABOVE AND RUNNING THENCE SOUTH 26.32 FEET; THENCE WEST 11.29 FEET; THENCE NORTH 26.32 FEET; THENCE EAST 11.29 FEET TO THE POINT OF BEGINNING.

BLOCK 75 SUB LEVEL ELEVATION 99'-7 1/4" – REVISED 12-7-2009

BEGINNING AT A POINT THAT IS N89°59'16"E 422.64 FEET AND SOUTH 291.63 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4319.60 TO ELEVATION 4320.06 AND RUNNING THENCE SOUTH 105.33 FEET; THENCE N29°56'44"W 30.89 FEET; THENCE N60°00'00"E 11.43 FEET TO A 151.12 FOOT NON-TANGENT CURVE TO THE LEFT, RADIUS POINT BEARS S71°35'41"W; THENCE ALONG SAID ARC 68.14 FEET (CHORD BEARS N05°29'14"W 67.57 FEET); THENCE N65°00'00"E 13.23 FEET TO THE POINT OF BEGINNING.

BLOCK 75 SUB LEVEL ELEVATION 99'-7" – REVISED 1-7-2010

BEGINNING AT A POINT THAT IS S00°09'35"W 84.41 FEET FROM THE NORTHWEST CORNER OF LOT 5, BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION 4319.58 TO ELEVATION 4320.06 AND RUNNING THENCE N89°59'16"E 196.33 FEET; THENCE S00°09'35"W 1.58 FEET; THENCE EAST 90.38 FEET; THENCE SOUTH 76.94 FEET; THENCE EAST 0.10 FEET; THENCE SOUTH 104.23 FEET; THENCE WEST 290.32 FEET; THENCE N00°09'35"E 1.93 FEET; THENCE S89°58'44"W 1.10 FEET; THENCE N00°09'35"E 180.78 FEET; THENCE N89°59'16"E 4.10 FEET TO THE POINT OF BEGINNING.

BLOCK 75 SUB LEVEL ELEVATION 97'-0" – REVISED 10-26-2009

BEGINNING AT A POINT THAT IS N89°59'16"E 342.95 FEET AND SOUTH 160.28 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4317.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 41.44 FEET; THENCE SOUTH 9.34 FEET; THENCE EAST 16.08 FEET; THENCE SOUTH 12.50 FEET; THENCE WEST 3.75 FEET; THENCE SOUTH 9.00 FEET; THENCE EAST 24.75 FEET; THENCE SOUTH 101.05 FEET; THENCE S65°00'00"W 11.94 FEET TO A 151.12 FOOT NON-TANGENT CURVE TO THE RIGHT, RADIUS POINT BEARS S71°35'41"W; THENCE ALONG SAID ARC 68.14 FEET (CHORD BEARS S05°29'14"E 67.57 FEET); THENCE S60°00'00"W 11.43 FEET; THENCE S29°56'44"E 30.89 FEET; THENCE SOUTH 15.46 FEET; THENCE EAST 51.44 FEET; THENCE S00°09'54"W 56.83 FEET; THENCE N89°58'23"E 5.00 FEET; THENCE S00°09'54"W 13.01 FEET; THENCE S89°58'21"W 60.82 FEET; THENCE NORTH 15.64 FEET; THENCE WEST 54.75 FEET; THENCE SOUTH 32.65 FEET; THENCE WEST 3.00 FEET; THENCE NORTH 2.67 FEET; THENCE WEST 121.67 FEET; THENCE SOUTH 29.33 FEET; THENCE WEST 147.00 FEET; THENCE NORTH 29.33 FEET; THENCE WEST 85.04 FEET; THENCE NORTH 9.04 FEET; THENCE WEST 9.96 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF MAIN STREET; THENCE N00°09'35"E ALONG SAID EAST RIGHT OF WAY LINE 4.15 FEET; THENCE S89°58'21"W 1.00 FEET; THENCE N00°09'35"E 216.23 FEET; THENCE EAST 290.32 FEET; THENCE NORTH 0.38 FEET; THENCE EAST 24.21 FEET; THENCE S04°57'59"E 6.21 FEET; THENCE N85°00'00"E 32.08 FEET; THENCE N26°00'00"E 8.55 FEET; THENCE N09°30'00"E 15.71 FEET; THENCE N19°35'03"W 28.10 FEET; THENCE N70°30'00"E 19.52 FEET; THENCE NORTH 8.20 FEET; THENCE WEST 15.66 FEET; THENCE NORTH 45.58 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING FROM THIS SUB LEVEL THE FOLLOWING 7 AREAS - REVISED 10-26-09:

AREA 1:

BEGINNING AT A POINT THAT IS N89°59'16"E 22.64 FEET AND SOUTH 388.28 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT

LAKE CITY DATUM ELEVATION OF 4317.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 6.50 FEET; THENCE SOUTH 9.00 FEET; THENCE WEST 6.50 FEET; THENCE NORTH 9.00 FEET TO THE POINT OF BEGINNING.

AREA 2:

BEGINNING AT A POINT THAT IS N89°59'16"E 63.80 FEET AND SOUTH 377.05 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4317.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 16.33 FEET; THENCE SOUTH 8.67 FEET; THENCE WEST 16.33 FEET; THENCE NORTH 8.67 FEET TO THE POINT OF BEGINNING.

AREA 3:

BEGINNING AT A POINT THAT IS N89°59'16"E 123.80 FEET AND SOUTH 380.99 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4317.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 17.17 FEET; THENCE SOUTH 8.67 FEET; THENCE WEST 17.17 FEET; THENCE NORTH 8.67 FEET TO THE POINT OF BEGINNING.

AREA 4:

BEGINNING AT A POINT THAT IS N89°59'16"E 162.30 FEET AND SOUTH 377.07 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4317.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 7.83 FEET; THENCE SOUTH 7.17 FEET; THENCE WEST 7.83 FEET; THENCE NORTH 7.17 FEET TO THE POINT OF BEGINNING.

AREA 5:

BEGINNING AT A POINT THAT IS N89°59'16"E 183.80 FEET AND SOUTH 384.56 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4317.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 17.17 FEET; THENCE SOUTH 8.67 FEET; THENCE WEST 17.17 FEET; THENCE NORTH 8.67 FEET TO THE POINT OF BEGINNING.

AREA 6:

BEGINNING AT A POINT THAT IS N89°59'16"E 232.30 FEET AND SOUTH 393.59 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4317.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 7.17 FEET; THENCE SOUTH 9.17 FEET; THENCE WEST 7.17 FEET; THENCE NORTH 9.17 FEET TO THE POINT OF BEGINNING.

AREA 7:

BEGINNING AT A POINT THAT IS N89°59'16"E 243.80 FEET AND SOUTH 393.59 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION

6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4317.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 7.17 FEET; THENCE SOUTH 9.17 FEET; THENCE WEST 7.17 FEET; THENCE NORTH 9.17 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING PARCEL 2 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED MARCH 21, 2012 AS ENTRY NO. 11354505, IN BOOK 10001, AT PAGE 1822.

BLOCK 75 SUB LEVEL ELEVATION 96'-10 5/8" – REVISED 4-16-2010

BEGINNING AT A POINT S00°09'53"W 409.17 FEET FROM THE NORTHEAST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4316.88 TO ELEVATION 4320.06, SAID POINT ALSO BEING A POINT ON THE WEST RIGHT OF WAY LINE OF STATE STREET AND RUNNING THENCE S00°09'53"W ALONG SAID WEST RIGHT OF WAY LINE 30.25 FEET; THENCE WEST 121.75 FEET; THENCE N33°42'48"W 0.71 FEET; THENCE S55°55'42"W 34.38 FEET; THENCE WEST 34.53 FEET; THENCE N00°09'54"E 48.81 FEET; THENCE N89°57'59"E 185.10 FEET TO THE POINT OF BEGINNING.

BLOCK 75 SUB LEVEL ELEVATION 96'-8 1/4" – REVISED 6-30-2009

BEGINNING AT A POINT THAT IS N89°59'16"E 6.60 FEET AND SOUTH 487.50 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4316.69 TO ELEVATION 4320.06 AND RUNNING THENCE SOUTH 9.04 FEET; THENCE WEST 9.98 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF MAIN STREET; THENCE N00°09'35"E ALONG SAID EAST RIGHT OF WAY LINE 9.04 FEET; THENCE EAST 9.96 FEET TO THE POINT OF BEGINNING.

BLOCK 75 THE FOLLOWING 7 AREAS THAT COMPRISE SUB LEVEL ELEVATION 95'-0" REVISED 10-26-2009

AREA 1:

BEGINNING AT A POINT THAT IS N89°59'16"E 22.64 FEET AND SOUTH 388.28 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 6.50 FEET; THENCE SOUTH 9.00 FEET; THENCE WEST 6.50 FEET; THENCE NORTH 9.00 FEET TO THE POINT OF BEGINNING.

AREA 2:

BEGINNING AT A POINT THAT IS N89°59'16"E 63.80 FEET AND SOUTH 377.05 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 16.33 FEET; THENCE SOUTH 8.67 FEET; THENCE WEST 16.33 FEET; THENCE NORTH 8.67 FEET TO THE POINT OF BEGINNING.

AREA 3:

BEGINNING AT A POINT THAT IS N89°59'16"E 123.80 FEET AND SOUTH 380.99 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 17.17 FEET; THENCE SOUTH 8.67 FEET; THENCE WEST 17.17 FEET; THENCE NORTH 8.67 FEET TO THE POINT OF BEGINNING.

AREA 4:

BEGINNING AT A POINT THAT IS N89°59'16"E 162.30 FEET AND SOUTH 377.07 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 7.83 FEET; THENCE SOUTH 7.17 FEET; THENCE WEST 7.83 FEET; THENCE NORTH 7.17 FEET TO THE POINT OF BEGINNING.

AREA 5:

BEGINNING AT A POINT THAT IS N89°59'16"E 183.80 FEET AND SOUTH 384.56 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 17.17 FEET; THENCE SOUTH 8.67 FEET; THENCE WEST 17.17 FEET; THENCE NORTH 8.67 FEET TO THE POINT OF BEGINNING.

AREA 6:

BEGINNING AT A POINT THAT IS N89°59'16"E 232.30 FEET AND SOUTH 393.59 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 7.17 FEET; THENCE SOUTH 9.17 FEET; THENCE WEST 7.17 FEET; THENCE NORTH 9.17 FEET TO THE POINT OF BEGINNING.

AREA 7:

BEGINNING AT A POINT THAT IS N89°59'16"E 243.80 FEET AND SOUTH 393.59 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.00 TO ELEVATION 4320.06 AND RUNNING THENCE EAST 7.17 FEET; THENCE SOUTH 9.17 FEET; THENCE WEST 7.17 FEET; THENCE NORTH 9.17 FEET TO THE POINT OF BEGINNING.

BLOCK 75 SUB LEVEL ELEVATION 91'-8"-REVISED 9-18-2009

BEGINNING AT A POINT THAT IS N89°59'16"E 418.05 FEET AND SOUTH 466.65 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4311.67 TO ELEVATION 4320.06 AND RUNNING THENCE SOUTH 15.64 FEET; THENCE S89°58'21"W 9.72 FEET; THENCE S00°09'54"W 164.34 FEET; THENCE WEST 134.14 FEET; THENCE SOUTH 13.78 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 78.40 FEET; THENCE NORTH 44.04 FEET; THENCE EAST 11.11 FEET; THENCE NORTH 29.89 FEET; THENCE WEST 9.30 FEET; THENCE NORTH 45.45 FEET; THENCE WEST 4.38 FEET; THENCE NORTH 4.03 FEET; THENCE EAST 43.21 FEET; THENCE SOUTH 20.05 FEET; THENCE EAST 20.00 FEET; THENCE NORTH 1.14 FEET; THENCE EAST 13.73 FEET; THENCE NORTH 19.77 FEET; THENCE WEST 5.69 FEET; THENCE NORTH 3.50 FEET; THENCE WEST 76.71 FEET; THENCE SOUTH 8.39 FEET; THENCE WEST 21.17 FEET; THENCE SOUTH 78.66 FEET TO A 50.00 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N89°59'23"E; THENCE ALONG SAID ARC 16.39 FEET (CHORD BEARS S09°24'02"E 16.32 FEET) TO A 208.50 FOOT NON-TANGENT CURVE TO THE LEFT, RADIUS POINT BEARS N71°12'33"E; THENCE ALONG SAID ARC 14.99 FEET (CHORD BEARING S20°51'03"E 14.99 FEET); THENCE S23°18'56"E 2.95 FEET; THENCE SOUTH 7.91 FEET TO A POINT ON SAID NORTH RIGHT OF WAY LINE; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 94.61 FEET; THENCE NORTH 38.84 FEET; THENCE N89°38'34"W 1.80 FEET; THENCE NORTH 32.00 FEET; THENCE S89°59'02"W 81.54 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF MAIN STREET; THENCE N00°09'35"E ALONG SAID EAST RIGHT OF WAY LINE 43.71 FEET; THENCE S89°58'17"W 1.00 FEET; THENCE N00°09'35"E 49.35 FEET; THENCE EAST 95.02 FEET; THENCE SOUTH 29.33 FEET; THENCE EAST 147.00 FEET; THENCE NORTH 29.33 FEET; THENCE EAST 121.67 FEET; THENCE SOUTH 2.67 FEET; THENCE EAST 3.00 FEET; THENCE NORTH 32.65 FEET; THENCE EAST 54.75 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING PARCEL 2 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED MARCH 21, 2012 AS ENTRY NO. 11354505, IN BOOK 10001, AT PAGE 1822.

LESS AND EXCEPTING PARCEL 4 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED JUNE 17, 2013 AS ENTRY NO. 11665463, IN BOOK 10150, AT PAGE 3530.

BLOCK 75 SUB LEVEL ELEVATION 91'-0"-REVISED 6-30-2009

BEGINNING AT A POINT THAT IS N89°59'16"E 407.86 FEET AND SOUTH 646.63 FEET FROM THE NORTHWEST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4311.00 TO ELEVATION 4320.06 AND RUNNING THENCE S00°09'54"W 13.71 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 134.10

FEET; THENCE NORTH 13.78 FEET; THENCE EAST 134.14 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING PARCEL 2 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED MARCH 21, 2012 AS ENTRY NO. 11354505, IN BOOK 10001, AT PAGE 1822.

LESS AND EXCEPTING PARCEL 4 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED JUNE 17, 2013 AS ENTRY NO. 11665463, IN BOOK 10150, AT PAGE 3530.

BLOCK 75 ADDITIONAL BUILDING "H" AREA-REVISED 12-29-2009

FROM THE TOP OF LEVEL 1 (ELEVATION 118'-0 3/4") TO THE CONCRETE ON THE SECOND FLOOR OF BUILDING "H" (ELEVATION 130'-8"):

BEGINNING AT A POINT THAT IS S89°58'06"W 250.64 FEET FROM THE SOUTHEAST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4350.67 AND RUNNING THENCE S89°58'06"W ALONG SAID NORTH RIGHT OF WAY LINE 74.01 FEET; THENCE NORTH 77.08 FEET; THENCE N06°32'16"E 27.60 FEET; THENCE N13°04'32"E 2.67 FEET; THENCE N19°36'48"E 27.60 FEET; THENCE N25°58'32"E 1.85 FEET; THENCE N63°28'51"W 9.18 FEET; THENCE N27°19'41"E 3.67 FEET; THENCE N30°23'24"E 30.40 FEET; THENCE N49°42'48"E 30.40 FEET; THENCE N52°46'31"E 3.67 FEET; THENCE S36°24'57"E 6.34 FEET; THENCE N54°34'11"E 3.33 FEET; THENCE N58°45'18"E 17.14 FEET; THENCE N62°56'26"E 2.24 FEET; THENCE S24°52'53"E 2.59 FEET; THENCE EAST 11.57 FEET; THENCE SOUTH 16.53 FEET; THENCE S89°58'21"W 10.05 FEET; THENCE S00°09'54"W 178.05 FEET TO A POINT ON SAID NORTH RIGHT OF WAY LINE AND THE POINT OF BEGINNING.

LESS AND EXCEPTING PARCEL 2 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED MARCH 21, 2012 AS ENTRY NO. 11354505, IN BOOK 10001, AT PAGE 1822.

BLOCK 76 LEVEL 1 (99'-0 3/4")-REVISED 5-4-2012

BEGINNING AT A POINT THAT IS S00°01'22"E 131.62 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4319.06 TO ELEVATION 4338.06 AND RUNNING THENCE EAST 96.58 FEET; THENCE NORTH 0.59 FEET TO A 7.03 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N00°47'06"E; THENCE ALONG THE ARC 11.03 FEET (CHORD BEARING N45°50'10"E 9.93 FEET); THENCE EAST 0.50 FEET; THENCE NORTH 58.16 FEET; THENCE WEST 1.45 FEET; THENCE NORTH 8.18 FEET TO A 3.77 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS S86°20'22"W; THENCE ALONG THE ARC 5.47 FEET (CHORD BEARING N45°15'09"W 5.00 FEET); THENCE NORTH

41.63 FEET; THENCE WEST 1.67 FEET; THENCE NORTH 0.19 FEET TO A 5.79 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N89°50'37"W; THENCE ALONG THE ARC 9.08 FEET (CHORD BEARING N44°42'52"W 8.18 FEET); THENCE WEST 0.25 FEET; THENCE NORTH 6.62 FEET TO A POINT ON THE SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET; THENCE N89°59'41"E ALONG SAID SOUTH RIGHT OF WAY LINE 48.17 FEET; THENCE SOUTH 105.46 FEET; THENCE EAST 29.96 FEET; THENCE SOUTH 38.81 FEET; THENCE EAST 125.72 FEET; THENCE NORTH 118.39 FEET; THENCE WEST 8.95 FEET; THENCE NORTH 3.08 FEET; THENCE N28°38'10"W 25.99 FEET TO A POINT ON SAID SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET; THENCE N89°59'41"E ALONG SAID SOUTH RIGHT OF WAY LINE 110.15 FEET; THENCE S28°38'10"W 26.00 FEET; THENCE SOUTH 3.08 FEET; THENCE WEST 8.95 FEET; THENCE SOUTH 118.39 FEET; THENCE EAST 129.33 FEET; THENCE NORTH 38.51 FEET; THENCE N89°54'47"E 44.59 FEET; THENCE N00°05'11"W 20.75 FEET; THENCE N89°54'49"E 123.62 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF MAIN STREET; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 111.42 FEET; THENCE WEST 3.89 FEET; THENCE NORTH 0.40 FEET; THENCE WEST 4.85 FEET; THENCE NORTH 0.74 FEET; THENCE WEST 24.50 FEET; THENCE SOUTH 6.38 FEET; THENCE WEST 9.04 FEET; THENCE SOUTH 6.32 FEET; THENCE EAST 16.03 FEET; THENCE SOUTH 4.91 FEET; THENCE EAST 0.17 FEET; THENCE SOUTH 4.67 FEET; THENCE EAST 3.10 FEET; THENCE NORTH 4.67 FEET; THENCE EAST 22.99 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE OF MAIN STREET; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 72.54 FEET; THENCE WEST 21.07 FEET; THENCE SOUTH 8.99 FEET; THENCE EAST 21.08 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE OF MAIN STREET; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 168.63 FEET; THENCE WEST 13.25 FEET; THENCE SOUTH 15.71 FEET; THENCE EAST 13.26 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE OF MAIN STREET; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 22.64 FEET; THENCE WEST 10.23 FEET; THENCE S45°00'00"W 2.36 FEET; THENCE WEST 18.19 FEET; THENCE S45°00'00"W 4.55 FEET; THENCE SOUTH 1.21 FEET; THENCE S45°00'00"W 9.31 FEET; THENCE WEST 6.78 FEET; THENCE S45°00'00"W 4.86 FEET; THENCE WEST 2.94 FEET; THENCE S45°00'00"W 4.31 FEET; THENCE SOUTH 0.94 FEET; THENCE WEST 13.66 FEET; THENCE SOUTH 14.90 FEET; THENCE EAST 12.50 FEET; THENCE NORTH 7.39 FEET; THENCE EAST 29.59 FEET; THENCE SOUTH 5.01 FEET; THENCE EAST 27.69 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE OF MAIN STREET; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 13.67 FEET; THENCE N89°59'34"W 165.84 FEET; THENCE NORTH 6.74 FEET; THENCE WEST 117.37 FEET; THENCE SOUTH 0.60 FEET; THENCE WEST 0.33 FEET; THENCE SOUTH 0.96 FEET; THENCE WEST 0.38 FEET; THENCE SOUTH 26.36 FEET; THENCE EAST 20.10 FEET; THENCE SOUTH 2.21 FEET; THENCE EAST 0.40 FEET; THENCE SOUTH 19.27 FEET; THENCE EAST 0.21 FEET; THENCE SOUTH 32.70 FEET; THENCE WEST 0.21 FEET; THENCE SOUTH 11.97 FEET; THENCE EAST 0.21 FEET; THENCE SOUTH 25.63 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE N89°59'08"W ALONG SAID NORTH RIGHT OF WAY LINE 66.97 FEET; THENCE N00°01'16"W 207.58 FEET; THENCE N89°59'41"W 330.08 FEET TO A POINT ON SAID EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET; THENCE N00°01'22"W ALONG SAID EAST RIGHT OF WAY LINE 321.09 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING AREA 1:

BEGINNING AT A POINT THAT IS N89°59'41"E 364.24 FEET AND SOUTH 167.19 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4319.06 TO ELEVATION 4338.06 AND RUNNING THENCE EAST 12.25 FEET; THENCE NORTH 7.22 FEET; THENCE EAST 4.49 FEET; THENCE S45°00'00"E 1.59 FEET; THENCE EAST 21.00 FEET; THENCE SOUTH 17.40 FEET; THENCE WEST 38.11 FEET; THENCE NORTH 2.08 FEET; THENCE WEST 0.75 FEET; THENCE NORTH 9.22 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING PARCEL 3 HEREIN BEING THAT LAND CONVEYED BY SPECIAL WARRANTY DEED RECORDED MARCH 21, 2012 AS ENTRY NO. 11354501, IN BOOK 10001, AT PAGE 1797.

BLOCK 76 LEVEL 2 (118'-0 3/4")-REVISED 12-14-2009

BEGINNING AT A POINT THAT IS S00°01'22"E 131.62 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4356.00 AND RUNNING THENCE EAST 96.58 FEET; THENCE NORTH 0.59 FEET TO A 7.03 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N00°47'06"E; THENCE ALONG THE ARC 11.03 FEET (CHORD BEARING N45°50'10"E 9.93 FEET); THENCE EAST 0.50 FEET; THENCE NORTH 58.16 FEET; THENCE WEST 1.45 FEET; THENCE NORTH 8.18 FEET TO A 3.77 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS S86°20'22"W; THENCE ALONG THE ARC 5.47 FEET (CHORD BEARING N45°15'09"W 5.00 FEET); THENCE NORTH 41.63 FEET; THENCE WEST 1.67 FEET; THENCE NORTH 0.19 FEET TO A 5.79 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N89°50'37"W; THENCE ALONG THE ARC 9.08 FEET (CHORD BEARING N44°42'52"W 8.18 FEET); THENCE WEST 0.25 FEET; THENCE NORTH 6.62 FEET TO A POINT ON THE SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET; THENCE N89°59'41"E ALONG SAID SOUTH RIGHT OF WAY LINE 48.17 FEET; THENCE SOUTH 105.46 FEET; THENCE EAST 29.96 FEET; THENCE SOUTH 38.81 FEET; THENCE EAST 125.72 FEET; THENCE NORTH 118.39 FEET; THENCE WEST 8.95 FEET; THENCE NORTH 3.08 FEET; THENCE N28°38'10"W 25.99 FEET TO A POINT ON SAID SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET; THENCE N89°59'41"E ALONG SAID SOUTH RIGHT OF WAY LINE 110.15 FEET; THENCE S28°38'10"W 26.00 FEET; THENCE SOUTH 3.08 FEET; THENCE WEST 8.95 FEET; THENCE SOUTH 118.39 FEET; THENCE EAST 129.33 FEET; THENCE NORTH 38.51 FEET; THENCE N89°54'47"E 44.59 FEET; THENCE N00°05'11"W 20.75 FEET; THENCE N89°54'49"E 123.62 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF MAIN STREET; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 462.68 FEET; THENCE N89°59'34"W 165.84 FEET; THENCE NORTH 6.74 FEET; THENCE WEST 118.08 FEET; THENCE SOUTH 27.92 FEET; THENCE EAST 20.10 FEET; THENCE SOUTH 2.00 FEET; THENCE WEST 5.44 FEET; THENCE SOUTH 89.77 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE N89°59'08"W ALONG SAID NORTH RIGHT OF WAY LINE 60.93 FEET; THENCE N00°01'16"W 207.58 FEET; THENCE N89°59'41"W 330.08 FEET TO A POINT ON SAID EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET; THENCE N00°01'22"W ALONG SAID EAST RIGHT OF WAY LINE 321.09 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING THE FOLLOWING 5 AREAS FROM THIS LEVEL:

AREA 1:

BEGINNING AT A POINT THAT IS N89°59'41"E 403.13 FEET AND SOUTH 167.32 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4356.00 AND RUNNING THENCE EAST 20.17 FEET; THENCE SOUTH 11.15 FEET; THENCE WEST 20.17 FEET; THENCE NORTH 11.15 FEET TO THE POINT OF BEGINNING.

AREA 2:

BEGINNING AT A POINT THAT IS S00°01'48"E 285.23 FEET AND WEST 2.39 FEET FROM THE NORTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4356.00 AND RUNNING THENCE SOUTH 8.99 FEET; THENCE WEST 18.69 FEET; THENCE NORTH 8.99 FEET; THENCE EAST 18.69 FEET TO THE POINT OF BEGINNING.

AREA 3:

BEGINNING AT A POINT THAT IS S00°01'48"E 462.85 FEET AND WEST 4.32 FEET FROM THE NORTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4356.00 AND RUNNING THENCE SOUTH 15.70 FEET; THENCE WEST 8.94 FEET; THENCE NORTH 15.70 FEET; THENCE EAST 8.94 FEET TO THE POINT OF BEGINNING.

AREA 4:

BEGINNING AT A POINT THAT IS S00°01'48"E 204.25 FEET AND WEST 3.96 FEET FROM THE NORTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4356.00 AND RUNNING THENCE WEST 22.30 FEET; THENCE SOUTH 8.44 FEET; THENCE EAST 0.17 FEET; THENCE SOUTH 4.67 FEET; THENCE EAST 3.10 FEET; THENCE NORTH 4.67 FEET; THENCE EAST 19.02 FEET; THENCE NORTH 8.44 FEET TO THE POINT OF BEGINNING.

AREA 5:

BEGINNING AT A POINT THAT IS S00°01'48"E 525.37 FEET AND WEST 4.03 FEET FROM THE NORTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4338.06 TO ELEVATION 4356.00 AND RUNNING THENCE WEST 22.37 FEET; THENCE SOUTH 8.44 FEET; THENCE EAST 22.37 FEET; THENCE NORTH 8.44 FEET TO THE POINT OF BEGINNING.

BLOCK 76 LEVEL 3A (136'-0") and ABOVE-REVISED 5-4-2012

BEGINNING AT A POINT THAT IS S00°01'22"E 133.99 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4356.00 AND ABOVE AND RUNNING THENCE EAST 96.67 FEET TO A 10.00 FOOT RADIUS CURVE TO THE LEFT 15.71 FEET (CHORD BEARING N45°00'00"E 14.14 FEET); THENCE NORTH 109.12 FEET TO A 14.88 FOOT RADIUS CURVE TO THE LEFT 23.37 FEET (CHORD BEARING N45°00'09"W 21.04 FEET) TO A POINT ON THE SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET; THENCE N89°59'41"E ALONG SAID SOUTH RIGHT OF WAY LINE 47.92 FEET; THENCE SOUTH 105.46 FEET; THENCE EAST 29.96 FEET; THENCE SOUTH 38.81 FEET; THENCE EAST 125.72 FEET; THENCE NORTH 118.39 FEET; THENCE WEST 8.95 FEET; THENCE NORTH 3.08 FEET; THENCE N28°38'10"W 25.99 FEET TO A POINT ON SAID SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET; THENCE N89°59'41"E ALONG SAID SOUTH RIGHT OF WAY LINE 110.15 FEET; THENCE S28°38'10"W 26.00 FEET; THENCE SOUTH 3.08 FEET; THENCE WEST 8.95 FEET; THENCE SOUTH 153.19 FEET; THENCE WEST 6.11 FEET; THENCE SOUTH 59.51 FEET TO A 58.93 FOOT NON-TANGENT RADIUS CURVE TO THE RIGHT, RADIUS POINT BEARS S28°19'10"W; THENCE ALONG THE ARC 22.45 FEET (CHORD BEARS S50°45'55"E 22.32 FEET) TO A COMPOUND NON-TANGENT 98.08 FOOT RADIUS CURVE, RADIUS POINT BEARS S51°00'54"W; THENCE ALONG THE ARC 69.26 FEET (CHORD BEARS S18°34'48"E 67.83 FEET); THENCE S77°07'00"E 13.11 FEET; THENCE N12°52'50"E 0.92 FEET; THENCE S77°12'04"E 2.83 FEET; THENCE S12°55'43"W 0.92 FEET; THENCE S77°07'10"E 1.60 FEET; THENCE S12°53'03"W 2.50 FEET; THENCE S77°07'16"E 7.00 FEET; THENCE S78°01'43"E 66.60 FEET; THENCE S80°25'09"E 10.83 FEET; THENCE S81°57'54"E 65.76 FEET; THENCE S83°29'32"E 10.83 FEET; THENCE S85°29'01"E 61.27 FEET; THENCE N89°59'56"E 28.70 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF MAIN STREET; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 51.67 FEET; THENCE N89°59'56"W 28.73 FEET; THENCE N83°53'23"W 59.94 FEET; THENCE N83°46'51"W 10.83 FEET; THENCE N82°01'41"W 79.37 FEET; THENCE N80°16'31"W 10.83 FEET; THENCE N79°40'59"W 65.72 FEET; THENCE N77°07'04"W 7.00 FEET; THENCE S12°52'36"W 2.15 FEET; THENCE N77°11'29"W 1.60 FEET; THENCE S12°52'50"W 1.27 FEET; THENCE N77°07'10"W 2.83 FEET; THENCE N12°52'50"E 1.26 FEET; THENCE N77°11'29"W 13.06 FEET TO A 59.99 FOOT NON-TANGENT RADIUS CURVE TO THE RIGHT, RADIUS POINT BEARS N57°52'07"W; THENCE ALONG THE ARC 25.56 FEET (CHORD BEARS S44°20'09"W 25.36 FEET); THENCE S23°35'42"E 2.29 FEET TO 60.64 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N32°55'53"W; THENCE ALONG THE ARC 1.69 FEET (CHORD BEARS N56°16'06"E 1.69 FEET); THENCE S24°00'00"E 34.12 FEET; THENCE SOUTH 91.63 FEET; THENCE WEST 1.33 FEET; THENCE SOUTH 29.50 FEET; THENCE EAST 0.62 FEET; THENCE SOUTH 27.92 FEET; THENCE EAST 20.10 FEET; THENCE SOUTH 2.00 FEET; THENCE WEST 5.44 FEET; THENCE SOUTH 89.77 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET; THENCE N89°59'08"W ALONG SAID NORTH RIGHT OF WAY LINE 60.93 FEET; THENCE N00°01'16"W 207.58 FEET; THENCE N89°59'41"W 330.08 FEET TO A POINT ON SAID EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET; THENCE N00°01'22"W ALONG SAID EAST RIGHT OF WAY LINE 318.72 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH AREA 1:

BEGINNING AT A POINT THAT IS S00°01'48"E 123.22 FEET AND WEST 90.66 FEET FROM THE NORTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4356.00 AND ABOVE AND RUNNING THENCE SOUTH 22.00 FEET; THENCE WEST 22.00 FEET; THENCE NORTH 22.00 FEET; THENCE EAST 22.00 FEET TO THE POINT OF BEGINNING.

BLOCK 76 SUB LEVEL ELEVATION 96'-0"-REVISED 10-26-2009

BEGINNING AT A POINT THAT IS S00°01'22"E 131.62 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4316.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 96.58 FEET; THENCE NORTH 0.59 FEET TO A 7.03 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N00°47'06"E; THENCE ALONG THE ARC 11.03 FEET (CHORD BEARING N45°50'10"E 9.93 FEET); THENCE EAST 0.50 FEET; THENCE NORTH 58.16 FEET; THENCE WEST 1.45 FEET; THENCE NORTH 8.18 FEET TO A 3.77 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS S86°20'22"W; THENCE ALONG THE ARC 5.47 FEET (CHORD BEARING N45°15'09"W 5.00 FEET); THENCE NORTH 41.63 FEET; THENCE WEST 1.67 FEET; THENCE NORTH 0.19 FEET TO A 5.79 FOOT NON-TANGENT RADIUS CURVE TO THE LEFT, RADIUS POINT BEARS N89°50'37"W; THENCE ALONG THE ARC 9.08 FEET (CHORD BEARING N44°42'52"W 8.18 FEET); THENCE WEST 0.25 FEET; THENCE NORTH 6.62 FEET TO A POINT ON THE SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET; THENCE N89°59'41"E ALONG SAID SOUTH RIGHT OF WAY LINE 48.17 FEET; THENCE SOUTH 105.46 FEET; THENCE EAST 29.96 FEET; THENCE SOUTH 38.81 FEET; THENCE EAST 125.72 FEET; THENCE NORTH 118.39 FEET; THENCE WEST 8.95 FEET; THENCE NORTH 3.08 FEET; THENCE N28°38'10"W 25.99 FEET TO A POINT ON SAID SOUTH RIGHT OF WAY LINE OF SOUTH TEMPLE STREET; THENCE N89°59'41"E ALONG SAID SOUTH RIGHT OF WAY LINE 110.15 FEET; THENCE S28°38'10"W 26.00 FEET; THENCE SOUTH 3.08 FEET; THENCE WEST 8.95 FEET; THENCE SOUTH 118.39 FEET; THENCE EAST 29.37 FEET; THENCE SOUTH 16.81 FEET; THENCE WEST 10.03 FEET; THENCE N45°00'00"W 1.59 FEET; THENCE WEST 4.49 FEET; THENCE SOUTH 7.22 FEET; THENCE WEST 12.25 FEET; THENCE SOUTH 9.22 FEET; THENCE EAST 0.75 FEET; THENCE SOUTH 1.78 FEET; THENCE WEST 3.02 FEET; THENCE SOUTH 60.82 FEET TO A 61.27 FOOT NON-TANGENT RADIUS CURVE TO THE RIGHT, RADIUS POINT BEARS S32°57'23"W; THENCE ALONG SAID ARC 3.26 FEET (CHORD BEARS S55°31'09"E 3.26 FEET); THENCE EAST 57.31 FEET; THENCE SOUTH 60.00 FEET; THENCE EAST 151.77 FEET; THENCE N82°52'30"E 28.89 FEET; THENCE EAST 32.67 FEET; THENCE SOUTH 37.56 FEET; THENCE EAST 9.90 FEET; THENCE SOUTH 4.58 FEET; THENCE EAST 15.43 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF MAIN STREET; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 86.30 FEET; THENCE WEST 25.15 FEET; THENCE NORTH 8.20 FEET; THENCE WEST 213.33 FEET; THENCE SOUTH 123.17 FEET; THENCE WEST 91.68 FEET; THENCE NORTH 87.91 FEET; THENCE N89°59'41"W 110.16 FEET; THENCE NORTH 280.58 FEET; THENCE WEST 220.07 FEET TO A POINT ON SAID EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET; THENCE N00°01'22"W ALONG SAID EAST RIGHT OF WAY LINE 40.54 FEET TO THE POINT OF BEGINNING.

LESS AND EXCEPTING THE FOLLOWING 5 AREAS FROM THIS SUB LEVEL:

AREA 1:

BEGINNING AT A POINT THAT IS S00°01'22"E 349.16 FEET AND EAST 412.00 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4316.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 10.00 FEET; THENCE SOUTH 10.00 FEET; THENCE WEST 10.00 FEET; THENCE NORTH 10.00 FEET TO THE POINT OF BEGINNING.

AREA 2:

BEGINNING AT A POINT THAT IS S00°01'22"E 349.16 FEET AND EAST 455.14 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4316.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 20.00 FEET; THENCE SOUTH 20.00 FEET; THENCE WEST 20.00 FEET; THENCE NORTH 20.00 FEET TO THE POINT OF BEGINNING.

AREA 3:

BEGINNING AT A POINT THAT IS S00°01'22"E 364.16 FEET AND EAST 522.74 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4316.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 19.25 FEET; THENCE SOUTH 20.00 FEET; THENCE WEST 19.25 FEET; THENCE NORTH 20.00 FEET TO THE POINT OF BEGINNING.

AREA 4:

BEGINNING AT A POINT THAT IS S00°01'22"E 364.16 FEET AND EAST 544.99 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4316.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 16.25 FEET; THENCE SOUTH 20.00 FEET; THENCE WEST 16.25 FEET; THENCE NORTH 20.00 FEET TO THE POINT OF BEGINNING.

AREA 5:

BEGINNING AT A POINT THAT IS S00°01'22"E 377.16 FEET AND EAST 609.49 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4316.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 8.00 FEET; THENCE SOUTH 8.00 FEET; THENCE WEST 8.00 FEET; THENCE NORTH 8.00 FEET TO THE POINT OF BEGINNING.

BLOCK 76 SUB LEVEL ELEVATION 95'-10"-REVISED 12-6-2009

BEGINNING AT A POINT THAT IS N00°01'48"W 165.13 FEET FROM THE SOUTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1

SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE WEST RIGHT OF WAY LINE OF MAIN STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.83 TO ELEVATION 4319.06 AND RUNNING THENCE WEST 4.65 FEET; THENCE SOUTH 13.10 FEET; THENCE WEST 0.47 FEET; THENCE NORTH 7.25 FEET; THENCE WEST 5.13 FEET; THENCE S45°00'00"W 2.36 FEET; THENCE WEST 18.19 FEET; THENCE S45°00'00"W 4.55 FEET; THENCE SOUTH 1.21 FEET; THENCE S45°00'00"W 9.78 FEET; THENCE WEST 6.28 FEET; THENCE S45°00'00"W 4.80 FEET; THENCE WEST 2.50 FEET; THENCE S45°00'00"W 3.93 FEET; THENCE NORTH 39.50 FEET; THENCE EAST 30.00 FEET; THENCE NORTH 47.30 FEET; THENCE EAST 25.16 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 8.30 FEET; THENCE WEST 7.74 FEET; THENCE SOUTH 13.08 FEET; THENCE EAST 7.75 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 7.88 FEET; THENCE WEST 13.25 FEET; THENCE SOUTH 15.71 FEET; THENCE EAST 13.25 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 16.80 FEET TO THE POINT OF BEGINNING.

BLOCK 76 SUB LEVEL ELEVATION 95'-0 3/4"-REVISED 6-30-2009

BEGINNING AT A POINT THAT IS N00°01'48"W 321.02 FEET FROM THE SOUTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE WEST RIGHT OF WAY LINE OF MAIN STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4315.06 TO ELEVATION 4319.06 AND RUNNING THENCE WEST 15.43 FEET; THENCE NORTH 4.58 FEET; THENCE WEST 9.93 FEET; THENCE NORTH 40.06 FEET; THENCE EAST 25.33 FEET TO A POINT ON SAID WEST RIGHT OF WAY LINE; THENCE S00°01'48"E ALONG SAID WEST RIGHT OF WAY LINE 44.65 FEET TO THE POINT OF BEGINNING.

BLOCK 76 SUB LEVEL ELEVATION 94'-6"-REVISED 12-29-2009

BEGINNING AT A POINT THAT IS N00°01'48"W 112.99 FEET FROM THE SOUTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4314.50 TO ELEVATION 4319.06 AND RUNNING THENCE N89°59'34"W 55.22 FEET; THENCE NORTH 13.46 FEET; THENCE EAST 27.65 FEET; THENCE SOUTH 2.00 FEET; THENCE EAST 27.56 FEET; THENCE S00°01'48"E 11.47 FEET TO THE POINT OF BEGINNING.

BLOCK 76 THE FOLLOWING 5 AREAS THAT COMPRISE SUB LEVEL ELEVATION 94'-0"-REVISED 12-29-2009

AREA 1:

BEGINNING AT A POINT THAT IS S00°01'22"E 349.16 FEET AND EAST 412.00 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4314.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 10.00 FEET; THENCE SOUTH 10.00 FEET; THENCE WEST 10.00 FEET; THENCE NORTH 10.00 FEET TO THE POINT OF BEGINNING.

AREA 2:

BEGINNING AT A POINT THAT IS S00°01'22"E 349.16 FEET AND EAST 455.14 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4314.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 20.00 FEET; THENCE SOUTH 20.00 FEET; THENCE WEST 20.00 FEET; THENCE NORTH 20.00 FEET TO THE POINT OF BEGINNING.

AREA 3:

BEGINNING AT A POINT THAT IS S00°01'22"E 364.16 FEET AND EAST 522.74 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4314.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 19.25 FEET; THENCE SOUTH 20.00 FEET; THENCE WEST 19.25 FEET; THENCE NORTH 20.00 FEET TO THE POINT OF BEGINNING.

AREA 4:

BEGINNING AT A POINT THAT IS S00°01'22"E 364.16 FEET AND EAST 544.99 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4314.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 16.25 FEET; THENCE SOUTH 20.00 FEET; THENCE WEST 16.25 FEET; THENCE NORTH 20.00 FEET TO THE POINT OF BEGINNING.

AREA 5:

BEGINNING AT A POINT THAT IS S00°01'22"E 377.16 FEET AND EAST 609.49 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION OF 4314.00 TO ELEVATION 4319.06 AND RUNNING THENCE EAST 8.00 FEET; THENCE SOUTH 8.00 FEET; THENCE WEST 8.00 FEET; THENCE NORTH 8.00 FEET TO THE POINT OF BEGINNING.

BLOCK 76 SUB LEVEL ELEVATION 85'-0"-REVISED 6-30-2009

BEGINNING AT A POINT THAT IS N89°59'08"W 216.16 FROM THE SOUTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN SAID POINT ALSO BEING A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET AT THE SALT LAKE CITY DATUM ELEVATION OF 4305.00 TO ELEVATION 4319.06 AND RUNNING THENCE N89°59'08"W ALONG SAID NORTH RIGHT OF WAY LINE 114.08 FEET; THENCE N00°01'16"W 52.17 FEET;

THENCE EAST 8.44 FEET; THENCE NORTH 12.75 FEET; THENCE EAST 22.00 FEET; THENCE NORTH 8.46 FEET; THENCE EAST 7.12 FEET; THENCE NORTH 2.42 FEET; THENCE WEST 2.25 FEET; THENCE NORTH 8.04 FEET; THENCE EAST 32.34 FEET; THENCE SOUTH 8.00 FEET; THENCE WEST 5.55 FEET; THENCE SOUTH 2.42 FEET; THENCE EAST 4.69 FEET; THENCE SOUTH 21.82 FEET; THENCE WEST 2.06 FEET; THENCE SOUTH 9.08 FEET; THENCE EAST 3.48 FEET; THENCE SOUTH 4.94 FEET; THENCE WEST 1.42 FEET; THENCE SOUTH 31.30 FEET; THENCE EAST 47.30 FEET; THENCE SOUTH 6.30 FEET TO THE POINT OF BEGINNING.

BLOCK 76 SUB LEVEL ELEVATION 98'-8" BELOW NORDSTROM-REVISED 3-27-2010

SUB LEVEL 98'-8" BELOW NORDSTROM:

BEGINNING AT A POINT THAT IS S00°01'22"E 172.16 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION 4318.65 TO ELEVATION 4319.06 AND RUNNING EAST 220.07 FEET; THENCE SOUTH 280.58 FEET; THENCE N89°59'41"W 219.96 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET; THENCE N00°01'22"W ALONG SAID EAST RIGHT OF WAY LINE 280.56 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH SUB LEVEL NORDSTROM ENTRY AREA - REVISED 3-27-10:

BEGINNING AT A POINT THAT IS S00°01'22"E 241.99 FEET AND EAST 0.37 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION 4305.58 TO ELEVATION 4318.65 AND RUNNING EAST 1.83 FEET; THENCE SOUTH 7.17 FEET; THENCE EAST 8.25 FEET; THENCE SOUTH 10.00 FEET; THENCE EAST 9.67 FEET; THENCE SOUTH 22.17 FEET; THENCE EAST 6.67 FEET; THENCE SOUTH 17.83 FEET; THENCE EAST 8.08 FEET; THENCE SOUTH 34.17 FEET; THENCE WEST 22.67 FEET; THENCE SOUTH 6.96 FEET; WEST 1.67 FEET; THENCE SOUTH 7.00 FEET; THENCE EAST 1.67 FEET; THENCE SOUTH 31.71 FEET; THENCE WEST 9.96 FEET; THENCE SOUTH 11.42 FEET; THENCE WEST 1.88 FEET; THENCE NORTH 28.25 FEET; THENCE EAST 0.67 FEET; THENCE NORTH 34.00 FEET; THENCE EAST 2.56 FEET; THENCE NORTH 27.75 FEET; THENCE WEST 2.73 FEET; THENCE NORTH 9.17 FEET; THENCE WEST 0.50 FEET; THENCE NORTH 49.25 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH SUB LEVEL NORDSTROM WEST FACE OF BUILDING:

BEGINNING AT A POINT ON THE EAST RIGHT OF WAY LINE OF WEST TEMPLE STREET SAID POINT IS S00°01'22"E 177.16 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE TOP OF AN EXISTING SIDEWALK AT THE SALT LAKE CITY DATUM ELEVATION 4307.33 TO ELEVATION 4318.65 AND RUNNING EAST 3.48 FEET AT ELEVATION 4307.33; THENCE SOUTH 47.75 FEET TO ELEVATION 4306.67; THENCE WEST 2.42 FEET AT ELEVATION 4306.67; THENCE SOUTH 17.08 FEET TO ELEVATION 4306.43; THENCE WEST 0.67 FEET AT ELEVATION 4306.43; THENCE SOUTH 49.25 FEET TO ELEVATION 4305.75; THENCE EAST 0.50 FEET AT ELEVATION 4305.75; THENCE SOUTH 9.17 FEET TO ELEVATION 4305.63; THENCE EAST 2.73 FEET AT ELEVATION 4305.63; THENCE SOUTH 27.75 FEET TO ELEVATION 4305.57; THENCE WEST 2.56 FEET AT

ELEVATION 4305.57; THENCE SOUTH 34.00 FEET TO ELEVATION 4305.17; THENCE WEST 0.67 FEET AT ELEVATION 4305.17; THENCE SOUTH 28.25 FEET TO A POINT AT THE NORTH END OF A PARKING ENTRANCE AT ELEVATION 4304.83; THENCE EAST 2.67 FEET AT ELEVATION 4304.83; THENCE VERTICAL TO ELEVATION 4313.46; THENCE CONTINUING HORIZONTALLY ALONG THE TOP OF SAID PARKING ENTRANCE SOUTH 27.50 FEET AT SAID ELEVATION 4313.46 TO THE SOUTH END OF SAID PARKING ENTRANCE; THENCE VERTICAL TO ELEVATION 4304.46; THENCE WEST 1.25 FEET AT ELEVATION 4304.46; THENCE SOUTH 34.81 FEET TO ELEVATION 4304.91; THENCE WEST 1.71 FEET AT ELEVATION 4304.91; THENCE N00°01'22"W TO THE SOUTH END OF SAID PARKING ENTRANCE 34.81 FEET TO ELEVATION 4304.46; THENCE VERTICAL TO ELEVATION 4313.46; THENCE CONTINUING HORIZONTALLY ALONG THE TOP OF SAID PARKING ENTRANCE N00°01'22"W 27.50 FEET AT SAID ELEVATION 4313.46 TO THE NORTH END OF SAID PARKING ENTRANCE; THENCE VERTICAL TO ELEVATION 4304.83; THENCE N00°01'22"W 62.25 FEET TO ELEVATION 4305.57; THENCE N00°01'22"W 27.75 FEET TO ELEVATION 4305.63; THENCE N00°01'22"W 123.25 FEET TO ELEVATION 4307.33 AND THE POINT OF BEGINNING.

TOGETHER WITH SUB LEVEL NORDSTROM NORTH FACE OF BUILDING:
BEGINNING AT A POINT THAT IS S00°01'22"E 172.16 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE TOP OF AN EXISTING SIDEWALK AT THE SALT LAKE CITY DATUM ELEVATION 4307.33 TO ELEVATION 4318.65 AND RUNNING EAST 15.33 FEET TO ELEVATION 4307.75; THENCE VERTICAL TO ELEVATION 4308.24; THENCE EAST 23.03 FEET TO ELEVATION 4314.80; THENCE EAST 181.70 FEET TO ELEVATION 4316.00; THENCE SOUTH 3.67 FEET AT ELEVATION 4316.00; THENCE WEST 30.00 FEET AT ELEVATION 4316.00; THENCE NORTH 1.17 FEET AT ELEVATION 4316.00; THENCE WEST 63.00 FEET TO ELEVATION 4315.31; THENCE SOUTH 3.25 FEET AT ELEVATION 4315.31; THENCE WEST 27.00 FEET TO ELEVATION 4315.32; THENCE NORTH 3.25 FEET AT ELEVATION 4315.32; THENCE WEST 62.25 FEET TO ELEVATION 4314.80; THENCE WEST 0.75 FEET TO ELEVATION 4314.65; THENCE SOUTH 2.50 FEET AT ELEVATION 4314.65; THENCE WEST 21.74 FEET TO ELEVATION 4308.24; THENCE VERTICAL TO ELEVATION 4307.75; THENCE WEST 15.33 FEET TO ELEVATION 4307.33; THENCE N00°01'22"W 5.00 FEET AT ELEVATION 4307.33 TO THE POINT OF BEGINNING.

TOGETHER WITH SUB LEVEL NORDSTROM SOUTHWEST STAIRWELL 2 - REVISED 3-27-10:

BEGINNING AT A POINT THAT IS S00°01'22"E 450.91 FEET AND EAST 1.71 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE TOP OF AN EXISTING SIDEWALK AT THE SALT LAKE CITY DATUM ELEVATION 4304.75; THENCE VERTICAL TO ELEVATION 4302.50; THENCE EAST 6.08 FEET AT ELEVATION 4302.50; THENCE VERTICAL TO ELEVATION 4303.15; THENCE EAST 7.42 FEET TO ELEVATION 4307.55; THENCE EAST 5.71 FEET AT ELEVATION 4307.55; THENCE NORTH 12.25 FEET AT ELEVATION 4307.55; THENCE WEST 5.71 FEET AT ELEVATION 4307.55; THENCE WEST 7.42 FEET TO ELEVATION 4312.18; THENCE WEST 6.08 FEET AT ELEVATION 4312.18; THENCE SOUTH 12.25 FEET AT ELEVATION 4312.18; THENCE EAST 6.08 FEET AT ELEVATION 4312.18; THENCE NORTH 6.33 FEET AT ELEVATION 4312.18; THENCE EAST 7.42 FEET TO

ELEVATION 4307.55; THENCE WEST 7.42 FEET TO ELEVATION 4303.15; THENCE VERTICAL TO ELEVATION 4302.50; THENCE WEST 6.08 FEET AT ELEVATION 4302.50; THENCE VERTICAL TO ELEVATION 4304.79; THENCE SOUTH ALONG THE TOP OF SAID EXISTING SIDEWALK 6.33 FEET TO ELEVATION 4304.75 AND THE POINT OF BEGINNING.

THE IMMEDIATELY PRECEDING VOLUME OF SPACE INCLUDES ONLY THE AIR SPACE BETWEEN THE STATED ELEVATIONS AND ELEVATION 4318.65.

TOGETHER WITH SUB LEVEL NORDSTROM NORTHWEST STAIRWELL 3 - REVISED 3-27-10:

BEGINNING AT A POINT THAT IS S00°01'22"E 177.16 FEET AND EAST 5.11 FEET FROM THE NORTHWEST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE AND MERIDIAN AT THE TOP OF AN EXISTING SIDEWALK AT THE SALT LAKE CITY DATUM ELEVATION 4307.51; THENCE VERTICAL TO ELEVATION 4305.55; THENCE SOUTH 5.75 FEET AT ELEVATION 4305.55; THENCE SOUTH 9.77 FEET TO ELEVATION 4310.98; THENCE SOUTH 4.70 FEET AT ELEVATION 4310.98; THENCE EAST 10.58 FEET AT ELEVATION 4310.98; THENCE NORTH 4.70 FEET AT ELEVATION 4310.98; THENCE NORTH 6.98 FEET TO ELEVATION 4316.12; THENCE NORTH 8.54 FEET AT ELEVATION 4316.12; THENCE WEST 10.58 FEET AT ELEVATION 4316.12; THENCE SOUTH 8.54 FEET AT ELEVATION 4316.12; THENCE EAST 5.38 FEET AT ELEVATION 4316.12; THENCE SOUTH 6.98 FEET TO ELEVATION 4310.98; THENCE NORTH 9.77 FEET TO ELEVATION 4305.55; THENCE NORTH 5.75 FEET AT ELEVATION 4305.55; THENCE VERTICAL TO ELEVATION 4307.65; THENCE WEST 5.38 FEET TO ELEVATION 4307.51 AND THE POINT OF BEGINNING.

THE IMMEDIATELY PRECEDING VOLUME OF SPACE INCLUDES ONLY THE AIR SPACE BETWEEN THE STATED ELEVATIONS AND ELEVATION 4318.65.

BLOCK 75 & 76 MAIN STREET BRIDGE

ALL OF THE AIR SPACE WHICH IS LOCATED ABOVE A PLANE WITH AN ELEVATION OF 4334.00 FEET, SALT LAKE CITY DATUM AND BELOW A PLANE WITH AN ELEVATION OF 4368.00 FEET, SALT LAKE CITY DATUM, FOR THE FOLLOWING DESCRIPTION OF THE ROAD RIGHT-OF-WAY OF MAIN STREET, NORTH OF 100 SOUTH STREET AND SOUTH OF SOUTH TEMPLE STREET AND ADJACENT TO LOT 1, BLOCK 76, PLAT A OF THE SALT LAKE CITY SURVEY AND ADJACENT TO LOT 3, BLOCK 75, PLAT A OF THE SALT LAKE CITY SURVEY IN SALT LAKE CITY, UTAH:

BEGINNING AT A POINT THAT IS S89°58'36"W ALONG THE MONUMENT LINE 726.26 FEET AND SOUTH 432.40 FEET FROM THE SALT LAKE CITY MONUMENT LOCATED IN THE INTERSECTION OF STATE STREET AND SOUTH TEMPLE STREET (BASIS OF BEARING N89°58'36"E ALONG THE MONUMENT LINE ON SOUTH TEMPLE STREET), THENCE S00°09'57"W ALONG THE WESTERLY LINE OF SAID LOT 3 OF BLOCK 75, 35.13 FEET; THENCE S89°59'32"W 130.94 FEET TO A POINT ON THE EASTERLY LINE OF SAID LOT 1 OF BLOCK 76; THENCE N00°01'21"W ALONG SAID EASTERLY LINE 35.13 FEET; THENCE N89°59'38"E 131.06 FEET TO THE POINT OF BEGINNING.

EXCEPTING THEREFROM SUCH AREA AS IS CURRENTLY OCCUPIED BY THE TRAX LIGHT RAIL POLES, CATENARIES, WIRING AND RELATED EQUIPMENT OWNED AND/OR OPERATED BY THE UTAH TRANSIT AUTHORITY.

PARCEL 1A

TOGETHER WITH THE NON-EXCLUSIVE EASEMENTS AS SET FORTH AND CREATED IN THE FOLLOWING INSTRUMENTS:

AS TO BLOCK 75 AND BLOCK 76:

CITY CREEK CENTER AMENDED AND RESTATED MASTER DECLARATION OF EASEMENTS, RECORDED JANUARY 8, 2010 AS ENTRY NO. 10875596, IN BOOK 9795, AT PAGE 4989 OF OFFICIAL RECORDS, AND RE-RECORDED JANUARY 12, 2010 AS ENTRY NO. 10877609, IN BOOK 9796, AT PAGE 4404 OF OFFICIAL RECORDS;

AS TO BLOCK 75:

PARKING RAMP EASEMENT AGREEMENT [SOUTH TEMPLE STREET] BY AND BETWEEN SALT LAKE CITY CORPORATION, A UTAH MUNICIPAL CORPORATION AND CITY CREEK RESERVE, INC., A UTAH NON-PROFIT CORPORATION, RECORDED MAY 29, 2009 AS ENTRY NO. 10716096, IN BOOK 9729, AT PAGE 5884, OF OFFICIAL RECORDS;

AS TO BLOCK 75:

PARKING RAMP EASEMENT AGREEMENT [100 SOUTH] BY AND BETWEEN SALT LAKE CITY CORPORATION, A UTAH MUNICIPAL CORPORATION AND CITY CREEK RESERVE, INC., A UTAH NON-PROFIT CORPORATION, RECORDED MAY 29, 2009 AS ENTRY NO. 10716097, IN BOOK 9729, AT PAGE 5895, OF OFFICIAL RECORDS;

AS TO BLOCK 76:

PARKING RAMP EASEMENT AGREEMENT [WEST TEMPLE] BY AND BETWEEN SALT LAKE CITY CORPORATION, A UTAH MUNICIPAL CORPORATION AND CITY CREEK RESERVE, INC., A UTAH NON-PROFIT CORPORATION, RECORDED MAY 29, 2009 AS ENTRY NO. 10716098, IN BOOK 9729, AT PAGE 5911, OF OFFICIAL RECORDS;

AS TO BLOCK 75:

EASEMENT AND LICENSE AGREEMENT, PROVIDING FOR AN EASEMENT FOR PRIVATE ROAD AND LICENSE FOR LANDSCAPING BY AND BETWEEN CITY CREEK RESERVE, INC., A UTAH NON-PROFIT CORPORATION AND AT&T COMMUNICATIONS OF THE MOUNTAIN STATES, INC. A COLORADO CORPORATION, AND QWEST CORPORATION, A COLORADO CORPORATION, SUCCESSOR BY MERGER TO THE MOUNTAIN STATES TELEPHONE AND TELEGRAPH COMPANY, A COLORADO CORPORATION, DATED JUNE 14, 2010 AND

RECORDED AUGUST 17, 2010, AS ENTRY NO. 11012626, IN BOOK 9850, AT PAGE 513 OF OFFICIAL RECORDS; AND

AS TO BLOCK 75 AND BLOCK 76:

CONSTRUCTION, OPERATION AND RECIPROCAL EASEMENT AGREEMENT, DATED JULY 30, 2010, BY AND BETWEEN CITY CREEK CENTER ASSOCIATES LLC, NORDSTROM, INC., MACY'S WEST STORES, INC., AND CITY CREEK RESERVE, INC., RECORDED AUGUST 11, 2010, AS ENTRY NO. 11008298, IN BOOK 9848, AT PAGE 3241, SALT LAKE COUNTY RECORDER, AND RE-RECORDED ON SEPTEMBER 8, 2010, AS ENTRY NO. 11027821, IN BOOK 9857, AT PAGE 1788, SALT LAKE COUNTY RECORDER.

PARCEL 2

BEGINNING AT A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET, SAID POINT BEING SOUTH 89°58'06" WEST 264.29 FEET FROM THE SOUTHEAST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION 4311.67 TO ELEVATION 4349.50 AND RUNNING THENCE SOUTH 89°58'06" WEST ALONG SAID NORTH RIGHT OF WAY LINE 60.36 FEET; THENCE NORTH 77.08 FEET; THENCE NORTH 06°32'16" EAST 27.60 FEET; THENCE NORTH 13°04'32" EAST 2.67 FEET; THENCE NORTH 19°36'48" EAST 27.60 FEET; THENCE NORTH 25°58'32" EAST 1.85 FEET; THENCE NORTH 63°28'51" WEST 9.18 FEET; THENCE NORTH 27°19'41" EAST 3.67 FEET; THENCE NORTH 30°23'24" EAST 30.40 FEET; THENCE NORTH 49°42'48" EAST 30.40 FEET; THENCE NORTH 52°46'31" EAST 3.67 FEET; THENCE SOUTH 36°24'57" EAST 6.34 FEET; THENCE NORTH 54°34'11" EAST 3.33 FEET; THENCE NORTH 58°45'18" EAST 17.14 FEET; THENCE NORTH 62°56'26" EAST 2.67 FEET; THENCE SOUTH 24°52'53" EAST 2.59 FEET; THENCE EAST 11.57 FEET; THENCE SOUTH 16.53 FEET; THENCE SOUTH 89°58'21" WEST 10.05 FEET; THENCE SOUTH 00°09'54" WEST 152.87 FEET; THENCE WEST 13.72 FEET; THENCE SOUTH 25.18 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH ALL THAT VOLUME OF SPACE DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET, SAID POINT BEING SOUTH 89°58'06" WEST 264.29 FEET FROM THE SOUTHEAST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION 4311.00 TO ELEVATION 4311.67 AND RUNNING THENCE SOUTH 89°58'06" WEST ALONG SAID NORTH RIGHT OF WAY LINE 60.36 FEET; THENCE NORTH 13.75 FEET; THENCE EAST 60.36 FEET; THENCE SOUTH 13.71 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH THE OUTDOOR SEATING PARCEL:

BEGINNING AT A POINT ON THE NORTH RIGHT OF WAY LINE OF 100 SOUTH STREET, SAID POINT BEING SOUTH 89°58'06" WEST 324.65 FEET FROM THE SOUTHEAST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION 4312.60 TO ELEVATION 4349.50 AND RUNNING THENCE SOUTH 89°58'06"

WEST ALONG SAID NORTH RIGHT OF WAY LINE 11.38 FEET; THENCE NORTH 84.80 FEET; THENCE NORTH 06°36'12" EAST 24.90 FEET; THENCE NORTH 26°09'03" EAST 32.55 FEET; THENCE SOUTH 63°28'51" EAST 8.92 FEET; THENCE SOUTH 25°58'32" WEST 1.85 FEET; THENCE SOUTH 19°36'48" WEST 27.60 FEET; THENCE SOUTH 13°04'32" WEST 2.67 FEET; THENCE SOUTH 06°32'16" WEST 27.60 FEET; THENCE SOUTH 77.08 FEET TO THE POINT OF BEGINNING.

PARCEL 2A

EASEMENTS AND BENEFICIAL RIGHTS AS ESTABLISHED BY THAT CERTAIN AMENDED AND RESTATED MASTER DECLARATION, RECORDED JANUARY 8, 2010 AS ENTRY NO. 10875596, IN BOOK 9795, AT PAGE 4989 OF OFFICIAL RECORDS (SAID CITY CREEK CENTER AMENDED AND RESTATED MASTER DECLARATION OF EASEMENTS WAS RE-RECORDED JANUARY 12, 2010, AS ENTRY NO. 10877609, IN BOOK 9796, AT PAGE 4404 OF OFFICIAL RECORDS).

PARCEL 3

BEGINNING SOUTH 00°01'48" EAST 433.58 FEET FROM THE NORTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN, SAID POINT BEING A POINT ON THE WEST RIGHT OF WAY LINE OF MAIN STREET AT THE SALT LAKE CITY DATUM ELEVATION 4319.06 TO ELEVATION 4338.06 AND RUNNING THENCE SOUTH 00°01'48" EAST ALONG SAID RIGHT OF WAY LINE 8.68 FEET; THENCE WEST 7.91 FEET; THENCE SOUTH 12.33 FEET; THENCE EAST 7.92 FEET TO A POINT ON SAID RIGHT OF WAY LINE; THENCE SOUTH 00°01'48" EAST ALONG SAID RIGHT OF WAY LINE 8.58 FEET; THENCE WEST 12.92 FEET; THENCE SOUTH 15.04 FEET; THENCE EAST 8.66 FEET; THENCE NORTH 1.00 FEET; THENCE EAST 4.27 FEET TO A POINT ON SAID RIGHT OF WAY LINE; THENCE SOUTH 00°01'48" EAST ALONG SAID RIGHT OF WAY LINE 19.00 FEET; THENCE WEST 4.48 FEET; THENCE SOUTH 5.33 FEET; THENCE WEST 5.60 FEET; THENCE SOUTH 45°00'00" WEST 2.36 FEET; THENCE WEST 18.19 FEET; THENCE SOUTH 45°00'00" WEST 4.26 FEET; THENCE SOUTH 1.21 FEET; THENCE SOUTH 45°00'00" WEST 9.61 FEET; THENCE WEST 6.78 FEET; THENCE SOUTH 45°00'00" WEST 4.86 FEET; THENCE WEST 2.94 FEET; THENCE SOUTH 45°00'00" WEST 5.89 FEET; THENCE WEST 12.28 FEET; THENCE SOUTH 13.96 FEET; THENCE EAST 11.64 FEET; THENCE SOUTH 2.61 FEET; THENCE WEST 2.47 FEET; THENCE SOUTH 0.42 FEET; THENCE WEST 34.96 FEET; THENCE NORTH 3.73 FEET; THENCE WEST 8.00 FEET; THENCE SOUTH 3.73 FEET; THENCE WEST 1.67 FEET; THENCE NORTH 45°00'00" WEST 1.15 FEET; THENCE WEST 12.58 FEET; THENCE NORTH 58.77 FEET; THENCE EAST 61.35 FEET; THENCE NORTH 81.02 FEET TO A NON-TANGENT 1472.29 FOOT RADIUS CURVE TO THE LEFT, RADIAL POINT BEARS NORTH 04°48'25" EAST; THENCE ALONG SAID CURVE 0.67 FEET (CHORD BEARS SOUTH 85°12'21" EAST 0.67 FEET) TO A 1469.00 FOOT RADIUS CURVE TO THE LEFT; THENCE ALONG SAID CURVE 31.08 FEET (CHORD BEARS SOUTH 85°50'03" EAST 31.08 FEET); THENCE SOUTH 25.22 FEET; THENCE WEST 0.33 FEET; THENCE SOUTH 7.83 FEET; THENCE EAST 25.49 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH ALL THAT VOLUME OF SPACE DESCRIBED AS FOLLOWS:
BEGINNING SOUTH 00°01'48" EAST 433.58 FEET FROM THE NORTHEAST CORNER OF BLOCK 76, PLAT "A", SALT LAKE CITY SURVEY, SECTION 1, TOWNSHIP 1 SOUTH, RANGE

1 WEST, SALT LAKE BASE AND MERIDIAN, SAID POINT BEING A POINT ON THE WEST RIGHT OF WAY LINE OF MAIN STREET AT THE SALT LAKE CITY DATUM ELEVATION 4315.06 TO ELEVATION 4319.06 AND RUNNING THENCE SOUTH 00°01'48" EAST ALONG SAID RIGHT OF WAY LINE 8.68 FEET; THENCE WEST 7.91 FEET; THENCE SOUTH 12.33 FEET; THENCE EAST 7.92 FEET TO A POINT ON SAID RIGHT OF WAY LINE; THENCE SOUTH 00°01'48" EAST ALONG SAID RIGHT OF WAY LINE 8.58 FEET; THENCE WEST 12.92 FEET; THENCE SOUTH 15.04 FEET; THENCE EAST 8.66 FEET; THENCE NORTH 1.00 FEET; THENCE EAST 4.27 FEET TO A POINT ON SAID RIGHT OF WAY LINE; THENCE SOUTH 00°01'48" EAST ALONG SAID RIGHT OF WAY LINE 19.00 FEET; THENCE WEST 4.48 FEET; THENCE SOUTH 5.33 FEET; THENCE WEST 5.60 FEET; THENCE SOUTH 45°00'00" WEST 2.36 FEET; THENCE WEST 18.19 FEET; THENCE SOUTH 45°00'00" WEST 4.26 FEET; THENCE SOUTH 1.21 FEET; THENCE SOUTH 45°00'00" WEST 9.61 FEET; THENCE WEST 6.78 FEET; THENCE SOUTH 45°00'00" WEST 4.86 FEET; THENCE WEST 2.94 FEET; THENCE SOUTH 45°00'00" WEST 3.22 FEET; THENCE NORTH 39.06 FEET; THENCE EAST 30.00 FEET; THENCE NORTH 47.30 FEET; THENCE EAST 25.16 FEET TO THE POINT OF BEGINNING.

PARCEL 3A

EASEMENTS AND BENEFICIAL RIGHTS AS ESTABLISHED BY THAT CERTAIN AMENDED AND RESTATED MASTER DECLARATION, RECORDED JANUARY 8, 2010 AS ENTRY NO. 10875596, IN BOOK 9795, AT PAGE 4989 OF OFFICIAL RECORDS (SAID CITY CREEK CENTER AMENDED AND RESTATED MASTER DECLARATION OF EASEMENTS WAS RE-RECORDED JANUARY 12, 2010, AS ENTRY NO. 10877609, IN BOOK 9796, AT PAGE 4404 OF OFFICIAL RECORDS).

PARCEL 4

BEGINNING AT A POINT S 89°58'06" W 384.24 FEET AND NORTH 12.86 FEET FROM THE SOUTHEAST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION 4311.54 TO ELEVATION 4337.08 AND RUNNING THENCE WEST 56.23 FEET; THENCE NORTH 7.99 FEET; THENCE WEST 22.67 FEET; THENCE NORTH 23.15 FEET; THENCE EAST 11.11 FEET; THENCE NORTH 29.88 FEET; THENCE WEST 9.30 FEET; THENCE NORTH 45.45 FEET; THENCE WEST 4.38 FEET; THENCE NORTH 4.03 FEET; THENCE EAST 43.21 FEET; THENCE SOUTH 19.72 FEET; THENCE EAST 19.67 FEET; THENCE NORTH 4.39 FEET; THENCE EAST 18.58 FEET; THENCE SOUTH 95.17 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH ALL THAT VOLUME OF SPACE DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT S 89°58'06" W 373.24 FEET FROM THE SOUTHEAST CORNER OF BLOCK 75, PLAT "A", SALT LAKE CITY SURVEY, SECTION 6, TOWNSHIP 1 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN AT THE SALT LAKE CITY DATUM ELEVATION 4311.54 TO ELEVATION 4337.08 AND RUNNING THENCE S 89°58'06" W 67.23 FEET; THENCE NORTH 12.89 FEET; THENCE EAST 56.23 FEET; THENCE NORTH 95.17 FEET; THENCE EAST 11.00 FEET; THENCE SOUTH 108.02 FEET TO THE POINT OF BEGINNING.