

WHEN RECORDED, RETURN TO:

Panorama Public Infrastructure District Nos. 1-5
c/o York Howell
Attn: M. Thomas Jolley
10610 South Jordan, Gateway, Suite 200
South Jordan, Utah 84095

Parcel No. 33-17-400-021

NOTICE OF PUBLIC INFRASTRUCTURE DISTRICTS

Notice is hereby given that Panorama Public Infrastructure District Nos. 1-5 (collectively, the "**Districts**") were created with the boundaries described in Exhibit A hereto.


The Districts may finance and repay infrastructure and other improvements through the levy of a property tax in a maximum amount of 0.005 per dollar of taxable value.

Under the maximum property tax rate of the Districts, **for every \$100,000 of taxable value**, there would be an **additional annual property tax of \$500** for the duration of the Districts' Bonds.

Such debt may be converted from limited tax debt to general obligation debt of the Districts if the principal amount of the related limited tax bond together with the principal amount of other related outstanding general obligation bonds if the Districts do not exceed 15% of the fair market value of taxable property in the Districts, determined by (i) an appraisal from an appraiser who is a member of the Appraisal Institute that is addressed to the public infrastructure district or a financial institution; or (ii) the most recent market value of the property from the Salt Lake County Assessor.

A copy of the Governing Document for the Districts is on file at the offices of Herriman City, Utah.


DATED this 16 day of January, 2025.



Jim Giles, Trustee

STATE OF UTAH)
:ss.
COUNTY OF Salt Lake)

On this 16 day of January, 2025 personally appeared before me
Jim Giles, who duly acknowledged to me that he/she executed the foregoing
instrument on behalf of Panorama Public Infrastructure District Nos. 1-5 in the capacity of
Trustee.



Ashley Tedesco
Notary Public

Residing at: South Jordan, Utah

My Commission Expires: 06/05/2027

Exhibit A

PANORAMA PUBLIC INFRASTRUCTURE DISTRICT NO. 1

A PARCEL OF LAND LOCATED IN THE SOUTHEAST QUARTER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN. BASIS OF BEARING FOR DESCRIPTION IS $S00^{\circ}31'33''$ W BETWEEN THE NORTH QUARTER CORNER AND THE SOUTH QUARTER CORNER OF SAID SECTION 17, LOCATED IN HERRIMAN, SALT LAKE COUNTY, UTAH, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT LOCATED $S00^{\circ}31'33''$ W 3312.49 FEET ALONG THE QUARTER SECTION LINE AND $S89^{\circ}28'27''$ E 1240.33 FEET FROM THE NORTH QUARTER CORNER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN; RUNNING THENCE $S 89^{\circ}24'47''$ E 70.71 FEET TO AN EASTERLY DEED LINE AS RECORDED IN ENTRY NO.14148451, BOOK: 11442 AT PAGE: 6837 IN THE SALT LAKE COUNTY RECORDER'S OFFICE; THENCE $S 00^{\circ}35'13''$ W 70.71 FEET ALONG SAID DEED LINE; THENCE $N 89^{\circ}24'47''$ W 70.71 FEET; THENCE $N 00^{\circ}35'13''$ E 70.71 FEET TO THE POINT OF BEGINNING.

CONTAINING 5,000 SQ.FT. OR 0.11 ACRE +/-.

PANORAMA PUBLIC INFRASTRUCTURE DISTRICT NO. 2

A PARCEL OF LAND LOCATED IN THE SOUTHEAST QUARTER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN. BASIS OF BEARING FOR DESCRIPTION IS $S00^{\circ}31'33''$ W BETWEEN THE NORTH QUARTER CORNER AND THE SOUTH QUARTER CORNER OF SAID SECTION 17, LOCATED IN HERRIMAN, SALT LAKE COUNTY, UTAH, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT LOCATED $S00^{\circ}31'33''$ W 3383.20 FEET ALONG THE QUARTER SECTION LINE AND $S89^{\circ}28'27''$ E 1240.25 FEET FROM THE NORTH QUARTER CORNER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN; RUNNING THENCE $S 89^{\circ}24'47''$ E 70.71 FEET TO AN EASTERLY DEED LINE AS RECORDED IN ENTRY NO.14148451, BOOK: 11442 AT PAGE: 6837 IN THE SALT LAKE COUNTY RECORDER'S OFFICE; THENCE $S 00^{\circ}35'13''$ W 70.71 FEET ALONG SAID DEED LINE; THENCE $N 89^{\circ}24'47''$ W 70.71 FEET; THENCE $N 00^{\circ}35'13''$ E 70.71 FEET TO THE POINT OF BEGINNING.

CONTAINING 5,000 SQ.FT. OR 0.11 ACRE +/-.

PANORAMA PUBLIC INFRASTRUCTURE DISTRICT NO. 3

A PARCEL OF LAND LOCATED IN THE SOUTHEAST QUARTER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN. BASIS OF BEARING FOR DESCRIPTION IS S00°31'33" W BETWEEN THE NORTH QUARTER CORNER AND THE SOUTH QUARTER CORNER OF SAID SECTION 17, LOCATED IN HERRIMAN, SALT LAKE COUNTY, UTAH, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT LOCATED S00°31'33" W 3453.92 FEET ALONG THE QUARTER SECTION LINE AND S89°28'27"E 1240.18 FEET FROM THE NORTH QUARTER CORNER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN; RUNNING THENCE S 89°24'47" E 70.71 FEET TO AN EASTERLY DEED LINE AS RECORDED IN ENTRY NO.14148451, BOOK: 11442 AT PAGE: 6837 IN THE SALT LAKE COUNTY RECORDER'S OFFICE; THENCE S 00°35'13" W 70.71 FEET ALONG SAID DEED LINE; THENCE N 89°24'47" W 70.71 FEET; THENCE N 00°35'13" E 70.71 FEET TO THE POINT OF BEGINNING.

CONTAINING 5,000 SQ.FT. OR 0.11 ACRE +/-.

PANORAMA PUBLIC INFRASTRUCTURE DISTRICT NO. 4

A PARCEL OF LAND LOCATED IN THE SOUTHEAST QUARTER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN. BASIS OF BEARING FOR DESCRIPTION IS S00°31'33" W BETWEEN THE NORTH QUARTER CORNER AND THE SOUTH QUARTER CORNER OF SAID SECTION 17, LOCATED IN HERRIMAN, SALT LAKE COUNTY, UTAH, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT LOCATED S00°31'33" W 3524.63 FEET ALONG THE QUARTER SECTION LINE AND S89°28'27"E 1240.10 FEET FROM THE NORTH QUARTER CORNER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN; RUNNING THENCE S 89°24'47" E 70.71 FEET TO AN EASTERLY DEED LINE AS RECORDED IN ENTRY NO.14148451, BOOK: 11442 AT PAGE: 6837 IN THE SALT LAKE COUNTY RECORDER'S OFFICE; THENCE S 00°35'13" W 70.71 FEET ALONG SAID DEED LINE; THENCE N 89°24'47" W 70.71 FEET; THENCE N 00°35'13" E 70.71 FEET TO THE POINT OF BEGINNING.

CONTAINING 5,000 SQ.FT. OR 0.11 ACRE +/-.

PANORAMA PUBLIC INFRASTRUCTURE DISTRICT NO. 5

A PARCEL OF LAND LOCATED IN THE SOUTHEAST QUARTER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN. BASIS OF BEARING FOR DESCRIPTION IS S00°31'33" W BETWEEN THE NORTH QUARTER CORNER AND THE SOUTH QUARTER CORNER OF SAID SECTION 17, LOCATED IN HERRIMAN, SALT LAKE COUNTY, UTAH, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT LOCATED S00°31'33" W 3595.34 FEET ALONG THE QUARTER SECTION LINE AND S89°28'27"E 1240.03 FEET FROM THE NORTH QUARTER CORNER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN; RUNNING THENCE S 89°24'47" E 70.71 FEET TO AN EASTERLY DEED LINE AS RECORDED IN ENTRY NO.14148451, BOOK: 11442 AT PAGE: 6837 IN THE SALT LAKE COUNTY RECORDER'S OFFICE; THENCE S 00°35'13" W 70.71 FEET ALONG SAID DEED LINE; THENCE N 89°24'47" W 70.71 FEET; THENCE N 00°35'13" E 70.71 FEET TO THE POINT OF BEGINNING.

CONTAINING 5,000 SQ.FT. OR 0.11 ACRE +/-.

PANORAMA PUBLIC INFRASTRUCTURE DISTRICT ANNEXATION AREA

A PART OF SECTION 17, PART OF SECTION 18, PART OF THE NORTHEAST 1/4 & SOUTHEAST 1/4 OF SECTION 13, PART OF THE SOUTHWEST 1/4 & SOUTHEAST 1/4 OF SECTION 7 AND PART OF THE SOUTHWEST 1/4 OF SECTION 8, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN, LOCATED IN HERRIMAN CITY, SALT LAKE COUNTY, UTAH, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT LOCATED N00°31'33"E 2389.95 FEET ALONG THE 1/4 SECTION LINE FROM THE SOUTH 1/4 CORNER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN; RUNNING THENCE ALONG SAID SECTION LINE N00°31'33"E 69.00 FEET TO THE AGREED UPON COMMON BOUNDARY LINE; THENCE ALONG SAID COMMON BOUNDARY LINE S88°56'28"W 2129.26 FEET; THENCE S48°17'09"W 61.78 FEET; THENCE S59°48'34"W 174.20 FEET; THENCE S75°50'10"W 255.51 FEET TO THE SECTION LINE; THENCE ALONG SAID SECTION LINE S01°40'43"W 1,203.81 FEET; THENCE N89°06'59"W 3,629.84 FEET TO THE WEST LINE OF GOVERNMENT LOT 12; THENCE ALONG SAID GOVERNMENT LOT LINE S00°23'05"W 1,058.60 FEET TO THE SECTION LINE; THENCE ALONG SAID SECTION LINE N89°15'56"W 1,623.96 FEET TO THE SOUTHWEST CORNER OF SAID SECTION 18; THENCE N89°44'37"W 2,640.00 FEET; THENCE N00°15'23"E 2,650.93 FEET; THENCE S89°44'37"E 2,640.00 FEET TO THE WEST QUARTER CORNER OF SAID SECTION 18;

THENCE ALONG THE SECTION LINE N00°37'39"E 2,623.42 FEET TO THE NORTHWEST CORNER OF SAID SECTION 18; THENCE S89°16'06"E 703.34 FEET ALONG THE SECTION LINE; THENCE N00°02'35"E 1.86 FEET TO THE SOUTHERLY LINE OF JUNIPER CREST ROAD; THENCE EASTERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT HAVING A RADIUS OF 1,008.00 FEET (RADIUS BEARS: N00°34'49"E) A DISTANCE OF 416.16 FEET THROUGH A CENTRAL ANGLE OF 23°39'17" CHORD: N78°45'10"E 413.21 FEET TO A SOUTHWESTERLY BOUNDARY LINE OF GRAYSTONE SUBDIVISION PHASE 4, ACCORDING TO THE OFFICIAL PLAT THEREOF RECORDED NOVEMBER 13, 2018 AS ENTRY NO. 12885073 IN BOOK 2018P AT PAGE 387 IN THE SALT LAKE COUNTY RECORDER'S OFFICE; THENCE ALONG SAID PLAT THE FOLLOWING SIX (6) COURSES: (1) S24°49'50"E 260.84 FEET; THENCE (2) N63°45'52"E 64.92 FEET; THENCE (3) N60°57'17"E 64.92 FEET; THENCE (4) N58°04'48"E 67.93 FEET; THENCE (5) N54°47'26"E 84.08 FEET; THENCE (6) S89°16'06"E 163.74 FEET; THENCE S89°16'06"E 962.55 FEET ALONG THE SECTION LINE TO THE NORTH QUARTER CORNER OF SAID SECTION 18; THENCE S89°17'58"E 110.42 FEET ALONG THE SECTION LINE TO THE EASTERN BOUNDARY LINE OF GRAYSTONE SUBDIVISION PHASE 2, ACCORDING TO THE OFFICIAL PLAT THEREOF RECORDED SEPTEMBER 20, 2017 AS ENTRY NO. 12619520 IN BOOK 2017P AT PAGE 254 IN THE SALT LAKE COUNTY RECORDER'S OFFICE; THENCE ALONG SAID PLAT THE FOLLOWING THREE (3) COURSES: (1) N21°20'35"E 162.73 FEET; THENCE (2) N13°56'03"E 94.08 FEET; THENCE (3) N03°04'58"E 87.13 FEET TO THE EASTERN BOUNDARY LINE OF GRAYSTONE SUBDIVISION PHASE 1, ACCORDING TO THE OFFICIAL PLAT THEREOF RECORDED OCTOBER 18, 2017 AS ENTRY NO. 12639535 IN BOOK 2017P AT PAGE 289 IN THE SALT LAKE COUNTY RECORDER'S OFFICE; THENCE ALONG SAID PLAT THE FOLLOWING TWO (2) COURSES: (1) N00°03'21"W 528.00 FEET; THENCE (2) N07°18'53"E 117.08 FEET TO THE SOUTHERLY RIGHT-OF-WAY LINE OF JUNIPER CREST ROAD; THENCE ALONG SAID RIGHT-OF-WAY LINE THE FOLLOWING TWO (2) COURSES: (1) SOUTHEASTERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE RIGHT HAVING A RADIUS OF 829.00 FEET (RADIUS BEARS: S22°57'01"W) A DISTANCE OF 206.01 FEET THROUGH A CENTRAL ANGLE OF 14°14'18" CHORD: S59°55'50"E 205.48 FEET; THENCE (2) S52°48'16"E 100.90 FEET; THENCE N38°24'30"E 1,090.56 FEET; THENCE S51°39'37"E 137.75 FEET; THENCE S45°22'07"E 221.31 FEET; THENCE S49°48'16"E 480.23 FEET; THENCE S51°35'40"E 208.20 FEET; THENCE S42°46'19"E 202.12 FEET; THENCE S51°35'40"E 434.07 FEET; THENCE S60°04'01"E 359.73 FEET; THENCE S51°35'40"E 804.75 FEET; THENCE S57°10'10"E 185.29 FEET; THENCE S51°35'40"E 246.19 FEET; THENCE S37°43'46"W 119.20 FEET; THENCE ALONG THE ARC OF A CURVE TO THE LEFT WITH A RADIUS OF 223.50 FEET A DISTANCE OF 226.14 FEET THROUGH A CENTRAL ANGLE OF 57°58'17" CHORD: S08°44'37"W 216.61 FEET; THENCE S69°45'29"W 53.00 FEET; THENCE WESTERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE RIGHT HAVING A RADIUS OF 251.50 FEET (RADIUS BEARS: N10°33'42"W) A DISTANCE OF 130.00 FEET THROUGH A CENTRAL ANGLE OF 29°37'00" CHORD: N85°45'11"W 128.56 FEET; THENCE S38°23'28"W 104.19 FEET; THENCE N51°36'32"W 920.72 FEET TO THE SECTION LINE; THENCE ALONG SAID SECTION LINE S00°54'21"E 424.18 FEET;

THENCE S40°21'34"E 19.77 FEET; THENCE S51°22'30"E 943.68 FEET; THENCE EASTERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE RIGHT HAVING A RADIUS OF 557.00 FEET (RADIUS BEARS: S04°46'11"W) A DISTANCE OF 234.57 FEET THROUGH A CENTRAL ANGLE OF 24°07'45" CHORD: S73°09'56"E 232.84 FEET; THENCE S61°06'04"E 317.29 FEET; THENCE S56°20'36"E 72.31 FEET; THENCE S61°06'02"E 295.22 FEET; THENCE S70°16'38"E 64.57 FEET; THENCE EASTERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT HAVING A RADIUS OF 455.00 FEET (RADIUS BEARS: N21°01'04"E) A DISTANCE OF 582.85 FEET THROUGH A CENTRAL ANGLE OF 73°23'43" CHORD: N74°19'13"E 543.81 FEET; THENCE N37°37'21"E 201.10 FEET; THENCE S51°52'10"E 310.46 FEET; THENCE S52°31'39"E 24.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT HAVING A RADIUS OF 15,250.01 FEET (RADIUS BEARS: N37°30'20"E) A DISTANCE OF 642.47 FEET THROUGH A CENTRAL ANGLE OF 02°24'50" CHORD: S53°42'05"E 642.43 FEET; THENCE S58°50'53"E 247.41 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT HAVING A RADIUS OF 15,234.99 FEET (RADIUS BEARS: N34°09'49"E) A DISTANCE OF 470.27 FEET THROUGH A CENTRAL ANGLE OF 01°46'07" CHORD: S56°43'15"E 470.26 FEET; THENCE S48°43'05"E 113.83 FEET; THENCE S58°10'01"E 74.21 FEET; THENCE S73°47'17"E 67.96 FEET; THENCE S58°37'41"E 40.08 FEET; THENCE S00°36'08"W 132.36 FEET; THENCE S00°35'13"W 1,130.18 FEET; THENCE N52°55'04"W 745.34 FEET; THENCE S52°34'07"W 4.90 FEET; THENCE ALONG THE ARC OF A CURVE TO THE LEFT WITH A RADIUS OF 223.50 FEET A DISTANCE OF 14.96 FEET THROUGH A CENTRAL ANGLE OF 03°50'07" CHORD: S50°39'04"W 14.96 FEET; THENCE N41°16'00"W 53.00 FEET; THENCE N55°24'21"W 580.00 FEET; THENCE N63°47'42"W 53.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT HAVING A RADIUS OF 226.50 FEET (RADIUS BEARS: S63°47'42"E) A DISTANCE OF 30.06 FEET THROUGH A CENTRAL ANGLE OF 07°36'18" CHORD: S22°24'09"W 30.04 FEET; THENCE N73°51'53"W 126.44 FEET TO THE POINT OF BEGINNING.

ALSO, WARRANTY DEED, RECORDED AS ENTRY NO. 8423294 IN BOOK 8685 PAGE 3808 IN THE SALT LAKE COUNTY RECORDER'S OFFICE AS FOLLOWS:

A PARCEL OF LAND, BEING A PART OF THE SOUTHWEST QUARTER OF THE NORTHEAST QUATER OF SECTION 13, TOWNSHIP 4 SOUTH, RANGE 2 WEST, SALT LAKE BASE AND MERIDIAN, DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT EAST 675.155 FEET AND SOUTH 715.00 FEET FROM THE NORTHWEST CORNER OF THE SOUTHWEST QUARTER OF THE NORTHEAST QUATER OF SAID SECTION 13, AND RUNNING THENCE SOUTH 357.50 FEET; THENCE EAST 644.845 FEET TO THE EAST LINE OF THE SOUTHWEST QUARTER OF THE NORTHEAST QUATER OF SAID SECTION 13; THENCE NORTH 357.50 FEET ALONG THE SAID EAST LINE; THENCE WEST 644.845 FEET TO THE POINT OF BEGINNING.

SUBJECT TO AND TOGETHER WITH THE FOLLOWING DESCRIBED RIGHT OF WAY, A NON-EXCLUSIVE RIGHT-OF-WAY AND EASEMENT FOR INGRESS, EGRESS, UTILITIES AND DRAINAGE OVER, UNDER AND ACROSS THE FOLLOWING DESCRIBED PARCEL OF LAND:

BEGINNING AT THE NORTHWEST CORNER OF THE SOUTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 13, TOWNSHIP 4 SOUTH, RANGE 2 WEST, SALT LAKE BASE AND MERIDIAN, AND RUNNING THENCE EAST 700.155 FEET THENCE SOUTH 1,072.50 FEET; THENCE WEST 50.00 FEET; THENCE NORTH 1,022.50 FEET; THENCE WEST 650.155 FEET; THENCE NORTH 50.00 FEET TO THE POINT OF BEGINNING.

SITUATE IN SALT LAKE COUNTY, STATE OF UTAH.

LESS AND EXCEPTING SPECIAL WARRANTY DEED, RECORDED AS ENTRY NO. 14073420 IN BOOK 11401 PAGE 5474 IN THE SALT LAKE COUNTY RECORDER'S OFFICE AS FOLLOWS:

A PART OF THE NW 1/4 OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE & MERIDIAN, SITUATE IN HERRIMAN CITY, SALT LAKE COUNTY, UTAH, MORE PARTICULARLY DESCRIBED BY SURVEY AS FOLLOWS.

BEGINNING AT A POINT LOCATED N88°45'22"E 1,886.89 FEET ALONG THE 1/4 SECTION LINE AND N01°14'38"W 95.81 FEET FROM THE WEST 1/4 CORNER OF SECTION 17, TOWNSHIP 4 SOUTH, RANGE 1 WEST, SALT LAKE BASE & MERIDIAN; THENCE N00°00'10"E 303.05 FEET; THENCE N14°08'39"W 71.73 FEET; THENCE N46°21'53"W 189.77 FEET; THENCE N43°38'07"E 83.67 FEET; THENCE EASTERLY ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT HAVING A RADIUS OF 996.00 FEET (RADIUS BEARS: N09°48'42"E) A DISTANCE OF 44.91 FEET THROUGH A CENTRAL ANGLE OF 02°35'00" CHORD: S81°28'48"E 44.90 FEET TO A POINT OF REVERSE CURVATURE; THENCE ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 173.50 FEET A DISTANCE OF 126.05 FEET THROUGH A CENTRAL ANGLE OF 41°37'37" CHORD: S61°57'30"E 123.30 FEET TO A POINT OF REVERSE CURVATURE; THENCE ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 151.50 FEET A DISTANCE OF 254.02 FEET THROUGH A CENTRAL ANGLE OF 96°04'04" CHORD: S89°10'44"E 225.29 FEET TO A POINT OF REVERSE CURVATURE; THENCE ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 20.00 FEET A DISTANCE OF 28.56 FEET THROUGH A CENTRAL ANGLE OF 81°48'25" CHORD: N83°41'27"E 26.19 FEET; THENCE S55°24'21"E 158.62 FEET; THENCE S60°10'10"E 72.25 FEET; THENCE S55°24'21"E 210.08 FEET; THENCE ALONG THE ARC OF A CURVE TO THE RIGHT WITH A RADIUS OF 271.00 FEET A DISTANCE OF 11.47 FEET THROUGH A CENTRAL ANGLE OF 02°25'33" CHORD: S54°11'34"E 11.47 FEET; THENCE S00°31'33"W 35.45 FEET; THENCE S41°08'57"W 36.99 FEET; THENCE S73°04'06"W 94.55 FEET; THENCE S64°40'52"W 94.55 FEET; THENCE

S58°39'49" W 214.03 FEET; THENCE S89°07'25" W 299.54 FEET TO THE POINT OF BEGINNING.

OVERALL PARCEL CONTAINS: 911.80 ACRES+/-