RECORDED, MAIL TO: Washington City 1305 E Washington Dam Rd. Washington, UT 84780

Storm Water Management BMP Maintenance Agreement Washington City, Utah

Tax ID: See Exhibit A

WHEREAS, the Property Owner ___ CW The Views 1 LLC recognizes that the post construction storm water facilities (hereinafter referred to as "Facilities") must be

Area 4.2 or Views At Coral Canyon maintained for the development called, located in Washington City, Washington County, Utah; and

WHEREAS, the Property Owner is the owner of real property more particularly described on Exhibit A attached hereto (hereinafter referred to as "the Property") and on which the Facilities are located, and

WHEREAS, The City of Washington (hereinafter referred to as "the City") and the Property Owner, or its administrators, executors, successors, heirs, or assigns, including any homeowners association, agree that the health, safety and welfare of the citizens of the City require that the Facilities be constructed and maintained on the property, and

WHEREAS, it is required that the Facilities as shown on the approved development plans and specifications be constructed and maintained by the Property Owner, its administrators, executors, successors, heirs, or assigns, including any homeowners association.

NOW, THEREFORE in consideration of the foregoing the mutual covenants contained herein. and the following terms and conditions, the parties hereto agree as follows:

SECTION 1

The Facilities shall be constructed by the Property Owner in accordance with the approved plans and specifications for the development.

SECTION 2

The Property Owner, its administrators, executors, successors, heirs or assigns, including any homeowners association, shall maintain the Facilities in good working condition acceptable to the City and in accordance with the Schedule of Long Terra Maintenance Activities agreed hereto and attached as Exhibit B.

> Storm Water Management BMP Maintenance Agreement

Page 1 of 7

201,70047668 11/27/2017 11:39:54 AM Page 2 of 7 Washington County

SECTION 3

The Property Owner, its administrators, executors, successors, heirs or assigns, including any homeowners association, hereby grants permission to the City, its authorized agents and employees, to enter upon the property and to inspect the Facilities whenever the City deems necessary. Whenever possible, the City shall provide notice prior to entry. All easements as shown on the Final Plat shall be maintained to allow access to the Facilities.

SECTION 4

In the event the Property Owner, its administrators, executors, successors, heirs or assigns, including any homeowners association, fails to maintain the Facilities as shown on the approved plans and specifications in good working order acceptable to the City, the City, with due notice, may enter the property and take whatever steps it deems necessary to return the Facilities to good working order. This provision shall not be construed to allow the City to erect any structure of a permanent nature on the property. It is expressly understood and agreed that the City is under no obligation to maintain or repair the Facilities and in no event shall this Agreement be construed to impose any such obligation on the City.

SECTION 5

In the event the City, pursuant to the Agreement, performs work of any nature, or expends any funds in the performance of said work for labor, use of equipment, supplies, materials, and the like, the Property Owner shall reimburse the City within thirty (30) days of receipt thereof for all the costs incurred by the City hereunder. If not paid within the prescribed time period, the City shall secure a lien against the real property in the amount of such costs. The actions described in this section are in addition to and not in lieu of any and all legal remedies available to the City as a result of the Property Owner's failure to maintain the Facilities.

SECTION 6

It is the intent of this agreement to insure the proper maintenance of the Facilities by the Property Owner; provided, however that this Agreement shall not be deemed to create or effect any additional liability of any party for damage alleged to result from or caused by storm water, runoff.

SECTION 7

Sediment accumulation resulting from the normal operation of the Facilities will be properly removed. The Property Owner will make accommodation for the removal and disposal of all accumulated sediments. Accumulated sediments will be disposed of properly offsite.

SECTION 8

The Property Owner shall use the standard SMP Operation and Maintenance Checklist, available from the City and by this reference made a part hereof for the purpose of a minimal annual inspection of the Facilities by a qualified inspector. This annual inspection shall be submitted to the City on or before July 1st each year, after inspection is completed by a qualified inspection.

Storm Water Management BMP Maintenance Agreement

201,70047668 11/27/2017 11:39:54 AM Page 3 of 7 Washington County SECTION 9 The Property Owner, its administrators, executors, successors, heirs and assigns, including any homeowners association, hereby indemnifies and holds harmless the City and its authorized agents and employees for any and all damages, accidents, casualties, occurrences or claims which might arise or be asserted against the City from the construction presence, existence or maintenance of the Facilities by the Property Owner or the City when the City acts in accordance with Section 4 of this agreement. In the event a claim is asserted against the City, its authorized agents or employees, the City shall promptly notify the Property Owner and the Property Owner shall defend at its own expense any suit based on such claim. If any judgment or claims against the City, its authorized agents or employees shall be allowed, the Property Owner shall pay for all costs and expenses in connection herewith. **SECTION 10** This Agreement shall be recorded among the deed records of the Recorder of Washington County and shall constitute a covenant running with the land and shall be binding on the Property Owner, its administrators, executors, heirs, assigns, including any homeowners association, and any other successors in interest. SECTION 11 This Agreement may be enforced by proceedings at law on in equity by or against the parties hereto and their respective successors in interest. **SECTION 12** Invalidation of any one of the provisions of this Agreement shall in no way effect any other provisions and all other provisions shall remain in full force and effect. Storm Water Management **BMP Maintenance Agreement**

11/27/2017 11:39:54 AM 201,70047668 Page 4 of 7 Washington County MAINTENANCE AGREEMENT PROPERTY OWNER Title: Attachments: Exhibit A Legal Description(s) of Property Exhibit B Schedule of Long Term Maintenance Activities STATE OF Utak :SS. COUNTY OF DON'S On the 12 day of October , personally appeared before and Colin H. WII ght Sidney chidester , personally known to me or proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to the that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument, the person(s) or entity upon behalf of which the person(s) acted, executed the instrument WITNESS my hand and official seal. NOTARY PUBLÍC Residing at My Commission Expires: December 10 2020 Storm Water Management BMP Maintenance Agreement

700476 Page 5 of 7 201,70047668 11/27/2017 11:39:54 AM Washington County Exhibit A Storm Water Management BMP Maintenance Agreement Degal Description(s) BOUNDARY DESCRIPTION BEGINNING AT A POINT SO 56'40'W, 1467.74 FEET ALONG THE SECTION LINE (BETWEEN THE NORTHEAST CORNER OF SECTION 13 AND THE WEST) 4 CORNER OF SECTION 18 OF T42S, R14W, SLB&M BOTH MONUMENTED WITH BLM BRASS CAPS) AND EAST LEGAL DESCRIPTION SLB&M BOTH MONUMENTED WITH BLM BRASS CAPS) AND EAST 1390.32 FEET FROM SAID NORTHEAST CORNER OF SECTION 13, SAID POINT BEING ON THE SOUTHERLY BOUNDARY OF HIGHLAND PARK AREA 4 - PHASE I SUBDIVISION AT THE SOUTHWESTERLY CORNER OF HOA TRACT #17 OF SAID SUBDIVISION, RUNNING THERES ALONG SAID SOUTHERLY BOUNDARY THE FOLLOWING SIX (6) COURSES: S63'29'04"E, 125.00 FEET; THENCE S64'13'56"E, 58.00 FEET TO THE POINT OF CURVE OF \$2.00 FOOT RADIUS CURVE TO THE RIGHT, RADIUS POINT BEARS S64'13'56"E, THENCE EASTERLY 39.27 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF \$127.50 FOOT RADIUS CURVE TO THE LEFT THENCE SOUTHEASTERLY 62.06 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF \$227.39"; THENCE S67'41'34"E, 72.91 FEET TO THE POINT OF CURVE OF A 25.00 FOOT RADIUS REVERSE CURVE, THENCE SOUTHERLY 37.52 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF \$327'39"; THENCE S67'41'34"E, 72.91 FEET TO THE POINT OF CURVE OF A 25.00 FOOT RADIUS REVERSE CURVE, THENCE SOUTHERLY 37.52 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 85'59'58"; THENCE S71'41'44"E, 181.34 FEET; THENCE LEAVING SAID SOUTHERLY S71'41'44"E, 181.34 FEET; THENCE LEAVING SAID SOUTHERLY BOUNDARY RUNNING S16'49'36"W, 569.95 FEET; THENCE S1'23'38"W, 159.80 FEET TO THE POINT OF CURVE OF A 508.33 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT, RADIUS POINT BEARS N87'56'02"W; THENCE SOUTHWESTERLY 460.96 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 51'57'23"; THENCE S43'00'25"W, 117.88 FEET; THENCE S47'19'19"W, 117.87 FEET; THENCE S55'00'18"W, 225.17 FEET; THENCE S65'11'27"W, 193.12 FEET; THENCE S55'58'49"W, 144.74 FEET; THENCE S40'51'33"W, 109.46 FEET; THENCE S31'06'54"W, 232.72 FEET; THENCE S27'23'19"W, 128.58 FEET; THENCE S25'45'57"W, 122.4 FEET; THENCE S23'51'23"W, 108.84 FEET TO THE POINT OF CARVE OF A 455.08 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT, RADIUS POINT BEARS N65'56'56"W; THENCE SOUTHWESTERLY 634.01 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 79'49'29'; THENCE N78'41"52"W, 135.22 FEET; THENCE N73'19'26"W, 43.00 S71'41'44"E, 181.34 FEET; THENCE LEAVING SAID SOUTHERLY THENCE N78'41"52"W, 135.22 FEET; THENCE N73'19'26"W, 43.00 FEET; THENCE N80'27'28"W, 52.46 FEET; THENCE N63'11'41"W, FEET; THENCE N80'27'28"W, 52.46 FEET; THENCE N63'11'41"W, 63.31 FEET; THENCE N30'00'23"E, 61.45 FEET; THENCE N22'26'34"E, 211.50 FEET; THENCE N22'06'34"E, 102.67 FEET; THENCE N16'49'47"E, 96.13 FEET; THENCE N753'35"E, 94.24 FEET; THENCE N9'43'21"E, 120.57 FEET; THENCE N16'42'51"E, 119.31 FEET; THENCE N27'27'50"E, 338'69 FEET; THENCE N18'05'12"E, 78.78 FEET; THENCE N18'05'12"E, 78.78 FEET; THENCE N26'36'07"E, 83.62 FEET; THENCE N29'07'46"E, 204'55 FEET; THENCE N48'33'42"E, 32.29 FEET; THENCE N60'22'06"E, 138.29 FEET; THENCE N63'40'10"E, 178.06 FEET TO THE LEFT, RADIUS POINT BEARS N26'19'50"W; THENCE NORTHEASTERLY 945.95 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 40'13'18"; THENCE N26'08'17"E, 125.52 FEET TO THE POINT OF 40"13"18"; THENCE N26"08"17"E, 125.52 FEET TO THE POINT OF BEGINNING. CONTAINING 56.528 ACRES. Stc. JMP M Storm Water Management BMP Maintenance Agreement

700476 Page 6 of 7 11/27/2017 11:39:54 AM 201,70047668 Washington County

Exhibit B				
Storm water Management BMP Schedule of Dong Term Maintenance Activities Washington City, Utah Activity Frequency Notes				
	Activity	Frequency	Notes	
	Inspection	Annually	It is recommended that the SMP Oper	
			Maintenance Checklist, referenced agreement, be used as a guiding docum annual inspection should be submitted to completion.	nent. This
	Mowing and	Variable, depending	Landscaping and vegetation should be	
	maintenance of vegetation	on vegetation and desired aesthetics	throughout the year to ensure that proper removal and infiltration is maintained Facilities remain aesthetically appears	I and the
Dille II	Remove trash and	As needed or	Trash and debris should be removed re	gularly to
	debris	following each storm	ensure that the Facilities function properate effectively. Trash often collects	perly and
	21	~W	outlet structures.	at inici and
	Inspect and maintain inlet and outlet structures	Annually	The inlet and outlet structures should be for damage and proper operation	
	Sediment removal	Variable (2-5 years is typical)	The removal of sediment is necessar Facilities begin to lose capacity or effe	
			O.C.	Mrs

Storm Water Management
BMP Maintenance Agreement
Page 6 of 7

