ROADWAY DEDICATION

DOC # 20180050579

COPPER ROCK PARKWAY AND 2100 WEST NAME:

LOTS: 0 MAP: 4107

PARCEL: H-3386-B H-3399-1 H-3399-NP H-3399-D H-3399-B


H-3400-O

SPILSBURY CATTLE © 0.1, LLC G. PAUL & LOUISE P. SPENDLOVE TRUST LOUISE P. SPENDLOVE TR TOQUERVILLE ENTERPRISES, LLC

A PARCEL OF LAND LOCATED IN THE SOUTHEAST QUARTER OF SECTION 20 AND THE NORTHEAST QUARTER OF SECTION 29, TOWNSHIP & SOUTH, RANGE 13 WEST, S.L.B.&M., HURRICANE, UTAH MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHEAST CORNER OF SAID SECTION 20; THENCE N.01°02'04"E A DISTANCE OF 1322.64 FEET; THENCE WEST A DISTANCE OF 13.28 FEET TO A POINT OF CURVATURE OF A 800.00-FOOT RAPIDS NON-TANGENT CURVE TO THE RIGHT PAVING A RAPIDS BEARING OF N.68'57'33"W. SAID ROINT ALSO BEING THE REAL POINT OF BEGINNING.

PHENCE SOUTHWESTERLY ALONG THE PRO OF SAID CURVE A DISTANCE OF \$496.76 FEET, SAID CURVE HAVING WEENTRAL ANGLE OF 35'34'40" AND A CHORD THAT BEARS S.38'49'46"W. A DISTANCE OF 488'82 FEET; THENCE S.56'37'07"W. A DISTANCE OF 55.43 FEET TO A POINT OF CURVATURE OF A 1230.00-FOOT RADIUS TANGENT CURVE TO THE LEFT; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 1719.70 FEET, SAID CURVE HAVING A CENTRAL ANGLE OF 80'06'25" AND A CHORD THAT BEARS S.16'33'54"W. A DISTANCE OF 1583.01 FEET; THENCE S.23'29'18"E. A DISTANCE OF 1319.74 FEET TO A POINT OF CURVATURE OF A 797.00-FOOT RADIUS TANGENT CURVE TO THE RIGHT; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 90.507 FEET, SAID CURVE HAVING A CENTRAL ANGLE OF 64'50'31" AND A CHORN THAT BEARS S.08'55'57"W. A A DISTANCE OF 90.97 FEET, SAID CURVE HAVING A CENTRAL ANGLE OF 64'50'31" AND A CHORD THAT BEARS S.08'55'57"W. A DISTANCE OF 854'60 FEET; THENCE S.41'21'13"W. A DISTANCE OF 149.44 FEET TO A POINT OF CURVATURE OF A 20.00-FOOT RADIUS TANGENE CURVE TO THE LEFT; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 33.13 FEET, SAID CURVE HAVING A CENTRAL ANGLE OF 94'53'53" AND A CHORD THAT BEARS S.06'05'44"E. A DISTANCE OF 29.47 FEET TO A POINT OF CURVATURE OF A 717.00-FOOT RADIUS TANGENT COMPOUND CURVE TO THE LEFT, THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 490.10 FEET, THENCE S.01'00'34"W. 90.17 FEET TO A POINT OF CURVATURE OF A 80'00-FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT HAVING A RADIAL BEARING OF 17'36"W.; THENCE NORTHWESTERN ALONG THE BEARS N.69'17'42"W. A DISTANCE OF 630.59 FEET TO A POINT OF CURVATURE OF A 717.00-FOOT RADIUS TANGENT REVERSE CURVE TO THE LEFT; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 630.59 FEET TO A POINT OF CURVATURE OF A 717.00-FOOT RADIUS TANGENT REVERSE CURVE TO THE LEFT; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 53.48 FEET, SAID CURVE HAVING A CENTRAL ANGLE OF 42'37'49" AND A CHORD THAT BEARS N.67'36'44"W. A DISTANCE OF 521.26 FEET TO A POINT ON THE A CENTRAL ANGLE OF 42'37'49" AND A CHORD THAT BEARS N.67'36'44"W. A DISTANCE OF 521.26 FEET TO A POINT ON THE QUARTER SECTION LINE RUNNING FROM THE EAST QUARTER CORNER OF SECTION 29 TO THE WEST QUARTER CORNER OF SECTION QUARTER SECTION LINE RUNNING FROM THE EAST QUARTER CORNER OF SECTION 29 TO THE WEST QUARTER CORNER OF SECTION 29 TOWNSHIP 42 SOUTH, RANGE 13 WEST, S.L.B.&M.; THENCE N.88'55'38"W. A DISTANCE OF 290.91 FEET ALONG SAID QUARTER SECTION LINE; THENCE N.01'06'38"E. A DISTANCE OF 90.85 FEET TO A POINT OF CURVATURE OF 807.00—FOOT RADIUS TANGENT CURVE TO THE RIGHT; THENCE SOUTHERSTERLY ALONG THE ARC OF SAID CURVE TAVING A CENTRAL ANGLE OF 4'06'47" AND A CHORD THAT BEARS S.68'22'10"E. A DISTANCE OF 579.05 FEET, SAID CURVE TAVING OF A 20.00—FOOT RADIUS TANGENT REVERSE CURVE TO THE LEFT; THENCE ALONG THE ARC OF SAID CURVE A DISTANCE OF 31.71 FEET, SAID CURVE TAVING A CENTRAL ANGLE OF 90'49'50" AND A CHORD THAT BEARS N.86'46'08"E. A DISTANCE OF 31.71 FEET; THENCE N.41'21'13" A DISTANCE OF 150.79 FEET TO SAID CURVE A DISTANCE OF A 727.00—FOOT RADIUS TAVING A CENTRAL ANGLE OF 64'03'1" AND A CHORD THAT BEARS N.86'46'08"E. A DISTANCE OF 150.79 FEET THENCE N.81'21'13" A DISTANCE OF 150.79 FEET TO SAID CURVE A DISTANCE OF 822.75 FEET, SAID CURVE HAVING A CENTRAL ANGLE OF 64'03'1" AND A CHORD THAT BEARS N.88'55'57"E. A DISTANCE OF 779.54 FEET; THENCE N.31'8 AND A CHORD THAT BEARS N.88'55'57"E. A DISTANCE OF 779.54 FEET; THENCE N.31'8 AND A CHORD THAT BEARS N.88'55'57"E. A DISTANCE OF 779.54 FEET; THENCE N.31'8 AND A CHORD THAT BEARS N.88'55'57"E. A DETANCE OF 779.54 FEET; THENCE DE 29'18"W. A DISTANCE OF 1319.74 ERET TO A POINT OF CURVATURE OF A 1300.00-FOOT RADIUS TANGENT CURVE TO THE RICHT; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 1817.57 FEET, SAID CURVE HAVING A CENTRAL ANGLE OF 80'06'25" AND A CHORD THAT BEARS N.16'33'54"E. A DISTANCE OF 1673.10 FEET; THENCE N.56'37'07"E. A DISTANCE OF 55.43 FEET TO A POINT OF CURVATURE OF A 730.00-FOOT RADIUS TANGENT CURVE TO THE LEFT; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 427.46 FEET, SAID CURVE HAVING A CENTRAL ANGLE OF 33'33'01" AND A CHORD THAT BEARS N.39'50'36"E. A DISTANCE OF 421.38 FEET THENCE S.89'05'24"E. A DISTANCE OF 75.04 FEET TO THE MOINT OF BEGINNING. CONTAINING 10.50 ACRES. BASIS OF BEARING NO1'02'04"E. 2644.87 FEET BETWEEN THE SOUTHEAST CORNER AND THE CAST QUARTER CORNER OF SAID SECTION 20.



20180050579 Page 3 of 3 12/26/2018 09:30:03 AM Washington county ACKNOWLEDGMENT-TOQUERVILLE ENTERPRISES, LLC CONOMEDIMENT-C. PAUL & LOUISE P. SPENDLONE TRUST SPILSBURY CATTLE CO. 1. LLC IN WITHERS HOTEOF WE HAVE NEREWHTO SET OUR HANDS THIS PAUL & LOUISE P. SPENOLOVE TRUST NOMLEDGMENT-SPILSBURY CATTLE CO. 1, LLC ... COPPER ROCK PARKWAY AND 2100 WEST OMMERS' DEDICATION

LES OF THE STREET STATE OF THE STREET RESD PER UTAH CODE 46-1-16 (6) IF THE AGONE MEDINATION MEET PER UTAH CODE 48-1-16 (6) IF THE ABOVE HETSHIATION ACKNOWLEDGMENT-TOQUERVALLE ENTERPRISES (LC ROADWAY DEDICATION PLAT FOR COPPER ROCK PARKWAY AND 2100 WEST PROJECTIONS 20 AND 29 T 42 S R 13 W SLB&M 100 46-1-18 (B) IF THE ABOVE WEDGWATED SE 1/4 OF THE NE 1/4 SECTION 29, T 42 S, R 13 W, S.L. SCALE 1" = N.00'39'43"E. 2630.82"(SECTION (õ CURVE TABLE Northern
ENGINEERING INC NE 1/4 OF THE SE 1/4 N, 29. T 42 S. R 13 W, S.L.B.&M. ROADWAY DEDICATION PLAT FOR COPPER ROCK PARKWAY AND 2100 WEST