

DOC # 20210066230

Agreement Page 1 of 29  
 Gary Christensen Washington County Recorder  
 10/12/2021 01:11:06 PM Fee \$ 0.00  
 By ST GEORGE CITY

MAIL RECORDED COPY TO  
 OWNER:



AND MAIL RECORDED COPY TO:

St. George City  
 175 East 200 North  
 St. George, UT 84770

Tax ID: SG-6-2-27-429

**CITY OF ST. GEORGE LONG-TERM STORMWATER MAINTENANCE  
 AGREEMENT WITH VISIONARY HOMES 2020 LLC FOR SALARNO HILLS AT  
 DIVARIO**

This Long-Term Stormwater Maintenance Agreement (“Agreement”) is made and entered into this 25 day of August, 2021, by and between the City of St. George, a municipal corporation, with offices at 175 East 200 North, St. George, Utah 84770 (“City”), and Visionary Homes 2020 LLC, with offices at 50 E 2500 N # 101, Logan, Ut 84341 (“Owner”).

**RECITALS**

**WHEREAS**, City is authorized and required to regulate and control the disposition of storm and surface waters within its boundaries, as set forth in the City of St. George Code, Stormwater Management, Title 9 Chapter 14, as amended (“Ordinance”), adopted pursuant to the Utah Water Quality Act, and pursuant to City’s MS4 Permit which requires stormwater runoff to be managed by the use of Stormwater Facilities and best management practices; and

**WHEREAS**, Owner owns real property located in the City of St. George, Washington County, Utah and more particularly described in Exhibit A and incorporated herein as part of this Agreement (“Property”); and

**WHEREAS**, Owner recognizes that post construction storm water facilities (“Facilities”) shall be installed or were installed pursuant to the approved development plans and specifications for the Property and must be maintained; and

**WHEREAS**, City and Owner have determined that it is in the best interest of the health, safety and welfare of the citizens of the City that the Facilities be constructed and maintained on the property and that Owner must maintain those Facilities.

**AGREEMENT**

**NOW, THEREFORE**, in consideration of the foregoing, the mutual covenants contained herein, and the following terms and conditions, the parties hereto agree as follows:

1. **RECITALS.** The Recitals above are hereby incorporated as part of this Agreement and are binding on the parties.
2. **FACILITIES.** The Facilities shall be or have been constructed by Owner in accordance with the approved plans and specifications for the development. Owner shall, at its sole cost and expense, operate and maintain the Facilities in good working condition and in accordance with the Schedule of Long-Term Maintenance Activities agreed hereto and attached as Exhibit B. Owner shall report biennially to the City on the City's approved forms or City's online reporting system detailing compliance with the requirements of this Agreement. Owner's Long-Term Stormwater Management Plan, (LTSWMP), is attached as Exhibit C. The LTSWMP must be adapted when site conditions and operations change and when existing programs are ineffective. Owner shall maintain the Property in compliance with this plan. When the plan is updated, the new LTSWMP shall be filed with the City Public Works Department and shall replace the LTSWMP on file with the City. The updated LTSWMP shall not be recorded.
3. **ACCESS AND INSPECTIONS.** Owner hereby grants permission to City, its authorized agents and employees, to enter upon the Property to inspect the Facilities whenever City deems necessary. City shall not unreasonably interfere with the business operations on Property. Except in case of an emergency, City shall give at least a 24-hour notice to Owner prior to entry. Notice may be given by posting the Property. Facilities shall be maintained in a manner that makes them available for inspection and maintenance. All inspections shall be conducted in a reasonable manner and at reasonable times. The purpose of the inspection shall be to determine and insure that the Facilities are adequately maintained, are continuing to perform in an adequate manner, and are in compliance with all City requirements.
4. **FAILURE TO MAINTAIN.** In the event Owner fails to maintain the Facilities in good working order and in a manner that makes them available for inspection, City shall give written notice to Owner to cure such defects or deficiencies with a reasonable time frame for compliance. If Owner fails to comply within the timeframe, City may enter the Property to cure the defects.
5. **RIGHT TO CURE DEFECTS.** Owner hereby authorizes City, its authorized agents and employees, to enter upon the Property to cure the defects if Owner has failed to cure them within the reasonable time frame given for compliance. In case of an emergency, City may enter the Property immediately, without notice, and make the repairs. Owner is solely liable for maintenance of the Facilities. It is agreed that City shall have the right, but not the obligation, to elect to perform any or all of the maintenance activities if, in the City's sole judgment, Owner has failed to perform the same. City makes no representation that it intends to or will perform any of the maintenance activities and any election by City to perform any of the maintenance activities, shall in no way relieve Owner of its continuing maintenance obligations under this Agreement. If City elects to perform any of the maintenance activities, City shall be deemed to perform such work without warranty or representation as to the safety or effectiveness of such work, the work shall be deemed to be accepted by Owner "as is" and shall be covered by Owner's indemnity provisions below. If City performs any of the necessary maintenance activities Owner shall pay all of City's

reasonable costs incurred in performing those necessary maintenance activities. Owner's obligation to pay City's costs of performing necessary maintenance activities is a continuing obligation.

6. **COSTS**. Owner shall reimburse City within thirty (30) days of receipt of an invoice for the costs incurred by City in performing necessary maintenance activities. If not paid within the prescribed time period, City shall have the right to file a lien against the Property in the amount of such reasonable costs. The actions described in this section are in addition to and not in lieu of any and all legal remedies available to City as a result of Owner's failure to maintain the Facilities.
7. **NO ADDITIONAL LIABILITY**. It is the intent of this Agreement to insure the proper maintenance of the Facilities by the Owner. This Agreement shall not be deemed to create or affect any additional liability of any party for damage alleged to result from or caused by storm water runoff.
8. **EXHIBITS**. All exhibits/figures attached hereto are incorporated as part of this Agreement, except updates to Exhibit C shall not be recorded but shall be kept at the City Public Works Department.
9. **AGREEMENT TO RUN WITH THE LAND**. This Agreement shall be recorded at the Recorder's Office of Washington County and shall constitute a covenant running with the land and shall be binding on Owner only for such time as Owner holds title to the Property and shall run with the land and pass to subsequent owners while they own the Property.
10. **COMPLIANCE WITH APPLICABLE LAWS**. Owner expressly acknowledges and agrees that nothing in this Agreement shall be deemed to relieve Owner from any obligation to comply with all applicable requirements of City, state and federal law including the payment of fees and compliance with all other applicable ordinances, resolutions, regulations, policies and procedures of City, except as modified, waived or declared in this Agreement.
11. **INTEGRATION**. This Agreement contains the entire Agreement with respect to the subject matter hereof and integrates all prior conversations, discussions or understanding of whatever kind or nature and may only be modified by a subsequent writing duly executed by the parties hereto. In the event of a conflict between this Agreement and any other documents with Owner, this Agreement shall govern.
12. **RESERVED LEGISLATIVE POWERS**. Nothing in this Agreement shall limit the future exercise of the police power by the City in enacting zoning, subdivision, development, transportation, environmental, open space and related land use plans, policies, ordinances and regulations after the date of this Agreement. This Agreement is not intended to and does not bind the St. George City Council in the independent exercise of its legislative discretion with respect to such zoning regulations.
13. **INDEMNITY AND LIABILITY**. City shall not be liable for Owner's stormwater or the

Facilities. Owner shall indemnify, defend and hold harmless City, employees, elected officials, officers, and agents to the extent each of them is acting in their official capacity on behalf of the City (collectively "City") against all claims, demands, causes or action, suits or judgments, including but not limited to all claims, demands, causes of action, suits or judgments for death or injuries to persons or for loss of or damage to property, arising out of Owner's breach of this Agreement. Notwithstanding, this indemnification obligation shall not include an indemnification of the City for claims, demands, causes or action, liabilities, damages, suits or judgments arising out of the City's negligence. In the event of any such claims made or suits filed against City, City shall give Owner prompt written notice. Owner agrees to defend against any such claims brought or actions filed against City, whether such claims or actions are rightfully or wrongfully brought or filed. Owner agrees that City may employ attorneys of its own selection to appear and defend the claim or action on its own behalf at the expense of Owner. Said attorney fees shall be reasonable and subject to review by Owner. Owner shall be responsible for all reasonable costs associated with any claim, demand, action, suit or judgment including reasonable attorney fees for which they indemnify or defend City. If any judgment or claims are entered against City, its authorized agents or employees, Owner shall pay for all reasonable costs and expenses in connection herewith.

14. **COMMON INTEREST DEVELOPMENTS.** If the Property is developed as a Common Interest Development which is defined as membership in or ownership of an "Association" which is responsible for some or all of the commonly owned or controlled area , then the following provisions shall apply during such time as the Property is encumbered by a "Declaration", and the Common Area is managed and controlled by the Association:
  - (a) The Association, through its Board of Directors, shall assume full responsibility to perform the maintenance activities required pursuant to this Agreement, and shall undertake all actions and efforts necessary to accomplish the maintenance activities, including but not limited to, levying regular or special assessments against each member of the Association sufficient to provide funding for the maintenance activities, conducting a vote of the membership related to such assessments if required.
  - (b) No provision of the Declaration, nor any other governing document of the Association or grant of authority to its members, shall grant or recognize a right of any member or other person to alter, improve, maintain or repair any of the Property in any manner which would impair the functioning of the Facilities. In the event of any conflict between the terms of this Agreement and the Declaration or other Association governing documents, the provisions of this Agreement shall prevail.
15. **NO WAIVER OF GOVERNMENTAL IMMUNITY.** Nothing in this Agreement is intended to or shall be deemed to be a waiver of the City's governmental immunity as set forth in applicable statutory law and case law except as otherwise set forth herein.
16. **GOVERNING LAW AND VENUE.** This Agreement shall be construed according to the laws of the State of Utah. The parties agree that jurisdiction and venue for all legal actions, unless they involve a cause of action with mandatory federal jurisdiction, shall be the Fifth District Court, Washington County, State of Utah. The parties further agree that the Federal District Court for the District of Utah shall be the venue for any cause of action with mandatory federal jurisdiction.

17. **LEGAL FEES.** Should any party default on any of the covenants or agreements contained herein, the defaulting party shall pay all costs and expenses, including reasonable attorney's fees, which may arise or accrue from enforcing this Agreement or in pursuing any remedy provided hereunder or by applicable law, whether such remedy is pursued by filing a lawsuit or otherwise. This obligation of the defaulting party to pay costs and expenses includes, without limitation, all costs and expenses, including reasonable attorney's fees incurred for appeals and bankruptcy proceedings. If either party commences legal action to interpret any term of this Agreement, the prevailing party shall be entitled to recover all reasonable attorneys' fees, court costs, and any other costs incurred in connection with such action.
18. **NOTICES.** All notices required herein, and subsequent correspondence in connection with this Agreement shall be mailed to the following:

City of St. George  
Attn: City Attorney  
175 East 200 North  
St. George, Utah, 84770

Visionary Homes 2020 LLC  
Attn: Jeffrey Jackson  
Name 50 E 2500 N # 101  
Logan, Utah 84341

Such notices shall be deemed delivered following the mailing of such notices in the United States mail. Adequate notice shall be deemed given at the addresses set forth herein unless written notice is given by either party of a change of address.


19. **SUCCESSORS AND ASSIGNS.** Owner shall not assign, sublet, sell, transfer, or otherwise dispose of any interest in this Agreement, including to any type of owner's association, without assigning the rights and the responsibilities under this Agreement. This Agreement shall be binding upon and inure to the benefit of the parties hereto, their successors and permitted assigns, but shall not inure to the benefit of any third party or other person.
20. **NO JOINT VENTURE, PARTNERSHIP OR THIRD-PARTY RIGHTS.** It is not intended by this Agreement to, and nothing contained in this Agreement shall, create any partnership, joint venture or other arrangement between the parties. No term or provision of this Agreement is intended to or shall be for the benefit of any person, firm, organization or corporation not a party hereto, and no such other person, firm, organization or corporation shall have any right or cause of action hereunder.
21. **SEVERABILITY.** If any provision of this Agreement is declared invalid by a court of competent jurisdiction, the remaining provisions shall not be affected, and shall remain in full force and effect.
22. **CONSTRUCTION.** Each of the parties hereto has had the opportunity to review this Agreement with counsel of their choosing and the rule of contracts requiring interpretation of a contract against the party drafting the same is hereby waived and shall not apply in interpreting this Agreement.


23. **SURVIVAL.** It is expressly agreed that the terms, covenants and conditions of this Agreement shall survive any legal act or conveyance required under this Agreement.
24. **HEADINGS.** The section and other headings in this Agreement are for reference purposes only and shall not in any way affect the meaning or interpretation of this Agreement.
25. **COUNTERPARTS.** This Agreement may be executed in counterparts each of which shall be an original and shall constitute one and the same agreement.
26. **AUTHORITY OF PARTIES.** The parties executing this Agreement hereby warrant and represent that they are duly authorized to do so in the capacity stated.

IN WITNESS WHEREOF, the parties have executed this Agreement the day and year first above written.


CITY: CITY OF ST. GEORGE

OWNER: Visionary Homes 2020 LLC


  
Michele Randall, Mayor

  
Jeffrey Jackson CEO

ATTESTED:

  
Christina Fernandez, City Recorder

Approved as to form;

  
Paula Houston, Deputy City Attorney



STATE OF UTAH )


ss.

County of Washington )

  
Cassandra Warren

On the 7<sup>th</sup> day of October 2021 before me, Michele Randall, a notary public, personally appeared Michele Randall proved on the basis of satisfactory evidence to be the person whose name is subscribed to in this document, and acknowledged he/she executed the same voluntarily for its stated purpose.

  
Notary Public



## Acknowledgment

State of Utah )

County of Cache )

On this 25 day of August, in the year 2021, before me, Shama Heaps a notary  
date month year notary public name

public, personally appeared Jeffrey Jackson, proved on the basis of satisfactory  
name of document signer

evidence to be the person(s) whose name(s) (is/are) subscribed to this instrument, and acknowledged

(he)she/they executed the same.

Witness my hand and official seal.

Shama Heaps  
(notary signature)



(seal)

## LONG-TERM STORMWATER MAINTENANCE AGREEMENT

### EXHIBIT A

#### Legal Description(s)

Parcel SG-6-2-27-429

**LEGAL DESCRIPTION –(AS SHOWN ON WASHINGTON COUNTY RECORDS)**  
**Beginning at the Southwest Corner of Sections 27, Township 42 South, Range 16**  
**West, Salt Lake Base & Meridian, and running;**  
thence North 88°32'37" West 136.72 feet along the section line;  
thence North 39°29'26" East 285.88 feet;  
thence South 50°30'34" East 41.71 feet;  
thence North 39°29'26" East 369.00 feet;  
thence North 50°30'34" West 241.49 feet;  
thence Northwest 274.86 feet along an arc of a 752.00 foot radius curve to  
the left (center bears South 39°29'26" West, long chord bears North 60°58'49"  
West 273.33 feet with a central angle of 20°56'30");  
thence North 71°27'05" West 394.60 feet to the easterly line of Cecita Crest at  
Divario Phase 1;  
thence North 44°21'12" East 16.66 feet along said easterly line of Cecita Crest  
at Divario Phase 1;  
thence South 71°27'05" East 139.15 feet;  
thence North 18°32'55" East 33.00 feet;  
thence South 71°27'05" East 248.20 feet;  
thence Southeast 292.40 feet along an arc of a 800.00 foot radius curve to  
the right (center bears South 18°32'55" West, long chord bears South 60°58'49"  
East 290.78 feet with a central angle of 20°56'30");  
thence South 50°30'34" East 847.75 feet;  
thence South 39°29'26" West 735.28 feet;  
thence South 88°08'26" West 263.80 feet;  
thence North 16°50'43" West 117.50 feet;  
thence North 11°16'48" East 218.07 feet;  
thence North 37°07'51" West 145.31 feet to the Point of Beginning.  
Containing 508,633 square feet or 11.67 acres.

## LONG-TERM STORMWATER MAINTENANCE AGREEMENT

### Exhibit B

#### Schedule of Long-Term Maintenance Activities City of St. George, Utah

Activity	Frequency	Notes
Inspection	Biennial	Owner shall report biennially to the City on the City's approved forms or City's online reporting system, detailing compliance with the requirements of this Agreement.
Mowing and maintenance of vegetation	Variable, depending on vegetation and desired aesthetics	Landscaping and vegetation should be cared for throughout the year to ensure that proper sediment removal and infiltration is maintained. All trimmings shall be removed from the Property.
Remove trash and debris	As needed or following each storm	Trash and debris shall be removed from the Property regularly to ensure that the Facilities function properly and operate effectively. Trash often collects at inlet and outlet structures. These need to be cleaned regularly.
Inspect and maintain inlet and outlet structures	Monthly	The inlet and outlet structures should be inspected for damage and proper operation.
Sediment removal	Variable (2-5 years is typical)	The removal of sediment is necessary if the Facilities begin to lose capacity or effectiveness. The Owner will remove and dispose of all accumulated sediments which shall be disposed of properly, offsite.

Salarno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

**EXHIBIT C**

**Long-Term Stormwater Management Plan**

**for:**

Salarno Hills at Divario  
Divario Canyon Drive  
St. George, Utah 84770

**Owner:**

Visionary Homes 2020 LLC  
50 E 2500 N #101  
Logan, Utah 84341  
(435) 994-5702

**Property Manager:**

Visionary Homes 2020 LLC  
50 E 2500 N #101  
Logan, Utah 84341  
(435) 994-5702

**Parcel #:** SG-6-2-27-429 & SG-6-2-27-3311

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

SG-6-2-27-429

S: 27 T: 42S R: 16W S: 28 T: 42S R: 16W S: 34 T: 42S R: 16W DESCRIBED AS:  
BEGINNING AT THE SOUTHWEST CORNER OF SECTION 27, TOWNSHIP 42  
SOUTH, RANGE 16 WEST, SALT LAKE BASE & MERIDIAN, AND RUNNING;  
THENCE NORTH 88°32'37" WEST 136.72 FEET ALONG THE SECTION LINE;  
THENCE NORTH 39°29'26" EAST 285.88 FEET; THENCE SOUTH 50°30'34" EAST  
41.71 FEET;  
THENCE NORTH 39°29'26" EAST 369.00 FEET; THENCE NORTH 50°30'34" WEST  
241.49 FEET; THENCE NORTHWEST 274.86 FEET ALONG AN ARC OF A 752.00  
FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 39°29'26" WEST,  
LONG CHORD BEARS NORTH 60°58'49" WEST 273.33 FEET WITH A CENTRAL  
ANGLE OF 20°56'30"); THENCE NORTH 71°27'05" WEST 394.60 FEET TO THE  
EASTERLY LINE OF CECITA CREST AT DIVARIO PHASE 1; THENCE NORTH  
44°21'12" EAST 16.66 FEET ALONG SAID EASTERLY LINE OF CECITA CREST  
AT DIVARIO PHASE 1; THENCE SOUTH 71°27'05" EAST 139.15 FEET; THENCE  
NORTH 18°32'55" EAST 33.00 FEET; THENCE SOUTH 71°27'05" EAST 248.20  
FEET;  
THENCE SOUTHEAST 292.40 FEET ALONG AN ARC OF A 800.00 FOOT RADIUS  
CURVE TO THE RIGHT (CENTER  
BEARS SOUTH 18°32'55" WEST, LONG CHORD BEARS SOUTH 60°58'49" EAST  
290.78 FEET WITH A CENTRAL  
ANGLE OF 20°56'30"); THENCE SOUTH 50°30'34" EAST 847.75 FEET; THENCE  
SOUTH 39°29'26" WEST 735.28 FEET;  
THENCE SOUTH 88°08'26" WEST 263.80 FEET; THENCE NORTH 16°50'43" WEST  
117.50 FEET; THENCE NORTH 11°16'48" EAST 218.07 FEET; THENCE NORTH  
37°07'51" WEST 145.31 FEET TO THE POINT OF BEGINNING. PROPERTY PHASE  
1 TAKE-DOWN "PA-9" (LABELED AS SUCH FOR REFERENCE PURPOSES  
ONLY)

SG-6-2-27-3311

S: 27 T: 42S R: 16W BEG SW COR SW1/4 SW1/4 SEC 27 T42S R16W TH W 726 FT;  
TH N 600 FT; TH E 1452 FT; TH S 600 FT; TH W 726 FT TO POB.

LESS: (SG-6-2-27-312) BEGINNING AT A POINT ON THE EASTERLY LINE OF  
VARANO VISTA AT DIVARIO PHASE 2, SAID POINT BEING NORTH 88°32'37"  
WEST 333.55 FEET ALONG THE SECTION LINE AND NORTH 884.50 FEET  
FROM THE SOUTHEAST CORNER OF SECTION 28, TOWNSHIP 42 SOUTH,  
RANGE 16 WEST, SALT LAKE BASE & MERIDIAN, AND RUNNING; THENCE  
NORTH 18°32'55" EAST 48.00 FEET; THENCE SOUTH 71°27'05" EAST 248.20  
FEET; THENCE SOUTHEAST 142.17 FEET ALONG AN ARC OF A 848.00 FOOT  
RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 18°32'55" WEST,  
LONG CHORD BEARS SOUTH 66°38'54" EAST 142.01 FEET WITH A CENTRAL

Salaro Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

ANGLE OF 09°36'21"); THENCE NORTH 14°15'36" EAST 221.11 FEET; THENCE NORTH 73°39'12" EAST 223.53 FEET; THENCE NORTH 58°15'05" EAST 75.70 FEET; THENCE NORTH 88°57'29" EAST 138.15 FEET; THENCE SOUTH 44°59'55" EAST 123.86 FEET; THENCE SOUTH 50°30'34" EAST 476.83 FEET; THENCE SOUTH 41°04'52" EAST 71.95 FEET; THENCE SOUTH 20°55'07" EAST 101.56 FEET; THENCE SOUTH 00°32'57" WEST 104.82 FEET; THENCE SOUTH 22°01'01" WEST 95.01 FEET; THENCE SOUTH 39°29'26" WEST 331.91 FEET; THENCE NORTH 50°30'34" WEST 847.75 FEET; THENCE NORTHWEST 292.40 FEET ALONG AN ARC OF A 800.00 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 39°29'26" WEST, LONG CHORD BEARS NORTH 60°58'49" WEST 290.78 FEET WITH A CENTRAL ANGLE OF 20°56'30"); THENCE NORTH 71°27'05" WEST 248.20 FEET TO POB.

LESS: (SG-6-2-27-429) BEGINNING AT THE SOUTHWEST CORNER OF SECTION 27, TOWNSHIP 42 SOUTH, RANGE 16 WEST, SALT LAKE BASE & MERIDIAN, AND RUNNING; THENCE NORTH 88°32'37" WEST 136.72 FEET ALONG THE SECTION LINE; THENCE NORTH 39°29'26" EAST 285.88 FEET; THENCE SOUTH 50°30'34" EAST 41.71 FEET; THENCE NORTH 39°29'26" EAST 369.00 FEET; THENCE NORTH 50°30'34" WEST 241.49 FEET; THENCE NORTHWEST 274.86 FEET ALONG AN ARC OF A 752.00 FOOT RADIUS CURVE TO THE LEFT (CENTER BEARS SOUTH 39°29'26" WEST, LONG CHORD BEARS NORTH 60°58'49" WEST 273.33 FEET WITH A CENTRAL ANGLE OF 20°56'30"); THENCE NORTH 71°27'05" WEST 394.60 FEET TO THE EASTERLY LINE OF CECITA CREST AT DIVARIO PHASE 1; THENCE NORTH 44°21'12" EAST 16.66 FEET ALONG SAID EASTERLY LINE OF CECITA CREST AT DIVARIO PHASE 1; THENCE SOUTH 71°27'05" EAST 139.15 FEET; THENCE NORTH 18°32'55" EAST 33.00 FEET; THENCE SOUTH 71°27'05" EAST 248.20 FEET; THENCE SOUTHEAST 292.40 FEET ALONG AN ARC OF A 800.00 FOOT RADIUS CURVE TO THE RIGHT (CENTER BEARS SOUTH 18°32'55" WEST, LONG CHORD BEARS SOUTH 60°58'49" EAST 290.78 FEET WITH A CENTRAL ANGLE OF 20°56'30"); THENCE SOUTH 50°30'34" EAST 847.75 FEET; THENCE SOUTH 39°29'26" WEST 735.28 FEET; THENCE SOUTH 88°08'26" WEST 263.80 FEET; THENCE NORTH 16°50'43" WEST 117.50 FEET; THENCE NORTH 11°16'48" EAST 218.07 FEET; THENCE NORTH 37°07'51" WEST 145.31 FEET TO THE POINT OF BEGINNING. PROPERTY PHASE 1 TAKE-DOWN "PA-9" (LABELED AS SUCH FOR REFERENCE PURPOSES ONLY)

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

## **PURPOSE AND RESPONSIBILITY**

As required by the Clean Water Act and resultant local regulations, including St. George Municipal Separate Storm Sewer Systems (MS4) Permit, those who develop land are required to build and maintain systems to minimize litter and contaminants in stormwater runoff that pollute waters of the State.

This Long-Term Stormwater Management Plan (LTSWMP) describes the systems, operations and the minimum standard operating procedures (SOPs) necessary to manage pollutants originating from or generated on this property. Any activities or site operations at this property that contaminate water entering the City's stormwater system, groundwater and generate loose litter must be prohibited, unless SOPs are written to manage those activities or operations, and amended into this LTSWMP.

## **CONTENTS**

**SECTION 1: SITE DESCRIPTION, USE AND IMPACT**

**SECTION 2: TRAINING**

**SECTION 3: RECORDKEEPING**

**SECTION 4 APPENDICES**

---

## SECTION 1: SITE DESCRIPTION, USE AND IMPACT

The site infrastructure at our site is limited at controlling and containing pollutants and our operations if managed improperly can contaminate the environment. This LTSWMP includes standard operations procedures (SOPs) that are intended to compensate for the pollution containment limitations of our site infrastructure and direct our maintenance operations to responsibly manage our grounds.

### **Landscaping**

Property landscape operations can result in grass clippings, leaves, sticks, branches, dirt, mulch, fertilizers, pesticides and other pollutants to fall or be left on paved areas. This waste material will settle in the drainage improvements and solid and dissolved waste in the runoff can pass through the offsite drainage ditch ultimately polluting the Gap Wash. Landscape Maintenance SOPs included in this document will be implemented to reduce pollutants entering into the offsite drainage ditch which outfalls to the Gap Wash.

### **Storm Drain System**

Stormwater and floating debris from the natural areas south of the development generally flow to the offsite drainage ditch. The offsite drainage ditch routes runoff east along the south boundary of the development to the existing offsite stormdrain system. All stormwater generated onsite and routed through the site by the offsite drainage ditch outfalls into the Gap Wash. The Storm Drain Maintenance SOP included with this document should be implemented to reduce pollutants entering into the offsite stormdrain system, protect the Gap Wash, and prevent mosquito breeding.

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

## **SECTION 2: TRAINING**

Ensure that all employees and maintenance contractors know and understand the SOPs specifically written to manage and maintain the property. Maintenance contractors must use the stronger of their Company and the LTSWMP SOPs. File all training records in an attached spreadsheet.

## **SECTION 3: RECORDKEEPING**

Maintain records of operation and maintenance activities in accordance with SOPs. Mail a copy of the record to St. George City Stormwater division annually.

---

## SECTION 4:

Site Drawings and Details  
SOPs  
Recordkeeping Documents

### **Long-Term BMP's inspection and maintenance schedule**


Long-Term BMP's are required to be inspected by a qualified person during the installation to ensure the control is properly installed, with follow up inspections and a maintenance schedule as provided below. A list of BMP's and inspection schedule is shown below as listed in Exhibit B.

<b>List of BMP's</b>	<b>Describe the inspection and maintenance schedule</b>
Streets Maintenance	Weekly walk-through and twice annual comprehensive
Mulch and Soils	Twice annually
Mowing and Trimming	Walkthrough and Clean up following regular maintenance
Fertilizer	Walkthrough and Clean up following each application
Storm Inlets	Twice annually
Cleanout box	Twice annually
Leaves – Autumn Cleanup	Once annually in the fall (prior to cold weather conditions)
Trash and Debris	Twice annually

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

## SITE DRAWINGS AND DETAILS



---

## SOPs

### ***Landscape Maintenance Operations***

#### Standard Operating Procedure

##### **PURPOSE:**

To protect stormwater by properly preventing any solids, liquids or any light weight material from being carried away from the building by wind or water including application of pesticides, herbicides, & fertilizers.

##### **PROCEDURE:**

###### **1. Preparation:**

- a. Make sure to follow all recommended SDS and MSDS instructions before handling any chemicals.
- b. Make sure all pesticide application is conducted following manufacturer's recommendations.
- c. Calibrate fertilizer and pesticide application equipment to avoid excessive application.
- d. Use pesticides only if there is an actual pest problem.
- e. Time and apply the application of fertilizers, herbicides or pesticides according to the manufacturer's recommendation for best results ("Read the Label").
- f. Know the weather conditions. Do not use pesticides if rain is expected within a 24- hour period. Apply pesticides only when wind speeds are low (less than 5mph).

###### **2. Process:**

- a. Follow the manufacturer's recommendations for mixing, applying, and disposing of pesticides ("Read the Label").
- b. Grooming:
  - Lawn Mowing – Immediately following operation sweep or blow clippings onto vegetated ground.
  - Fertilizer Operation – Prevent overspray. Sweep or blow fertilizer onto vegetated ground immediately following operation.
  - Pesticide Operation – Prevent overspray, use spot treatment, sweep or blow dry pesticide onto vegetated ground immediately.
  - Remove or contain all erodible or loose material prior to forecast wind and precipitation events, before any non-stormwater will pass through or over the site.

Salamo Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

- 
- Landscape project materials and waste can usually be contained or controlled by operational BMP's.
  - Operational; including but not limited to:
    - Strategic staging of materials eliminating exposure, such as not staging on pavement
    - Avoiding multiple day staging of landscaping backfill and spoil on pavements
    - Haul off spoil as generated or daily
    - Scheduling work when weather forecasts are clear.

**3. Cleanup**

- a. Remove or contain all erodible or loose material prior forecast wind and precipitation events, before any non-stormwater will pass through and over the project site and at end of work period. Light weight debris and landscape materials can require immediate attention when wind expected.
- b. Landscape project materials and waste can usually be contained or controlled by operational best management practices.
- Operational; including but not limited to:
  - Strategic staging of materials eliminating exposure, such as not staging on pavement
  - Avoiding multiple day staging of landscaping backfill and spoil on pavements
  - Haul off spoil as generated or daily
  - Scheduling work when weather forecasts are clear.
- Use dry cleanup methods, e.g. square nose shovel and broom and it is usually sufficient when no more material can be swept onto the square nosed shovel.
- Power blowing tools

**4. Waste Disposal:**

- a. Dispose of waste according to Building Waste Management SOP, unless superseded by specific SOPs for the operation.

**5. Equipment:**

- a. Tools sufficient for proper containment of pollutants and cleanup.
- b. Push broom and square blade shovel should be a minimum.

**6. Training:**

- a. Annually and at hire
- b. Landscape Service Contractors must have equal or better SOPs.

---

## ***Storm Drain Maintenance Operations***

### **Standard Operating Procedure**

#### **PURPOSE:**

To prevent pollution of stormwater from sediment and debris.

#### **PROCEDURE:**

**1. Preparation:**

- a. Train all employees at hire and annually.
- b. Locate Storm Drain
- c. Inspect for need

**2. Process:**

- a. Schedule cleaning for boxes and pipe that contain 2" or more of sediment and debris.
- b. Remove debris by vacuum operated machinery
- c. When accumulations are mostly floating debris this material can be removed with a net.

**3. Cleanup**

- a. Dispose of waste collected by machinery at regulated facilities.
- b. Floating materials and floating absorbent materials may be disposed in dumpster when dried out. Dry dirt and slurry may also be disposed in the dumpster.
- c. Disposal of hazardous waste
  - i. Dispose of hazardous waste at regulated disposal facilities, see Waste Management and Spill Control SOP
  - ii. Disposal of waste collected from sanitary sewer device at regulated facilities.

---

## General Construction Maintenance

### Standard Operating Procedure

#### PURPOSE:

To prevent any solids, liquids or light-weight materials from being carried away from the construction or maintenance project by wind or water to the storm drain.

#### PROCEDURE:

##### 1. Preparation:

- a. This SOP should provide sufficient direction for many of the general operations, e.g., building maintenance, curb/sidewalk/flatwork, overlay/patching, landscape renovations, misc. maintenance/repairs, etc.
- b. Training at hire and annually.

##### 2. Process:

- a. Remove or contain all erodible or loose material prior forecast wind and precipitation events or before non-stormwater will pass through the project site. For light weight debris maintenance can require immediate attention for wind events and many times daily maintenance or as needed for precipitation or non-stormwater events.
- b. Project materials and waste can be contained or controlled by operational or structural best management practices.
  - Operational; including but not limited to:
    - Strategic staging of materials eliminating exposure, such as not staging on pavement
    - Avoiding multiple day staging of backfill and spoil
    - Haul off spoil as generated or daily
    - Schedule work during clear forecast
  - Structural; including but not limited to:
    - Inlet protection, e.g. wattles, filter fabric, drop inlet bags, boards, planks
    - Gutter dams, e.g. wattles, sandbags, dirt dams
    - Boundary containment, e.g. wattles, silt fence
    - Dust control, e.g. water hose,
    - Waste control, e.g. construction solid or liquid waste containment, dumpster, receptacles
- c. Inspection often to insure the structural best management practices are in good operating condition and at least prior to the workday end. Promptly repair damaged best management practices achieving effective containment.

##### 3. Cleanup:

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

- 
- a. Use dry cleanup methods, e.g. square nose shovel and broom.
  - b. Wet methods are allowed if wastewater is prevented from entering the stormwater system, e.g. wet/dry vacuum, disposal to our landscaped areas.
  - c. When a broom and a square nosed shovel cannot pick any appreciable amount of material.
  - d. Dispose of waste according to General Waste Management SOP, unless superseded by specific SOPs for the operation.
  - e. Never discharge waste material to storm drains

---

## Spill Control

### Standard Operating Procedure

#### PURPOSE:

To protect stormwater by educating employees on proper spill cleanup procedures, state reporting requirements, and preventative actions.

#### PROCEDURE:

1. Always:
  - a. Stop the source of the spill, if possible, to safely do so.
  - b. Contain any liquids, if possible, to safely do so.
  - c. Cover the spill with absorbent material such as kitty litter, sawdust, or oil absorbent pads. Do not use straw or water (See SOP #8 Petroleum and Chemical Disposal).
  - d. Petroleum spills involve, but are not limited to: crude oil, gasoline, various fuel oils, lubricating oil, hydraulic oil, asphaltic residuals.
  - e. Report a petroleum spill (435) 627-4142 if:
    - i. The spill is greater than 25 gallons, or
    - ii. The spill cannot be immediately contained, or
    - iii. The spill and/or contamination cannot be completely removed within 24 hours, or
    - iv. There is an impact or potential impact to ground/surface water.
    - v. IF IN DOUBT, REPORT THE SPILL!
  - f. Hazardous materials spills involve non-oil spills that pose a threat to human health or the environment, such as chemical releases.
    - i. Report any discharge of hazardous waste immediately (within one hour) to local emergency officials (fire department), then contact Health Department Emergency Response Team (435) 673-3528.
    - ii. Contact local fire department (435) 627-4150
    - iii. Develop and maintain a Spill Prevention, Control, and Countermeasure (SPCC) Plan if the facility stores more than 1,320 gallons of petroleum.
  - g. Fit petroleum and chemical storage containers with secondary containment structures.
  - h. Keep a spill kit in areas where petroleum or hazardous materials are stored.
  - i. Train employees in spill response procedures and equipment.
  - j. Deploy containment booms if spill could potentially reach a storm drain or water body.
  - k. Position mats to contain drips from equipment or vehicles until they can be repaired.

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

2. Cleanup:

- a. NEVER WASH SPILLS TO THE STORM DRAIN SYSTEM
- b. Clean per SDS requirements but generally most spills can be cleaned up according to the following:
  - Absorb liquid spills with spill kit absorbent material, sand or dirt until liquid is sufficiently converted to solid material.
  - Remove immediately using dry cleanup methods, e.g. broom and shovel, or vacuum operations.
  - Cleanup with water and detergents may also be necessary depending on the spilled material. However, the waste from this operation must be vacuumed or effectively picked up by dry methods. See Pavement Washing SOP.
  - Repeat process when residue material remains.
  - c. Follow SDS requirements but usually most spills can be disposed per the following b. & c.
  - d. Generally, most spills absorbed into solid forms can be disposed to the dumpster and receptacles. Follow Waste Management SOP.
  - e. Generally, Liquid waste from surface cleansing processes may be disposed to the sanitary sewer system after the following conditions have been met:
- Dry cleanup methods have been used to remove the bulk of the spill and disposed per the Waste Management SOP.
- The liquid waste amounts are small and diluted with water. This is intended for spill cleanup waste only and never for the disposal of unused or spent liquids.

3. Documentation:

- a. Document all spills in spreadsheet.

4. SDS sheets:

- a. SDS Manual is filed in break room.

5. Materials:

- a. Generally, sand or dirt will work for most cleanup operations and for containment. However, it is the responsibility of the owner to select the absorbent materials and cleanup methods that are required by the SDS Manuals for chemicals used by the company.

8. Training:

- a. Annually and at hire.

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

## PLAN RECORDKEEPING DOCUMENTS

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

---

### MAINTENANCE/INSPECTION SCHEDULE

Frequency	Site Infrastructure.
W	Weekly Cleaning/Maintenance
M, S	Storm Inlets
M, S	Landscape Areas
W	Streets
M, S	Offsite drainage ditches

Inspection Frequency Key: A=annual, Q=Quarterly, M=monthly, W=weekly,  
S=following appreciable storm event, U=Unique infrastructure specific (specify)

### RECORD INSPECTIONS IN THE MAINTENANCE LOG

Inspection Means: Either; Traditional walk through, Awareness/Observation, and during regular maintenance operations while noting efficiencies/inefficiencies/concerns found, etc.

**Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021**

## MAINTENANCE LOG

Contact the Stormwater Division for an example of a maintenance/inspection log.

## Annual Summary of LTSWMP effectiveness, inefficiencies, problems, necessary changes etc.

\*You may create your own form that provides this same information or request a word copy of this document.

Salerno Hills at Divario  
Long-Term Stormwater Management Plan  
September 2021

## Annual SOP Training Log per Section 2

\*You may create your own form that provides this same information or request a word copy of this document.