-m-6200-1

PAGE (*) INDEX () ABSTRACT () PLAT (CHECK ()

WARRANTY DEED

00213670 BK 00422 Pg 00646-00653
WASATCH CO RECORDER-ELIZABETH M PARCELL
1999 MAY 04 15:03 PM FEE \$25.00 BY MUC
REQUEST: FOUNDERS TITLE COMPANY

THOMAS TIMMERMAN AND LESLIE TIMMERMAN, husband and wife, of Salf Lake. State of Utah, Grantors, hereby sell and convey to the UNITED STATES OF AMERICA, Grantee, acting pursuant to the provisions of the Act of June 17, 1902 (32 Stat. 388) and the Act of April 11, 1956 (70 Stat. 105), and acts amendatory thereof or supplementary thereto, and pursuant to the provisions of the Reclamation Projects Authorization Act of 1992 (Public Law 102-575), for the sum of Fifteen Thousand Six Hundred Seventy. Dollars (\$15,670.00), real estate situated in the County of Wasatch, State of Utah, being more particularly described as follows.

PARCEL NO. WCWEP-W-0655 (Fee Title)

A parcel of land located in the Northeast Quarter (NE¼) of Section Twenty-nine (29), Township Three (3) South, Range Five (5) East, Salt Lake Base and Meridian encompassing all of said property east of the Wasatch canal and being more particularly described as follows:

Beginning at a point which is North Five Hundred Seventy-four and Two-tenths (574.2) feet and East Five Hundred Twenty-eight (528.0) feet, more or less, from the Southwest corner of the Northeast quarter (NE¼) of Section Twenty-nine (29), Township Three (3) South, Range Five (5) East, Salt Lake Base and Meridian; thence West Sixty-six and Eight-tenths (66.8) feet; thence South 38° 00' 44" East Forty-three and Nine-tenths (43.9) feet; thence North 49° 20' 00" East Fifty-two and Seven-tenths (52.7) feet to the point of beginning.

Parcel No. WCWEP-W-0655 (Fee) contains a total of Twenty-six thousandths (0.026) of an acre, more or less.

Together with all appurtenances thereto belonging or in anywise appertaining

Parcel No. WCWEP-W-0655(P) (Perpetual Easement)

All that portion of the Thomas Timmerman and Leslie Timmerman property, situate in the Southwest Quarter of the Northeast Quarter (SW¼NE¼) of Section Twenty-nine (29), Township Three (3) South, Range Five (5) East, Salt Lake Base and Meridian, included within a strip of land Sixty-five (65.00) feet wide, Twenty-five (25.00) feet right or Westerly and Forty (40.00) feet left or Easterly from the center line of the Wasatch Canal, from Station 186+54 to 189+03:

Beginning at a point in the centerline of the Wasatch Canal (Station 186+54), as said centerline is depicted on the attached Exhibit A (attached hereto and by this reference made a part hereof), which point is Two Thousand Eighty-three and Three

Hundredths (2083.03) feet South and Four Hundred and Sixty-seven and Eighty-six Hundredths (467.86) feet East from the North Quarter corner of said Section Twenty-nine (29) (Original Stone); thence Southeasterly Twenty-four and Ninety-two Hundredths (24.92) feet along the arc of a Two Hundred Eighty-one and Forty Hundredths (281.40) -foot radius curve to the left (chord bears South 38°45'29" East, Twenty-four and Ninety-one Hundredths (24.91) feet) to the point of reverse curvature of a Four Hundred Thirty-three and Forty-six Hundredths (433.46) foot radius curve; thence Southeasterly Eighty-three and Ninety-nine Hundredths (83.99) feet along the arc of said curve; thence South 30°11'33" East, One Hundred Forty and Twenty-six Hundredths (140.26) feet to a point (Station 189+03) Twenty One Hundred Twelve and Forty-five Hundredths (2112.45) feet West and Three Thousand Twenty-six and Fifty-five Hundredths (3026.55) feet North from the Southeast corner of said Section Twenty-nine (29) (Brass Cap).

Less that portion that lies within the Valley Properties property as described and recorded as Entry No. 191253, in Book 338, at pages 208-209 in the office of the Wasatch County Recorder, Utah.

The sideline boundaries of said strip are to be shortened or extended so as to begin on said northerly boundary line and end on said southerly boundary line of said property boundary.

Parcel No. WCWEP-W-0655(P) contains a total of Twenty-eight Hundredths (0.28) of an acre more or less.

Parcel No. WCWEP-W-0655(Fee), and WCWEP-W-0655(P), contains a total of Three Hundred and Six Thousandths (0.306) of an acres, more or less.

Together with all appurtenances thereto belonging or in anywise appertaining.

Excepting and reserving from said conveyance any coal, oil, gas, and other mineral rights (but not sand and gravel) owned by the Grantors in the above-described land, together with the right to prospect for and remove the same, but any rights reserved hereunder shall be exercised in such a manner as will not interfere with the construction, reconstruction, operation and maintenance of the Wasatch Canal. It is agreed that any exploration or exploitation of such coal, oil, gas, and other minerals shall be approved, in writing, by the Secretary of the Interior or his duly-authorized representative.

Subject to coal, oil, gas, and other minerals reserved to or outstanding in third parties as of the date of this deed; also subject to rights-of-way for roads, railroads, telephone lines, transmission lines, ditches, conduits, or pipelines on, over, or across said lands in existence on such date.

This property is acquired by the Bureau of Reclamation, Department of the Interior, for the United States.

00213570 BK 00422 Fg 00647

WITNESS the hand of said Grantors this 15 day of Apeic A.D., 1999.

Thomas Timmerman, Grantor


Leslie Timmerman, Grantor


ACKNOWLEDGMENT

State of	
)	SS.
County of)
me Thomas Timmern individuals, described	day of, 19 99, personally appeared before nan and Leslie Timmerman to me known to be the individual, or in and who executed the within and foregoing instrument, and signed the same as free and voluntary act and deed, for the erein mentioned.
IN WITNESS the day and year first	WHEREOF, I have hereunto set my hand and affixed my official seal above written.
(SEAL)	Notary Public in and for the State of Residing at



ANNIE M MOFE 179 Public - State of Uta 189 SOUTH 420 EAST NANDY, UT 84070 1M. EXP. 11-26-2002






DEGINNING AT A POINT 13.52 FEET WEST AND 1064.87 FEET SOUTH FROM THE NORTH QUARTER CORNER OF SECTION 29, T.3S., R.SE., S.L.B.&M.: THENCE SOUTHEASTERLY 106.56 FEET ALONG THE ARC OF A 54.00—FOOT RADIUS CURVE TO THE LEFT (CHORD BEARS S. 32-52-00" E. 90.09 FEET; THENCE S. 89-23'47" E. 42.4 FEET TO THE POINT OF TANGENCY OF A 22.00—FOOT RADIUS CURVE; THENCE S. DITAGENCY OF A 22.00—FOOT RADIUS CURVE; THENCE S. DITAGENCY OF A 22.00—FOOT RADIUS CURVE TO THE LEFT; THENCE SOUTHEASTERLY 46.42 FEET ALONG THE ARC OF SAID CURVE; THENCE S. 31'30'19" W. 70.94 FEET TO THE POINT OF TANGENCY OF A 112.00—FOOT RADIUS CURVE TO THE LEFT; THENCE SOUTHERLY 144.01 FEET ALONG THE ARC OF SAID CURVE; THENCE S. 42'10'00" E. 59.82 FEET TO THE POINT OF TANGENCY OF A 67.58—FOOT RADIUS CURVE TO THE RIGHT; THENCE SOUTHEASTERLY 23.11 OF A 67.58—FOOT RADIUS CURVE TO THE RIGHT; THENCE SOUTHEASTERLY 23.11 OF TANGENCY OF A 479.40—FOOT RADIUS CURVE TO THE RIGHT; THENCE SOUTHEASTERLY 77.22.1 FEET ALONG THE ARC OF SAID CURVE; THENCE S. 15'10'45" E. SOUTHERLY 61.87 FEET ALONG THE ARC OF SAID CURVE; THENCE S. 15'10'45" E. LEFT; THENCE SOUTHEASTERLY 77.22.1 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 77.22.1 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 77.22.1 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 77.22.1 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 78.47 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 78.00 FEET TO THE POINT OF TANGENCY OF A 25.00—FOOT TANGENCY OF A 26.31—FOOT RADIUS CURVE TO THE LEFT; THENCE SOUTHEASTERLY 81.43 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 81.43 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 83.99 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 83.99 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 83.99 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 83.99 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 83.99 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY 83.99 FEET ALONG THE ARC OF SAID CURVE; THENCE SOUTHEASTERLY

FEET ALONG THE ARC OF SAID CURVE; THENCE S. 36°13'11" E. 50.53 POINT OF TANGENCY OF A 387.72-FOOT RADIUS CURVE TO THE LEFT; SOUTHEASTERLY 115.62 FEET ALONG THE ARC OF SAID CURVE: THENCE S. 53°18'20" E. 56.52 FEET TO THE POINT OF TANGENCY OF A 25.00-CURVE TO THE RIGHT: THENCE SOUTHERLY 32.45 FEET ALONG THE ARC CURVE: THENCE S. 21'03'12" W. 185.09 FEET TO THE POINT OF TANGE CURVE: THENCE S. 21'03'12" W. 185.09 FEET TO THE POINT OF TANGE CURVE: THENCE S. 29°21'06" W. 278.15 FEET ALONG THE ARC OF SAID CURVE: THENCE S. 29°21'06" W. 278.15 FEET ALONG THE ARC OF SAID CURVE: THENCE S. SOUTHERLY 58.63 FEET ALONG THE ARC OF SAID CURVE: THENCE S. 308.98 FEET TO THE POINT OF TANGENCY OF A 64.71-FOOT RADIUS CURVE THE POINT OF REVERSE CURVATURE OF A 68.43-FOOT RADIUS CURVE THE POINT OF REVERSE CURVATURE OF A 68.43-FOOT RADIUS CURVE THE POINT OF TANGENCY OF A 107.76-FOOT RADIUS S. 32.98 FEET TO THE POINT OF TANGENCY OF A 107.76-FOOT RADIUS THE LEFT; THENCE SOUTHERLY 35.75 FEET ALONG THE ARC OF SAID THE LEFT; THENCE SOUTHERLY 35.75 FEET ALONG THE ARC OF SAID THE LEFT; THENCE SOUTHERLY 35.75 FEET ALONG THE ARC OF SAID THE LEFT; THENCE SOUTHERLY 35.75 FEET ALONG THE ARC OF SAID THE POINT OF REVERSE CURVATURE OF A 337.90-FOOT RADIUS CURVE THE POINT OF REVERSE CURVATURE OF A 337.90-FOOT RADIUS CURVE THE POINT OF REVERSE CURVATURE OF A 337.90-FOOT RADIUS CURVE THE POINT OF REVERSE CURVATURE OF A 337.90-FOOT RADIUS CURVE THE POINT OF REVERSE CURVATURE OF A 337.90-FOOT RADIUS CURVE THE POINT OF REVERSE CURVATURE OF A 337.90-FOOT RADIUS CURVE TO A POINT SOUTHERLY 207.43 FEET ALONG THE ARC OF SAID CURVE TO A POINT SOUTHERLY 207.43 FEET ALONG THE ARC OF SAID CURVE TO A POINT SOUTHERLY 30.7.43 FEET ALONG THE ARC OF SAID CURVE TO A POINT SOUTHERLY 30.7.43 FEET ALONG THE ARC OF SAID CURVE TO A POINT SOUTHERLY 30.7.43 FEET ALONG THE ARC OF SAID CURVE TO A POINT SOUTHERLY 30.7.43 FEET ALONG THE ARC OF SAID CURVE TO A POINT SOUTHERLY 30.7.43 FEET ALONG THE ARC OF SAID CURVE TO A POINT SOUTHERLY 30.7.43 FEET ALONG THE ARC OF SAID CURVE TO THE

SCALE: ||DESIGNED RAJ DATE 12/97 | HO. | STATE OF STATE O




CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	DELTA
C146	54.00	106.56	81.68	90.09*	S 32"52"00" E	11303'34"
C147	22.00	46.42	38.81	38.28	5 28 56 44 E	120 54 06
C148	112.00	144.01	83.90	134.29	S 0519'51" E	73'40'19"
C149	67.58	23.11	11.67	23.00	S 3272114 E	19'35'33"
C150	479.40	61.87	30.98	61.83	S 18 52 36 E	07'23'42
C151	70.00	72.21	39.69	69.05	S 44'43'53" E	59'06'16"
C152	25.00	28.41	15,96	26.90	5 41'43'48' E	65'06'26"
C153	206.31	40.54	20.34	40.48	S 14"48"23" E	1175′36*
C154	416.13	81.43	40.85	81.30	S 26 02 33 E	1172'45"
C155	281.40	47.38	23.74	47.32	5 36"28"19" E	09"38'47"
C156	433.46	83.99	42.13	83.86	I S 35'44'38" E	11'06'09"
C157	230.30	72.60	36.60	72.29	5 21 09'44" E	18'03'38
C158	108.59	+5.65	23,17	45.32	S 2410'33 E	24'05'16"
C159	387.72	115.62	58.24	115.19	5 44 45 45 E	17'05'09"
C160	25.00	32.45	18,96	30.22	S 16 07 34 E	74'21'32"
C161	425.39	61.61	30.86	61.56	S 2512'09' W	0817'55
C152	216.46	5B.63	29.49	58.45	3 21°35′35′ W	15'31'03
	64.71	34.32	17.5B	33.92	S 01"21"39" E	30"23"24"
C163	68.43	34.41	17.58	34.05	5 02 09 05 E	28 48 32
C164	107.76	35.75	18.04	35.59	5 02'44'53" W	19'00'36"
C165		207.43	107.10	204.19	! S 10'49'47' W	3510'24"
C166	337.90	; 20/.43	107.10	1 ZU4.12		


		DISTANCE
LINE	DIRECTION	
L132	N 89 23 47 W	42.46
L133	S 31'30'19" W	70.94
L134	5 4270'00" E	59.52
L135	S 22°34'27' E_	109.97
L136	S 1510'45" E	53.37
L137	S 7477'01" E	48.24
L138	5 0910'35° E	68.21
L139	5 20 25 11 E	58.00
L140	S 31°38'55 E	122.57
L141	S 3011'33 E	143.61
L142	S 12 07 55 E	76.48
L143	S 3673'11" W	50.53
L144	S 5378'20" E	56.5 <u>2</u>
L145	S 21703'12" W	185.09
146	S 29"21"06" W	278.15
1147	S 13'50'03' W	308.98
	\$ 1275'11" W	32.98
L148		66.19
L149	S 28"24"59" W	<u> </u>



CENTRAL UTAH WATER CONSERVANCY DISTRICT
Wasatch County Water Efficiency Project
WASATCH CANAL
EXHIBIT 22



T.3S. R.5E., S.L.M. **KEY MAP** Seven-tenths (52.7) feet to the point of beginning.



ion 29, Township 3 South, Range 5 aid property east of the Wasatch canal r less, and being more particularly

-four and Two-tenths (574.2) feet and ss, from the Southwest corner of ship Three (3) South, Range Five (5) and Eight-tenths (66.8) feet; thence thence N49' 20' 00" E Fifty-two and

ALWAYS THINK SAFETY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION
PROVO ARFA OFFICE

PROVO AREA OFFICE PROVO – UTAH

WASATCH COUNTY WATER EFFICIENCY PROJECT

PARCEL W655(Fee)
THOMAS TIMMERMAN PROPERTY

DESIGNED - FIELD APPROVAL SALAMAN DESIGNED - TECHNICAL APPROVED - TECHNICAL APPROVED - TAREA MANAGER

PROVO, UTAH

JANUARY, 1999 1754-418-50